

SAFETY DATA SHEET

Issuing Date 13-Jul-2012

Revision Date 12-Feb-2019

Revision Number 4



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name EZY-PAK™ #115

Other means of identification

Product Code(s) 985

(M)SDS Number WPS-JLI-080

Synonyms JET-LUBE® - EZY-PAK ™ #115; ILEX EZY-PAK® #115

Recommended use of the chemical and restrictions on use

Recommended Use Lubricants, Greases and Release Products

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Identification Jet-Lube ,LLC.

Address Jet Lube LLC

930 Whitmore Drive

Rockwall, Texas USA 75087

Telephone US Office: Phone:+1-972-771-1000 Fax:+1-972-722-2108

E-mail Sales@jetlube.com

Emergency telephone number

Company Emergency Phone

1-800-699-6318

Number Emergency Telephone Number

ber CHEMTREC: +1-703-527-3887 (INTERNATIONAL)

1-800-424-9300 (NORTH AMERICA)

2. HAZARDS IDENTIFICATION

Classification

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).



.

Appearance Green

Physical state Semi-Solid Paste

Odor Slight

GHS Label elements, including precautionary statements

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).

Precautionary Statements - Prevention

Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Not applicable.

<u>Mixture</u>

Synonyms

JET-LUBE® - EZY-PAK ™ #115: ILEX EZY-PAK® #115

Chemical Name	CAS-No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)	
Ptfe	9002-84-0	20-25	-	-	
Glass, oxide	65997-17-3	15-20	-	-	
Talc	14807-96-6	10-15	-	-	
p-Aramide	26125-61-1	1-5	-	-	

4. FIRST AID MEASURES

First aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Inhalation If breathing has stopped, give artificial respiration. Get medical attention immediately.

Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel

should) give oxygen.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.



Skin contact Wash skin with soap and water.

Ingestion Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Call a physician or Poison Control

Center immediately.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Do not breathe vapor or mist. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Use personal protective equipment as required. See section 8

for more information.

Most important symptoms and effects, both acute and delayed

Symptoms Coughing and/ or wheezing. Difficulty in breathing.

Indication of any immediate medical attention and special treatment needed

5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

No information available.

Hazardous Combustion Products Carbon oxides. Thermal decomposition of product above 300 degrees (C), can create

Carbonyl fluoride, which combines with air and moisture and hydrolyses to Hydrogen

Fluoride and Carbon Dioxide. Other PTFE degradation products include;

perfluoroisobutylene, tetrafluoroethylene, hexafluoropropylene, carbon monoxide and

trifluoromethane.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Do not breathe vapor

or mist. Use personal protective equipment as required. Evacuate personnel to safe areas.

Keep people away from and upwind of spill/leak.

Other Information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so. Should not be released into the



environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not breathe vapor or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits

Chemical Name	ACGIH T	ACGIH TLV		SHA PEL		NIOSH IDLH	
Glass, oxide 65997-17-3	TWA: 1 fiber/cm3 fibers: length >5 ratio >=3:1, as de the membrane filte 400-450X magnific objective], using philluminat TWA: 5 mg/m³	TWA: 1 fiber/cm3 respirable fibers: length >5 µm, aspect ratio >=3:1, as determined by the membrane filter method at 400-450X magnification [4-mm objective], using phase-contrast illumination TWA: 5 mg/m³ inhalable		-		NICOTTIBLIT	
Talc 14807-96-6		fraction TWA: 2 mg/m ³) TWA: 2 mg/m³	IDLH: 1000 mg/m³ containg no asbestos and <1% quartz TWA: 2 mg/m³		
p-Aramide 26125-61-1	TWA: 10 m	TWA: 10 mg/m ³		mg/m³ total dust ng/m³ respirable fraction VA: 15 mg/m³ total dust) TWA: 5 mg/m³ able fraction	TWA: 5 mg/m³ respirable dust TWA: 10 mg/m³ total dust		
Chemical Name	Alberta	Alberta British C		Ontario TWAE	V	Quebec	
Ptfe 9002-84-0						TWA: 2.5 mg/m ³	



985 - EZY-PAK™ #115 Revision Date 12-Feb-2019

Glass, oxide	TWA: 5 mg/m ³	TWA: 1 fibre/cm3	TWA: 1 fibre/cm3	TWA: 10 mg/m ³
65997-17-3	TWA: 1 fibre/cm3	TWA: 5 mg/m ³	TWA: 5 mg/m ³	
Talc 14807-96-6	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 2 mg/m ³	TWA: 3 mg/m ³

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 Other Exposure Guidelines

(11th Cir., 1992).

Appropriate engineering controls

Showers Engineering controls

> Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles).

Wear suitable gloves. Neoprene gloves. Nitrile rubber. Viton™. Rubber gloves. Hand protection

Skin and body protection Long sleeved clothing. Lightweight protective clothing. Apron.

When workers are facing concentrations above the exposure limit they must use Respiratory protection

appropriate certified respirators.

General hygiene considerations Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. Wear suitable

> gloves and eye/face protection. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and

> > None known

immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Semi-Solid: Paste Physical state

Appearance Green Odor Slight

No information available Color **Odor Threshold** No data available

Remarks Method **Property** <u>Values</u>

Hq

Melting / freezing point No data available None known

Boiling point / boiling range 316 °C

Flash Point > 260 °C

Evaporation Rate No data available None known Flammability (solid, gas) No data available None known

Flammability Limit in Air

Upper flammability limit No data available

Lower flammability limit No data available

Vapor pressure No data available None known Vapor density No data available None known

Relative density 1.38

Water Solubility Insoluble in water

Solubility(ies) No data available None known

Partition coefficient: n-octanol/water

Not Applicable **Autoignition temperature** No data available None known **Decomposition temperature** No data available None known



985 - EZY-PAK™ #115 Revision Date 12-Feb-2019

Kinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Explosive propertiesNo information available
No information available

Other Information

Softening Point No information available Molecular Weight No information available

VOC Content (%) None

Liquid DensityNo information availableBulk DensityNo information availableParticle SizeNo information availableParticle Size DistributionNo information available

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoid Excessive heat.

Incompatible materialsNone known based on information supplied.

Hazardous Decomposition Products Carbon oxides. Thermal decomposition of product above 300 degrees (C), can create

Carbonyl fluoride, which combines with air and moisture and hydrolyses to Hydrogen

Fluoride and Carbon Dioxide. Other PTFE degradation products include;

perfluoroisobutylene, tetrafluoroethylene, hexafluoropropylene, carbon monoxide and

trifluoromethane.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation Not an expected route of exposure. Specific test data for the substance or mixture is not

available.

Eye contact Specific test data for the substance or mixture is not available.

Skin contact Specific test data for the substance or mixture is not available.

Ingestion Specific test data for the substance or mixture is not available.

Information on toxicological effects

Symptoms Coughing and/ or wheezing. Difficulty in breathing.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document .



985 - EZY-PAK™ #115 Revision Date 12-Feb-2019

 ATEmix (oral)
 16,396.40 mg/kg

 ATEmix (dermal)
 37,606.00 mg/kg

 ATEmix (inhalation-dust/mist)
 0.06 mg/L

Unknown acute toxicity No information available

Chemical Name LD5		LD50 Oral	LD50 Dermal	Inhalation LC50
p-Aramide >7500 mg/kg (rat)				

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity

Legend

No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity .

	Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water	
				Microorganisms	Flea)	
Talc EC50 72 h: > 1000 mg/l		96h LC50: > 1000 mg/L	10-day LC50 = >	48h EC50: = >1000mg/L		
-	(Skeletonema cost		(Turbot)	12194mg/kg (Corophium	(Acartia tonsa)	
-			, ,	volutator)		

Persistence and Degradability No information available.

Bioaccumulation There is no data for this product.

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.



products

14. TRANSPORT INFORMATION

DOTNOT REGULATEDProper Shipping NameNON REGULATED

Hazard Class N/A

TDG Not regulated

MEX NOT REGULATED

ICAO NOT REGULATED

IATA Not regulated

Proper Shipping Name NON REGULATED

IMDG Not regulated

RID NOT REGULATED

ADR NOT REGULATED

ADN NOT REGULATED

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

TSCA Complies.
DSL/NDSL Complies.
EINECS/ELINCS Complies.
ENCS Not determined.
KECL Complies.
PICCS Not determined.
AICS Not determined.

<u>Legend</u>

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations



SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		S			
Ptfe			Х		
9002-84-0					
Talc	Х	Х	Х		Х
14807-96-6					

16. OTHER INFORMATION

NFPA Health hazards 1 Flammability 1 Instability 0 Physical and Chemical

Properties -

Health hazards 1 Flammability 1 Physical hazards 0 Personal Protection X

Product Stewardship 23 British American Blvd. Latham, NY 12110

1-800-572-6501

Issuing Date 13-Jul-2012

Revision Date 12-Feb-2019

Revision Note Initial Release

Disclaimer

Prepared By

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation,



disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet



