

# SAFETY DATA SHEET

Issuing Date 11-Nov-2011

Revision Date 12-Feb-2019

**Revision Number** 3

**(U)** 

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION			
Product identifier			
Product Name	JET-LUBE® EZY-PAK 125		
Other means of identification			
Product Code(s)	980		
Synonyms	EZY PAC 125; ILEX EZY PAC 125		
Recommended use of the chemica	l and restrictions on use		
Recommended Use	Sealant Lubricants, Greases and Release Products		
Uses advised against	No information available		
Details of the supplier of the safety data sheet			
Supplier Identification	Jet-Lube LLC		
Address	Jet Lube LLC 930 Whitmore Drive Rockwall, Texas USA 75087		
Telephone	US Office: Phone:+1-972-771-1000 Fax:+1-972-722-2108		
E-mail	Sales@jetlube.com		
Emergency telephone number			
Company Emergency Phone Number	1-800-699-6318		
Number Emergency Telephone Number	CHEMTREC: +1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)		

# 2. HAZARDS IDENTIFICATION

#### **Classification**

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).



Appearance Blue

Physical state Paste / Gel

Odor Odorless

#### GHS Label elements, including precautionary statements

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).

Precautionary Statements - Prevention Obtain special instructions before use Use personal protective equipment as required Precautionary Statements - Response Get medical advice/attention if you feel unwell

#### Other information

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Substance

Not applicable.

#### <u>Mixture</u>

#### Synonyms

#### EZY PAC 125; ILEX EZY PAC 125

Chemical Name	CAS-No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Talc	14807-96-6	30-35	-	-
Mica	12001-26-2	20-25	-	-
p-Aramide	26125-61-1	5-10	-	-

### **4. FIRST AID MEASURES**

#### First aid measures

Inhalation Remove to fresh air.

Eye contactRinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.<br/>Consult a physician.

Skin contact Wash skin with soap and water.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed



#### Note to physicians

Treat symptomatically.

### **5. FIRE-FIGHTING MEASURES**

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	CAUTION: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	No information available.
Hazardous Combustion Products	Carbon oxides.
Explosion Data Sensitivity to Mechanical Impac Sensitivity to Static Discharge	t None. None.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures			
Personal precautions	Ensure adequate ventilation.		
Environmental precautions			
Environmental precautions	See Section 12 for additional Ecological Information.		
Methods and material for containment and cleaning up			
Methods for containmentPrevent further leakage or spillage if safe to do so.			
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		

# 7. HANDLING AND STORAGE

Precautions for safe handling	
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice.
Conditions for safe storage, includi	ng any incompatibilities
Storage Conditions	Keep containers tightly closed in a dry, cool and well-ventilated place.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

#### **Exposure Limits**

Chemical Name		ACGIH T	LV	0	SHA PEL		NIOSH	IDLH
Talc		TWA: 2 mg/m <sup>3</sup>		(vacated)	) TWA: 2 mg/m <sup>3</sup>	IDLH: 1000 mg/m <sup>3</sup> containg no		
14807-96-6						asbestos and <1% quartz		
							TWA: 2	mg/m³
Mica		TWA: 3 mg	g/m³	TWA: 20 mp	pcf (<1% crystalline	IDLH	l: 1500 mg	/m <sup>3</sup> containing
12001-26-2					silica)		<1% q	
				3 mg/	m <sup>3</sup> (vacated)	TWA	: 3 mg/m <sup>3</sup>	respirable dust
p-Aramide		TWA: 10 m	g/m³		mg/m <sup>3</sup> total dust	TWA:	5 mg/m <sup>3</sup>	respirable dust
26125-61-1				TWA: 5 m	ng/m3 respirable	TW	A: 10 mg/r	n <sup>3</sup> total dust
				f	fraction			
				(vacated) TV	VA: 15 mg/m <sup>3</sup> total			
					dust			
					) TWA: 5 mg/m³			
				respir	able fraction			
Chemical Name		Alberta	British C	Columbia	Ontario TWAE	V	G	Quebec
Talc	٦	TWA: 2 mg/m <sup>3</sup>	TWA: 2	2 mg/m³	TWA: 2 mg/m	3	TWA	A: 3 mg/m <sup>3</sup>
14807-96-6								
Mica	٦	TWA: 3 mg/m <sup>3</sup>	TWA: 3	3 mg/m³	TWA: 3 mg/m	3	TWA	A: 3 mg/m <sup>3</sup>
12001-26-2								

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

Engineering controls	Showers Eyewash stations Ventilation systems.
Individual protection measures, su	ch as personal protective equipment
Eye/face protection	Avoid contact with eyes. Wear safety glasses with side shields (or goggles).
Hand protection	Wear suitable gloves. Protective gloves. Viton™. Rubber gloves. Nitrile rubber. Neoprene gloves.
Skin and body protection	Lightweight protective clothing. Long sleeved clothing. Apron.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties Physical state Appearance Odor Color Odor Threshold	Paste / Gel Blue Odorless No information available No information available	
<u>Property</u> pH Melting / freezing point Boiling point / boiling range	<u>Values</u> 7 No data available 316  °C	<u>Remarks Method</u> None known



Flash Point	> 260 °C
Evaporation Rate	No data available
Flammability (solid, gas)	No data available
Flammability Limit in Air	
Upper flammability limit	No data available
Lower flammability limit	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	1.47
Water Solubility	Insoluble in water
Solubility(ies)	No data available
Partition coefficient: n-octanol/water	Not Applicable
Autoignition temperature	No data available
Decomposition temperature	No data available
Kinematic viscosity	No data available
Dynamic viscosity	No data available
Explosive properties	No information available
Oxidizing properties	No information available
Other Information	
Softening Point	No information available
Molecular Weight	No information available
VOC Content (%)	None
Liquid Density	No information available
Bulk Density	No information available
Particle Size	No information available
Particle Size Distribution	No information available

None known None known

### **10. STABILITY AND REACTIVITY**

Reactivity	No information available.
Chemical stability	Stable under normal conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous Polymerization	Hazardous polymerization does not occur.
Conditions to avoid	None known based on information supplied.
Incompatible materials	None known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

#### **Product Information**

Inhalation	No known hazard by inhalation.
Eye contact	No known effect based on information supplied.
Skin contact	No known effects under normal use conditions.

Ingestion

Specific test data for the substance or mixture is not available.

#### Information on toxicological effects

Symptoms

No information available.

#### Numerical measures of toxicity

#### **Acute Toxicity**

Unknown acute toxicity	No information available		
Chemical Name	LD50 Oral	LD50 Dermal	Inhalation LC50
p-Aramide	>7500 mg/kg (rat)		

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	Classification based on data available for ingredients.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Talc	-	Group 3	-	Х
14807-96-6				
p-Aramide	-	Group 3	-	-
26125-61-1				

#### Legend

 IARC (International Agency for Research on Cancer)

 Group 3 - Not Classifiable as to Carcinogenicity in Humans

 OSHA (Occupational Safety and Health Administration of the US Department of Labor)

 X - Present

 Reproductive toxicity
 No information available.

 STOT - single exposure
 No information available.

STOT - repeated exposure	No information available.
--------------------------	---------------------------

Aspiration hazard No information available.

### **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

	Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water	
				Microorganisms	Flea)	
Γ	Talc	EC50 72 h: > 1000 mg/L	96h LC50: > 1000 mg/L	10-day LC50 = >	48h EC50: = >1000mg/L	
		(Skeletonema costatum)	(Turbot)	12194mg/kg (Corophium	(Acartia tonsa)	
				volutator)		



Persistence and Degradability	e and Degradability No information available.	
Bioaccumulation	There is no data for this product.	
Mobility	No information available.	
Other adverse effects	No information available.	
	13. DISPOSAL CONSIDERATIONS	
Waste treatment methods		

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

### 14. TRANSPORT INFORMATION

ADN	NOT REGULATED
ADR	NOT REGULATED
RID	NOT REGULATED
IMDG_	Not regulated
IATA	Not regulated
ICAO	NOT REGULATED
MEX	NOT REGULATED
TDG	Not regulated
DOT	NOT REGULATED

### **15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

**International Regulations** 

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories	
TSCA	Contact supplier for inventory compliance status.
DSL/NDSL	Complies.
EINECS/ELINCS	Complies.
ENCS	Not determined.



KECL	Complies.
PICCS	Complies.
AICS	Not determined

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Acute Health Hazard	No
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

#### **US State Regulations**

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		S			
Talc	Х	Х	Х		Х
14807-96-6					
Mica	Х	Х	Х		
12001-26-2					

### **16. OTHER INFORMATION**



<u>NFPA</u>	Health hazards 0	Flammability 1	Instability 0	Physical and Chemical Properties -	
HMIS	Health hazards 0	Flammability 1	Physical hazards 0	Personal Protection X	
Prepared By	23 British	Stewardship American Blvd. NY 12110 2-6501			
Issuing Date	11-Nov-2011				
Revision Date	12-Feb-2019				
Revision Note	Initial Rel	ease			

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

#### End of Safety Data Sheet