

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 6/11/2020 Revision date: 9/26/2022 Supersedes: 7/21/2022 Version: 3.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Mixture
Trade name	: HDD KOPR
Product code	: J883
<b>1.2. Recommended use and restrictions o</b> No additional information available	n use
1.3. Supplier	
Manufacturer	
Whitmore Manufacturing LLC 930 Whitmore Drive Rockwall, Texas, 75087 USA T 1.972.771.1000 <u>Regulatory@whitmores.com</u> - <u>www.jetlube.com</u>	
1.4. Emergency telephone number	
Emergency number	: For Chemical Emergency Call CHEMTREC 24hr/day 7days/week Within USA and Canada: 1.800.424.9300 Outside USA and Canada: +1.703.527.3887 (collect calls accepted)
SECTION 2: Hazard(s) identification	
2.1. Classification of the substance or mix	ture
GHS US classification	
Not classified	
2.2. GHS Label elements, including precau	utionary statements
GHS US labeling	
No labeling applicable	
<b>2.3. Other hazards which do not result in o</b> No additional information available	classification
2.4. Unknown acute toxicity (GHS US)	
Not applicable	
<b>SECTION 3: Composition/Information</b>	on ingredients
3.1. Substances	
Not applicable	
3.2. Mixtures	

Name	Product identifier	%	GHS US classification
Distillates (petroleum), hydrotreated heavy naphthenic (Note L)	CAS-No.: 64742-52-5	60 - 70	Not classified

Note L : The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 'Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions — Dimethyl sulphoxide extraction refractive index method', Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3. Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures		
4.1. Description of first aid measures		
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.	
First-aid measures after skin contact	: Wash skin with plenty of water.	
First-aid measures after eye contact	: Rinse eyes with water as a precaution.	
First-aid measures after ingestion	: Call a poison center/doctor/physician if you feel unwell.	
4.2. Most important symptoms and offects (acute and delayed)		

### 4.2. Most important symptoms and effects (acute and delayed)

No additional information available

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register /	Vol. 77, No. 58 / Monday, March	n 26, 2012 / Rules and Regulations		
<b>4.3. Immediate medical</b> No additional information av	attention and special t	reatment, if necessary		
SECTION 5: Fire-figh	ting measures			
	itable) extinguishing m	edia		
Suitable extinguishing medi		Water spray. Dry powder. Foar	n.	
No additional information av				
5.3. Special protective Protection during firefighting	equipment and precaut		ithout cuitable protective eq	uipment. Self-contained breathing
	<b>,</b> .	apparatus. Complete protective		apment. Sen-contained breathing
	tal release measures	nt and emergency proced	ures	
-		in and emergency proceed		
6.1.1. For non-emergency Emergency procedures	•	Exercise caution. Spill area ma	av be slipperv.	
			,	
6.1.2. For emergency resp Protective equipment		Do not attempt to take action w	vithout suitable protective equ	uipment. For further information refer
Protective equipment		to section 8: "Exposure control		
6.2. Environmental pre-				
Avoid release to the environ		l cleaning un		
Methods for cleaning up	rial for containment and	Mechanically recover the produ	uct.	
Other information	:	Dispose of materials or solid re	sidues at an authorized site.	
<b>6.4. Reference to other</b> For further information refer				
SECTION 7: Handling	g and storage			
7.1. Precautions for saf	fe handling	<b>-</b>		
Precautions for safe handlin	Precautions for safe handling       : Ensure good ventilation of the work station. Wear personal protective equipment.         Hygiene measures       : Do not eat, drink or smoke when using this product. Always wash hands after handling the			
Tygiene measures	e measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.			
7.2. Conditions for safe Storage conditions	e storage, including any	v incompatibilities Store in a well-ventilated place	. Keep cool.	
<b>SECTION 8: Exposur</b> 8.1. Control parameters	re controls/personal p	protection		
HDD KOPR	3			
No additional information a	available			
	, hydrotreated heavy na	unhthonic (6/7/2-52-5)		
,		apinnenic (04742-52-5)		
No additional information a				
8.2. Appropriate engine Appropriate engineering con		Ensure good ventilation of the	work station.	
Environmental exposure co		Avoid release to the environme		
8.3. Individual protection	on measures/Personal p	protective equipment		
Hand protection:				
Neoprene or nitrile rubber	gloves			
Туре	Material	Permeation	Thickness (mm)	Penetration
Disposable gloves	Nitrile rubber (NBR), Neoprene rubber (HNBR)	2 (> 30 minutes)	0.3 mm - 0.6 mm	

### Eye protection:

Wear eye protection

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Skin and body protection:

Wear suitable protective clothing

### **Respiratory protection:**

No respiratory protection needed under normal use conditions

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and cher	nical properties
Physical state	: Solid
Appearance	: Paste.
Color	: copper
Odor	: petroleum-like odor
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: > 160 °C Open cup
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Insoluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Viscosity, kinematic	: > 22 mm²/s
Viscosity, dynamic	: No data available
Explosion limits	: Not applicable
Explosive properties	: No data available
Oxidizing properties	: No data available
9.2. Other information	
VOC content	: < 0.1 %

SECTION 10: Stability and reactivity	
10.1. Reactivity	
No additional information available	
10.2. Chemical stability	
No additional information available	
10.3. Possibility of hazardous reactions	
No additional information available	
10.4. Conditions to avoid	
No additional information available	
10.5. Incompatible materials	
No additional information available	
10.6. Hazardous decomposition products	
No additional information available	
<b>SECTION 11: Toxicological information</b>	1
11.1. Information on toxicological effects	
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified

Acute toxicity (inhalation)

: Not classified

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Viscosity, kinematic	: > 22 mm²/s

SECTION 12: Ecological information
12.1. Toxicity
No additional information available
12.2. Persistence and degradability
No additional information available
12.3. Bioaccumulative potential
No additional information available
12.4. Mobility in soil
No additional information available
12.5. Other adverse effects
No additional information available

## **SECTION 13: Disposal considerations**

**13.1. Disposal methods** Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

### **SECTION 14: Transport information**

In accordance with DOT / TDG / IMDG / IATA

DOT	TDG	IMDG	ΙΑΤΑ
14.1. UN number		·	
3077	UN3077	3077	3077
14.2. Proper Shipping Name			
Environmentally hazardous substances, solid, n.o.s. (CONTAINS : copper)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS : copper)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS : copper)	Environmentally hazardous substance, solid, n.o.s. (CONTAINS : copper)
Transport document description		·	·
UN3077 Environmentally hazardous substances, solid, n.o.s. (CONTAINS : copper), 9, III	UN3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS : copper), 9, III	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS : copper), 9, III	UN 3077 Environmentally hazardous substance, solid, n.o.s. (CONTAINS : copper), 9, III
14.3. Transport hazard class(es)	)	·	·
9	9	9	9
	$\vee$	×	×
14.4. Packing group			1
III	111	III	III

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT	TDG	IMDG	ΙΑΤΑ
14.5. Environmental hazards			
Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No
No supplementary information availab	le		
14.6. Special precautions for use			
DOT			
UN-No. (DOT) DOT Special Provisions (49 CFR 172.1	description "Other resolid materials, specified - This description does not meet the du 171.8 of this subchal designated as enviro transit or destination 335 - Mixtures of sol liquids or solids may UN3077 and may be time the material is littransport unit must be 384 - For transporta unit must be 384 - For transport and following IBCs are at IBC may not exceed a. Metal: 11A, 11B, 'b. Rigid plastics: 11H c. Composite with pl d. Fiberboard: 11G e. Wooden: 11C, 11I f. Flexible: 13H2, 13 sift-proof and water B54 - Open-top, sift-B120 - The use of fit subpart S of part 178 IB8 - Authorized IBC (11H1, 11H2, 21H1, 31HZ1 and 31HZ2); 13H3, 13H4, 13H5, 'IP3 - Flexible IBCs m water-resistant liner. N20 - A 5M1 multi-w N91 - The use of a r specification sift-proof coal tar pitch compo with a three ply wall, transportation. T1 - 1.5 178.274(d)(TP33 - The portable powdered solids and melting point which a or offered for transport and specification a	ids that are not subject to this subchap be classified as "Environmentally haze a transported under this entry, provided oaded or at the time the packaging or to be leak-proof when used as bulk packa- tion by motor vehicle, substances mee e prescribed in §173.121(b)(1)(i), (b)(1) o Packing Group III under the following ing the quantity limits shown in Columi uthorized for transportation aboard pas a maximum net quantity of 1,000 kg: 11N, 21A, 21B and 21N 41, 11H2, 21H1 and 21H2 astic inner receptacle: 11HZ1, 11HZ2, D and 11F (with inner liners) H3, 13H4, 13H5, 13L2, 13L3, 13L4, 13 resistant or must be fitted with a sift-pro proof rail cars are also authorized. exible bulk containers conforming to the 3 of this subchapter is permitted. is: Metal (11A, 11B, 11N, 21A, 21B, 21 21H2, 31H1 and 31H2); Composite (1 Fiberboard (11G); Wooden (11C, 11D 13L1, 13L2, 13L3, 13L4, 13M1 or 13M nust be sift-proof and water-resistant or	<ul> <li>b.s.", as appropriate. In addition, for as a hazard to the environment but zardous substance, as defined in Part 173 of this subchapter, if it is in the Authority of the country of origin, atter and environmentally hazardous ardous substances, solid, n.o.s," I there is no free liquid visible at the ransport unit is closed. Each ging.</li> <li>ting the conditions for high viscosity (ii), and (b)(1)(iv) of this subchapter, g conditions:</li> <li>the conditions for high viscosity (iii), and (b)(1)(iv) of this subchapter, g conditions:</li> <li>the conditions for high viscosity (iii), and (b)(1)(iv) of this entry, the ssenger and cargo-only aircraft. Each 21HZ1 and 21HZ2</li> <li>M1 and 13M2 (flexible IBCs must be bof and water resistant liner).</li> <li>e requirements in subpart R and N, 31A, 31B and 31N); Rigid plastics 1HZ1, 11HZ2, 21HZ1, 21HZ2, and 11F); Flexible (13H1, 13H2, 2).</li> <li>r must be fitted with a sift-proof and ed in a closed transport vehicle.</li> <li>etal can with or without lid, or a non lid is authorized when transporting the fiber drum must to be fabricated pound must be in a solid mass during the analysis of the ransported ized for transportation in portable ion T4 for solid substances of up II, unless a tank with more um allowable working pressure, hich case the more stringent tank nust be in accordance with portable an elevated temperature material</li> </ul>
DOT Packaging Non Bulk (49 CFR 173	3.xxx) : 213		

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Packaging Bulk (49 CFR 173.xxx)	: 240
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: No Limit
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: No Limit
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
TDG	
UN-No. (TDG)	: UN3077
TDG Special Provisions	<ul> <li>: 16 - (1) The technical name of at least one of the most dangerous substances that predominantly contributes to the hazard or hazards posed by the dangerous goods must be shown, in parentheses, on the shipping document following the shipping name in accordance with clause 3.5(1)(c)(ii)(A) of Part 3 (Documentation). The technical name must also be shown in parentheses, on a small means of containment or on a tag following the shipping name in accordance with subsections 4.11(2) and (3) of Part 4 (Dangerous Goods Safety Marks).</li> <li>(2) Despite subsection (1), the technical name for the following dangerous goods is not require to be shown on a shipping document or on a small means of containment when Canadian law for domestic transport or an international convention for international transport prohibits the disclosure of the technical name:</li> <li>(a) UN1544, ALKALOID SALTS, SOLID, N.O.S. or ALKALOIDS, SOLID, N.O.S;</li> <li>(b) UN1851, MEDICINE, LIQUID, TOXIC, N.O.S;</li> <li>(c) UN3140, ALKALOID SALTS, LIQUID, N.O.S. or ALKALOIDS, LIQUID, N.O.S;</li> <li>(d) UN3248, MEDICINE, LIQUID, FLAMMABLE, TOXIC, N.O.S; or</li> <li>(e) UN3249, MEDICINE, SOLID, TOXIC, N.O.S.</li> <li>(3) Despite subsection (1), the technical name for the following dangerous goods is not require to be shown on a small means of containment:</li> <li>(a) UN2814, INFECTIOUS SUBSTANCE, AFFECTING HUMANS; or</li> <li>(b) UN2900, INFECTIOUS SUBSTANCE, AFFECTING ANIMALS,99 - (1) Mixtures of solids that are not dangerous goods and liquids or solids that are UN3077, ENVIRONMENTALLY</li> <li>HAZARDOUS SUBSTANCE, SOLID, N.O.S, or UN3082, ENVIRONMENTALLY</li> <li>HAZARDOUS SUBSTANCE, SOLID, N.O.S, or UN3077, ENVIRONMENTALLY</li> <li>HAZARDOUS SUBSTANCE, SOLID, N.O.S, or UN3077, ENVIRONMENTALLY</li> <li>HAZARDOUS SUBSTANCE, SOLID, N.O.S, or Issification), do not apply to the handling, offerir for transport or transporting of less than 450 kg of UN3077, ENVIRONMENTALLY</li> <li>HAZARDOUS SUBSTANCE, SOLID, N.O.S, or less than 450 L of UN3082</li></ul>
	conditions of transport, including handling, there will be no accidental release of the dangerou goods that could endanger public safety.
Explosive Limit and Limited Quantity Index	: 5 kg
Excepted quantities (TDG)	: E1
Emergency Response Guide (ERG) Number	: 171
IMDG	
Special provision (IMDG)	: 274, 335, 966, 967, 969
Limited quantities (IMDG)	: 5 kg
Excepted quantities (IMDG)	: E1
	: LP02, P002
Packing instructions (IMDG)	. LF 02, F 002
	: PP12
Packing provisions (IMDG)	
Packing provisions (IMDG) IBC packing instructions (IMDG)	: PP12 : IBC08
Packing provisions (IMDG) IBC packing instructions (IMDG) IBC special provisions (IMDG)	: PP12 : IBC08 : B3
Packing provisions (IMDG) IBC packing instructions (IMDG) IBC special provisions (IMDG) Tank instructions (IMDG)	: PP12 : IBC08 : B3 : BK1, BK2, BK3, T1
Packing provisions (IMDG) IBC packing instructions (IMDG) IBC special provisions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG)	: PP12 : IBC08 : B3 : BK1, BK2, BK3, T1 : TP33
Packing provisions (IMDG) IBC packing instructions (IMDG) IBC special provisions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire)	: PP12 : IBC08 : B3 : BK1, BK2, BK3, T1 : TP33 : F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
Packing provisions (IMDG) IBC packing instructions (IMDG) IBC special provisions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG)	: PP12 : IBC08 : B3 : BK1, BK2, BK3, T1 : TP33

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

IATA	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y956
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 956
PCA max net quantity (IATA)	: 400kg
CAO packing instructions (IATA)	: 956
CAO max net quantity (IATA)	: 400kg
Special provision (IATA)	: A97, A158, A179, A197, A215
ERG code (IATA)	: 9L

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable

### **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

### 15.2. International regulations

### CANADA

### Distillates (petroleum), hydrotreated heavy naphthenic (64742-52-5)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

### National regulations

### Distillates (petroleum), hydrotreated heavy naphthenic (64742-52-5)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
chalk(1317-65-3)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
graphite(7782-42-5)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
talc(14807-96-6)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
mica(12001-26-2)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List
quartz, 1%≤conc respirable crystalline silica<10%(14808-60-7)	U.S Massachusetts - Right To Know List; U.S New Jersey - Right to Know Hazardous Substance List; U.S Pennsylvania - RTK (Right to Know) List

### **SECTION 16: Other information**

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Revision date

: 09/26/2022

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.