

SAFETY DATA SHEET

Issuing Date 03-May-2012

Revision Date 01-Mar-2019

Revision Number 2



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION

Product identifier

Product Name JET-LUBE® RUN N SEAL™ ARCTIC

Other means of identification

Product Code(s) 171

(M)SDS Number WPS-JLI-088

Synonyms RUN N SEAL™ ARCTIC

Recommended use of the chemical and restrictions on use

Recommended Use Lubricants, Greases and Release Products

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Identification Jet-Lube , LLC.

Address Jet Lube LLC

930 Whitmore Drive

Rockwall, Texas USA 75087

Telephone US Office: Phone:+1-972-771-1000 Fax:+1-972-722-2108

E-mail Sales@jetlube.com

Emergency telephone number

Company Emergency Phone

Number

1-800-699-6318

Emergency Telephone Number CHEMTREC: +1-703-527-3887 (INTERNATIONAL)

1-800-424-9300 (NORTH AMERICA)

2. HAZARDS IDENTIFICATION

Classification

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).



.

Appearance Black Physical state Paste / Gel Odor Petroleum

GHS Label elements, including precautionary statements

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).

Precautionary Statements - Prevention

Do not handle until all safety precautions have been read and understood Wear personal protective equipment/face protection Wash face, hands and any exposed skin thoroughly after handling **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Disposal

Dispose of contents/container to industrial incineration plant

Other information

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Synonyms RUN N SEAL™ ARCTIC

Chemical Name	CAS-No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.		50-60	-	-
Graphite	7782-42-5	20-25	-	-
Calcium oxide	1305-78-8	1-3	-	-

4. FIRST AID MEASURES

First aid measures

Inhalation Remove to fresh air.

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.



Skin contact Wash skin with soap and water.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

No information available.

Hazardous Combustion Products Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Environmental precautions

Environmental precautions See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Pick up and transfer to properly labeled containers.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.



Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Chemical Name		ACGIH TLV		OSHA PEL		NIOSH IDLH		
Graphite TWA: 2 mg/m³ respirable		respirable	TWA: 15 mg/m³ total dust		IDLH: 1250 mg/m ³			
7782-42-5		particulate matter all forms		synthetic		TWA	4: 2.5 mg/m ³ resp	irable
		except graphite fibers		TWA: 5 mg/m ³ respirable			dust	
			fraction synthetic					
				(vacated) TWA: 2.5 mg/m ³				
					le dust natural			
				(vacated) TWA: 10 mg/m³ total				
				dust synthetic				
				(vacated) TWA: 5 mg/m ³				
			respirable fraction sy		•			
				TWA: 15 mppcf natural				
Calcium oxide	Calcium oxide TWA: 2 mg/m ³		g/m³	TWA: 5 mg/m ³		IDLH: 25 mg/m ³		
1305-78-8	1305-78-8			(vacated) TWA: 5 mg/m ³			TWA: 2 mg/m ³	
Chemical Name		Alberta	British C	olumbia	Ontario TWAE	V	Quebec	
Graphite		TWA: 2 mg/m ³ TWA: 2		2 mg/m³	TWA: 2 mg/m	3	TWA: 2 mg/n	n ³
7782-42-5					-			
Calcium oxide		ΓWA: 2 mg/m³	TWA: 2	mg/m³	TWA: 2 mg/m	3	TWA: 2 mg/n	n ³
1305-78-8		-						

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protectionNo special protective equipment required.

Hand protection Wear suitable gloves.

Skin and body protectionNo special protective equipment required.

Respiratory protectionNo protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties

Physical state Paste / Gel Appearance Black Odor Petroleum

Color No information available



Odor Threshold No information available

Property Values Remarks Method

Нα Neutral None known None known Melting / freezing point > 139 °C / 382 °F Boiling point / boiling range > 260 °C / 500 °F None known Flash Point > 160 °C / 320 °F None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air

None known

Upper flammability limit No data available

Lower flammability limit No data available

Vapor pressure No data available None known Vapor density No data available None known Relative density 1.22 None known **Water Solubility** None known Insoluble Solubility(ies) No data available None known Partition coefficient: n-octanol/water Not Applicable None known Autoignition temperature No data available None known **Decomposition temperature** No data available None known Kinematic viscosity No data available None known No data available Dynamic viscosity None known

No information available **Explosive properties Oxidizing properties** No information available

Other Information

Softening Point No information available **Molecular Weight** No information available

VOC Content (%) Negligible

No information available **Liquid Density** No information available **Bulk Density Particle Size** No information available No information available **Particle Size Distribution**

10. STABILITY AND REACTIVITY

Reactivity No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoid None known based on information supplied.

Incompatible materials None known based on information supplied.

Hazardous Decomposition Products Thermal decomposition can lead to release of irritating gases and vapors. Calcium oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information



Inhalation No known hazard by inhalation.

Eye contact Contact with eyes may cause irritation.

Skin contact Repeated or prolonged exposure may cause irritation of eyes and skin.

Ingestion Specific test data for the substance or mixture is not available. May be harmful if swallowed.

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Information on toxicological effects

Symptoms No information available.

Numerical measures of toxicity

Acute Toxicity

Unknown acute toxicity Component Information

No information available

Chemical Name	LD50 Oral	LD50 Dermal	Inhalation LC50
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	= 2280 mg/kg(Rat)		
Calcium oxide	> 2000 mg/kg (Rat) (500 mg/kg, Rat, as CaCl2)		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationNo information available.Serious eye damage/eye irritationNo information available.Respiratory or skin sensitizationNo information available.

Germ cell mutagenicity

No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposure No information available.

Aspiration hazard No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Lubricating greases A	>1001 mg/l	96h LC50: > 2000 mg/L		



complex combination of	(Salmo gairdneri)		
hydrocarbons having			
carbon numbers			
predominantly in the			
range of C12 through			
C50. may contain organic			
salts of alkali metals,			
alkaline earth metals, etc.			
Calcium oxide	LC50 96 h: = 1070 mg/L	-	
	static (Cyprinus carpio)		

Persistence and Degradability No information available.

Bioaccumulation There is no data for this product.

Mobility No information available.

Other adverse effects No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste		
Calcium oxide	Corrosive		
1305-78-8			

14. TRANSPORT INFORMATION

DOT NOT REGULATED

TDG Not regulated

MEX NOT REGULATED

ICAO NOT REGULATED

<u>IATA</u> Not regulated

Proper Shipping Name NON REGULATED

IMDG Not regulated

RID NOT REGULATED

ADR NOT REGULATED

ADN NOT REGULATED



15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories

TSCA Complies.

DSL/NDSL Complies.

EINECS/ELINCS Complies.

ENCS Not determined.

KECL Not determined.

PICCS Not determined.

Not determined.

Not determined.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Acute Health HazardNoChronic Health HazardNoFire HazardNoSudden release of pressure hazardNoReactive HazardNo

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.



Page 8/9

U.S. State Right-to-Know Regulations

This product does not contain any substances above threshold limits that are regulated by state right-to-know.

Chemical Name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		S			
Graphite	Χ	X	X		
7782-42-5					
Calcium oxide	Х	Х	Х	Х	
1305-78-8					

16. OTHER INFORMATION

NFPA Health hazards 0 Flammability 0 Instability 0 Physical and Chemical Properties
HMIS Health hazards 0 Flammability 0 Physical hazards 0 Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date 03-May-2012

Revision Date 01-Mar-2019

Revision Note Initial Release

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

