

# SAFETY DATA SHEET

Issuing Date 11-Nov-2011

### Revision Date 22-Mar-2019

**Revision Number** 3

4

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

1. IDENTIFICATION		
Product identifier		
Product Name	JET-LUBE® RUN-N-SEAL® ECF™	
Other means of identification		
Product Code(s)	292	
(M)SDS Number	WPS-JLI-047	
Synonyms	RUN-N-SEAL® ECF™; ILEX RUN-N-SEAL® ECF™	
Recommended use of the chemica	l and restrictions on use	
Recommended Use	Sealant Lubricants, Greases and Release Products	
Uses advised against	No information available	
Details of the supplier of the safety	v data sheet	
Supplier Identification	Whitmores Manufacturing, LLC.	
Address	Whitmore Manufacturing 930 Whitmore Drive Rockwall, Texas USA 75087	
Telephone	US Office: Phone:+1-972-771-1000 Fax:+1-972-722-2108	
E-mail	Sales@whitmores.com	
Emergency telephone number		
Company Emergency Phone Number	1-800-699-6318	
Emergency Telephone Number	CHEMTREC: +1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)	

### 2. HAZARDS IDENTIFICATION

### **Classification**

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).



Odor Vegetable fatty odor

Appearance Black

Physical state Paste / Gel

GHS Label elements, including precautionary statements

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).

#### **Precautionary Statements - Prevention**

Do not handle until all safety precautions have been read and understood Wear personal protective equipment/face protection Wash face, hands and any exposed skin thoroughly after handling **Precautionary Statements - Response** IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

### Other information

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Substance

Not applicable.

#### <u>Mixture</u>

#### Synonyms

### RUN-N-SEAL® ECF™; ILEX RUN-N-SEAL® ECF™

Chemical Name	CAS-No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	74869-21-9	60-65	-	-
Calcium fluoride	7789-75-5	25-30	-	-
Graphite	7782-42-5	5-10	-	-

### 4. FIRST AID MEASURES

### First aid measures

**General advice** 

IF exposed or concerned: Get medical advice/attention. Show this safety data sheet to the doctor in attendance.



Inhalation	Remove to fresh air. IF exposed or concerned: Get medical advice/attention. Get medical attention immediately if symptoms occur.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Do not rub affected area.	
Skin contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.	
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician.	
Self-protection of the first aider	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).	
Most important symptoms and effects, both acute and delayed		
Symptoms	Burning sensation.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	

### **5. FIRE-FIGHTING MEASURES**

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	CAUTION: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	No information available.
Hazardous Combustion Products	Carbon oxides.
Explosion Data Sensitivity to Mechanical Impac Sensitivity to Static Discharge	t None. None.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing.
Other Information	Refer to protective measures listed in Sections 7 and 8.
Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so.
Methods and material for containment and cleaning up	

Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse. Ensure adequate ventilation. Avoid breathing vapors or mists. In case of insufficient ventilation, wear suitable respiratory equipment.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### **Exposure Limits**

Chemical Name		ACGIH T	LV	05	SHA PEL		NIOSH IDLH
Calcium fluoride		TWA: 2.5 mg	g/m³ F		2.5 mg/m <sup>3</sup> F	I	IDLH: 250 mg/m <sup>3</sup> F
7789-75-5				(vacated)	TWA: 2.5 mg/m <sup>3</sup>		
Graphite		TWA: 2 mg/m <sup>3</sup>	respirable	TWA: 15 r	ng/m <sup>3</sup> total dust		IDLH: 1250 mg/m <sup>3</sup>
7782-42-5		particulate matte	r all forms		ynthetic	TWA	.: 2.5 mg/m <sup>3</sup> respirable
		except graphit	e fibers	TWA: 5 m	g/m <sup>3</sup> respirable		dust
				fractio	on synthetic		
				(vacated)	TWA: 2.5 mg/m <sup>3</sup>		
				respirab	le dust natural		
				(vacated) TV	VA: 10 mg/m <sup>3</sup> total		
				dust	synthetic		
				(vacated)	TWA: 5 mg/m <sup>3</sup>		
					fraction synthetic		
					s mppcf natural		
Chemical Name		Alberta	British C	olumbia	Ontario TWAE	V	Quebec
Calcium fluoride	T۱	NA: 2.5 mg/m <sup>3</sup>	TWA: 2.	5 mg/m³	TWA: 2.5 mg/n	∩ <sup>3</sup>	TWA: 2.5 mg/m <sup>3</sup>
7789-75-5				-	J.		ç
Graphite	Т	WA: 2 mg/m <sup>3</sup>	TWA: 2	2 mg/m <sup>3</sup>	TWA: 2 mg/m	3	TWA: 2 mg/m <sup>3</sup>
7782-42-5				-			•

**Other Exposure Guidelines** 

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

### Appropriate engineering controls

Engineering controls

Showers Eyewash stations Ventilation systems.



### Individual protection measures, such as personal protective equipment

Eye/face protection	If splashes are likely to occur, wear safety glasses with side-shields.
Hand protection	Wear suitable gloves. Impervious gloves.
Skin and body protection	Wear suitable protective clothing. Long sleeved clothing.
Respiratory protection	No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or clothing.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties Physical state Appearance Odor Color Odor Threshold	Paste / Gel Black Vegetable fatty odor No information available No data available	
Property	Values	Remarks Method
pH Molting (freezing point	7	None known
Melting / freezing point Boiling point / boiling range	> 204 °C > 260 °C	None known
Flash Point	> 221 °C	
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.32	
Water Solubility	Negligible	
Solubility(ies)	No data available	None known
Partition coefficient: n-octanol/water	Not Applicable	
Autoignition temperature	No data available	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available No information available	None known
Explosive properties Oxidizing properties	No information available	
oxidizing properties		
Other Information Softening Point Molecular Weight VOC Content (%) Liquid Density Bulk Density Particle Size Particle Size Distribution	No information available No information available None No information available No information available No information available No information available	

### **10. STABILITY AND REACTIVITY**

Reactivity	No information available.	
Chemical stability	Stable under normal conditions.	
Possibility of Hazardous Reactions	None under normal processing.	
Hazardous Polymerization	Hazardous polymerization does not occur.	
Conditions to avoid	None known based on information supplied.	
Incompatible materials	Strong acids. Strong bases. Strong oxidizing agents.	
Hazardous Decomposition Products Carbon oxides.		

### **11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

Product Information	
Inhalation	No known hazard by inhalation.
Eye contact	None known.
Skin contact	None known.
Ingestion	Not an expected route of exposure. Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### Information on toxicological effects

Symptoms

Redness. May cause redness and tearing of the eyes.

#### Numerical measures of toxicity

#### **Acute Toxicity**

#### The following values are calculated based on chapter 3.1 of the GHS document . ATEmix (oral) 2,889.00 mg/kg

### Unknown acute toxicity

No information available

Component Information			
Chemical Name	LD50 Oral	LD50 Dermal	Inhalation LC50
Lubricating greases A complex	= 2280 mg/kg (Rat)		
combination of hydrocarbons			
having carbon numbers			
predominantly in the range of			
C12 through C50. may contain			
organic salts of alkali metals,			
alkaline earth metals, etc.			
Calcium fluoride	= 4250 mg/kg (Rat)		

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

No information available.

Serious eye damage/eye irritation No information available.



Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	May cause respiratory irritation.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

### **12. ECOLOGICAL INFORMATION**

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	>1001 mg/l	96h LC50: > 2000 mg/L (Salmo gairdneri)	-	
Persistence and Degradability No information available.				
Bioaccumulation There is no data for this product.				
No information available.				
Other adverse effects	ther adverse effects No information available.			
13. DISPOSAL CONSIDERATIONS				

### Waste treatment methods

Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Do not reuse empty containers.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste	
Calcium fluoride	Toxic	
7789-75-5		



### **14. TRANSPORT INFORMATION**

DOT Proper Shipping Name Hazard Class	NOT REGULATED NON REGULATED N/A
TDG	Not regulated
MEX	NOT REGULATED
ICAO	NOT REGULATED
IATA Proper Shipping Name	Not regulated NON REGULATED
IMDG	Not regulated
RID	NOT REGULATED
ADR	NOT REGULATED
ADN	NOT REGULATED

### **15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

### International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories TSCA DSL/NDSL EINECS/ELINCS ENCS KECL	Complies. Complies. Complies. Not determined. Not determined.
PICCS	Complies.
AICS	Contact supplier for inventory compliance status.

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

### US Federal Regulations

### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372



Acute Health Hazard	Yes
Chronic Health Hazard	No
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### US State Regulations

#### California Proposition 65

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		S			
Graphite	Х	X	Х		
7782-42-5					

16. OTHER INFORMATION				
NFPA	Health hazards 1	Flammability 1	Instability 0	Physical and Chemical Properties -
HMIS	Health hazards 1	Flammability 1	Physical hazards 0	Personal Protection X
Prepared By	23 British	Stewardship American Blvd. NY 12110 2-6501		
Issuing Date	11-Nov-2	011		
Revision Date	22-Mar-20	019		
Revision Note	Initial Rel	ease		

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

### End of Safety Data Sheet

