

# SAFETY DATA SHEET

Issuing Date 10-Nov-2011

Revision Date 07-Jan-2019

**Revision Number** 3

\_\_\_\_\_



The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION

Product identifier

Product Name V-2®

Other means of identification

Product Code(s) 355

(M)SDS Number WPS-JLI-028

Synonyms V-2 Pipe Thread Sealant Fed Spec TT-S-1732

Recommended use of the chemical and restrictions on use

**Recommended Use** Lubricants, Greases and Release Products

Uses advised against No information available

Details of the supplier of the safety data sheet

Supplier Identification Jet-Lube , LLC.

Address Jet Lube LLC

930 Whitmore Drive

Rockwall, Texas USA 75087

**Telephone** US Office: Phone:+1-972-771-1000 Fax:+1-972-722-2108

E-mail Sales@jetlube.com

Emergency telephone number

**Company Emergency Phone** 

Number

1-800-699-6318

**Emergency Telephone Number** 

CHEMTREC: +1-703-527-3887 (INTERNATIONAL)

1-800-424-9300 (NORTH AMERICA)

# 2. HAZARDS IDENTIFICATION

#### Classification

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).



.

AppearanceRosePhysical stateGelOdorSlight Pungent

### GHS Label elements, including precautionary statements

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).

#### **Precautionary Statements - Prevention**

Do not handle until all safety precautions have been read and understood Wear personal protective equipment/face protection

**Precautionary Statements - Response** 

IF exposed or concerned: Get medical advice/attention

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other information

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substance**

Not applicable.

#### <u>Mixture</u>

**Synonyms** 

V-2 Pipe Thread Sealant Fed Spec TT-S-1732

Chemical Name	CAS-No	Weight-%	Hazardous Material	Date HMIRA filed and
			Information Review Act	date exemption granted
			registry number (HMIRA	(if applicable)
			registry #)	
Castor oil	8001-79-4	25-30	-	-
Limestone	1317-65-3	20-25	-	-
Bentonite	1302-78-9	5-10	-	-
Ptfe	9002-84-0	1-5	-	-
Titanium dioxide	13463-67-7	<2	-	-

# 4. FIRST AID MEASURES

# First aid measures

General advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

**Inhalation** IF exposed or concerned: Get medical advice/attention.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if

irritation develops and persists.



**Skin contact** Wash skin with soap and water.

**Ingestion** Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water.

Never give anything by mouth to an unconscious person. Call a physician or Poison Control

Center immediately.

**Self-protection of the first aider** Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Do not breathe vapor or mist. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Use personal protective equipment as required. See section 8

for more information. Avoid contact with skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Coughing and/ or wheezing. Difficulty in breathing. Burning sensation.

Indication of any immediate medical attention and special treatment needed

# 5. FIRE-FIGHTING MEASURES

surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the

chemical

No information available.

Hazardous Combustion Products Carbon oxides.

**Explosion Data** 

**Sensitivity to Mechanical Impact** None. **Sensitivity to Static Discharge** None.

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Do not breathe vapor

or mist. Use personal protective equipment as required. Evacuate personnel to safe areas.

Keep people away from and upwind of spill/leak.

**Other Information** Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

**Environmental precautions**See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.



Methods for cleaning up Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled

containers.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Do not breathe vapor or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate

exhaust ventilation. Do not eat, drink or smoke when using this product. Take off

contaminated clothing and wash before reuse.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up.

Keep out of the reach of children.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Limits** 

Chemical Name		ACGIH T	ACGIH TLV		OSHA PEL		NIOSH IDLH	
Limestone		-	-		TWA: 15 mg/m <sup>3</sup>		x: 5 mg/m³ respirable dust	
1317-65-3				TWA: 5 mg/m <sup>3</sup>		TV	VA: 10 mg/m³ total dust	
					TWA: 15 mg/m <sup>3</sup>			
				(vacated)	) TWA: 5 mg/m <sup>3</sup>			
Bentonite		TWA: 1 mg/m <sup>3</sup>		-				
1302-78-9		fraction				<u> </u>		
Titanium dioxide		TWA: 10 m	g/m³	TWA: 15 mg/m³ total dust		IDLH: 5000 mg/m <sup>3</sup>		
13463-67-7				(vacated) TWA: 10 mg/m³ total				
ļ				dust				
Chemical Name		Alberta	British Columbia		Ontario TWAE	V	Quebec	
Limestone	Т	WA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>				TWA: 10 mg/m <sup>3</sup>	
1317-65-3				3 mg/m³				
				0 mg/m³				
Bentonite			TWA: 1.	0 mg/m³	TWA: 1 mg/m <sup>3</sup>			
1302-78-9								
Ptfe							TWA: 2.5 mg/m <sup>3</sup>	
9002-84-0								
Titanium dioxide	Т	WA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>		TWA: 10 mg/m <sup>3</sup>		TWA: 10 mg/m <sup>3</sup>	
13463-67-7			TWA: 3	3 mg/m <sup>3</sup>				

Other Exposure Guidelines Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate engineering controls

Engineering controls Showers

Eyewash stations



**355** - **V-2**® Revision Date 07-Jan-2019

Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** If splashes are likely to occur, wear safety glasses with side-shields.

Hand protection Wear suitable gloves. Viton™. Nitrile rubber. Neoprene gloves.

**Skin and body protection** Wear suitable protective clothing.

**Respiratory protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

General hygiene considerations Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Do

not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product.

None known

Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical and Chemical Properties** 

**Physical state** Gel **Appearance** Rose

Odor Slight Pungent

**Color** No information available

Odor Threshold Not applicable

Property Values Remarks Method

oH 7

Melting / freezing point 149 °C None known Boiling point / boiling range No data available None known Flash Point > 113 °C None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limit in Air None known

Upper flammability limit No data available

Lower flammability limit No data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone known

Relative density 1.40

Water Solubility Insoluble

Solubility(ies) Completely soluble

Partition coefficient: n-octanol/water Not Applicable

Autoignition temperatureNo data availableNone knownDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone knownDynamic viscosityNo data availableNone known

Explosive properties No information available Oxidizing properties No information available

Other Information

Softening Point
Molecular Weight
VOC Content (%)
Liquid Density
No information available



Particle Size No information available Particle Size Distribution No information available

# 10. STABILITY AND REACTIVITY

**Reactivity** No information available.

Chemical stability Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to avoid Excessive heat.

**Incompatible materials**None known based on information supplied.

Hazardous Decomposition Products Carbon oxides.

### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

#### **Product Information**

**Inhalation** Specific test data for the substance or mixture is not available.

**Eye contact** Specific test data for the substance or mixture is not available.

**Skin contact** Specific test data for the substance or mixture is not available.

**Ingestion** Specific test data for the substance or mixture is not available.

### Information on toxicological effects

**Symptoms** May cause redness and tearing of the eyes.

Numerical measures of toxicity

**Acute Toxicity** 

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (dermal) 51,273.00 mg/kg ATEmix (inhalation-dust/mist) 0.49 mg/L

Unknown acute toxicity Component Information

No information available

Chemical Name	LD50 Oral	LD50 Dermal	Inhalation LC50
Bentonite	> 5000 mg/kg (Rat)		
Titanium dioxide	> 10000 mg/kg (Rat)		> 6820 mg/m <sup>3</sup>

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation No information available.

Serious eye damage/eye irritation No information available.



**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

Carcinogenicity

Legend

No information available.

Reproductive toxicity No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure**No information available.

**Aspiration hazard** No information available.

# 12. ECOLOGICAL INFORMATION

**Ecotoxicity** The environmental impact of this product has not been fully investigated.

ſ	Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to	Daphnia Magna (Water
1				Microorganisms	Flea)
Ī	Bentonite		96h LC50: 8.0 - 19.0 g/L	-	
			(Salmo gairdneri) 96h		
			LC50: = 19000 mg/L		
			(Oncorhynchus mykiss)		

Persistence and Degradability

No information available.

**Bioaccumulation** 

**Mobility** No information available.

Other adverse effects No information available.

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

**Contaminated packaging** Do not reuse empty containers.

# 14. TRANSPORT INFORMATION

**DOT** NOT REGULATED

TDG Not regulated

MEX NOT REGULATED



ICAO NOT REGULATED

IATA Not regulated

IMDG Not regulated

RID NOT REGULATED

ADR NOT REGULATED

ADN NOT REGULATED

# 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Regulations

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

**Export Notification requirements** Not applicable

#### **International Inventories**

TSCA Complies.
DSL/NDSL Complies.
EINECS/ELINCS Complies.
ENCS Not determined.
KECL Complies.
PICCS Complies.
AICS Complies.

#### <u>Legend</u>

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Acute Health HazardNoChronic Health HazardNoFire HazardNoSudden release of pressure hazardNoReactive HazardNo

# **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)



**355** - **V-2**® Revision Date 07-Jan-2019

#### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# **US State Regulations**

#### **California Proposition 65**

This product contains titanium dioxide which is classified as a possible carcinogen when present as respirable dust. This is not relevant for this product since it is not in a respirable form.

#### **U.S. State Right-to-Know Regulations**

This product may contain substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		S			
Limestone	Х	Х	Х	Х	
1317-65-3					
Ptfe			X		
9002-84-0					
Titanium dioxide	X	Х	Х		
13463-67-7					

16	<b>OTHER</b>	INFORM	MOITAN

NFPA Health hazards 0 Flammability 1 Instability 0 Physical and Chemical Properties 
HMIS Health hazards 0 Flammability 1 Physical hazards 0 Personal Protection X

Prepared By Product Stewardship

23 British American Blvd. Latham, NY 12110 1-800-572-6501

Issuing Date 10-Nov-2011

Revision Date 07-Jan-2019

Revision Note Initial Release

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet** 

