

# SAFETY DATA SHEET

Issuing Date 06-Aug-2013

### Revision Date 22-Feb-2019

**Revision Number** 3

4

The supplier identified below generated this SDS using the UL SDS template. UL did not test, certify, or approve the substance described in this SDS, and all information in this SDS was provided by the supplier or was reproduced from publically available regulatory data sources. UL makes no representations or warranties regarding the completeness or accuracy of the information in this SDS and disclaims all liability in connection with the use of this information or the substance described in this SDS. The layout, appearance and format of this SDS is © 2014 UL LLC. All rights reserved.

# 1. IDENTIFICATION

Product identifier			
Product Name	JET-LUBE® WHITE KNIGHT™ - food grade anti-seize		
Other means of identification			
Product Code(s)	164		
(M)SDS Number	WPS-JLI-015NA		
Synonyms			
Recommended use of the chemica	l and restrictions on use		
Recommended Use	Sealant Lubricants, Greases and Release Products		
Uses advised against	No information available		
Details of the supplier of the safety data sheet			
Supplier Identification	Jet-Lube, LLC.		
Address	Jet Lube LLC 930 Whitmore Drive Rockwall, Texas USA 75087		
Telephone	US Office: Phone:+1-972-771-1000 Fax:+1-972-722-2108		
E-mail	Sales@jetlube.com		
Emergency telephone number			
Company Emergency Phone Number	1-888-771-7775		
Emergency Telephone Number	CHEMTREC: +1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)		

# 2. HAZARDS IDENTIFICATION

### Classification

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).



Appearance White

Physical state Paste / Gel

Odor Slight

### GHS Label elements, including precautionary statements

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).

### **Precautionary Statements - Prevention**

Do not handle until all safety precautions have been read and understood Wear personal protective equipment/face protection Do not eat, drink or smoke when using this product **Precautionary Statements - Response** IF exposed or concerned: Get medical advice/attention

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Other information

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

#### Substance

Not applicable.

### <u>Mixture</u>

### Synonyms

### WHITE KNIGHT<sup>TM</sup>

Chemical Name	CAS-No	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	74869-21-9	40 - 45	-	-
Limestone	1317-65-3	20 - 25	-	-
Talc	14807-96-6	5 - 10	-	-

### **4. FIRST AID MEASURES**

First aid measures

General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.			
Inhalation	If breathing has stopped, give artificial respiration. Get medical attention immediately. Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen.			
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.			
Skin contact	Wash skin with soap and water.			
Ingestion	Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.			
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Do not breathe vapor or mist. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing.			
Most important symptoms and eff	ects, both acute and delayed			
Symptoms	Coughing and/ or wheezing. Difficulty in breathing. Burning sensation.			
Indication of any immediate medio	al attention and special treatment needed			
Note to physicians	Treat symptomatically.			
	5. FIRE-FIGHTING MEASURES			
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the			

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	CAUTION: Use of water spray when fighting fire may be inefficient.
Specific hazards arising from the chemical	No information available.
Hazardous Combustion Products	Carbon oxides.
Explosion Data Sensitivity to Mechanical Impac Sensitivity to Static Discharge	t None. None.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

reisonal precadions, protective et	dupment and emergency procedules
Personal precautions	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Do not breathe vapor or mist. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
Other Information	Refer to protective measures listed in Sections 7 and 8.
Environmental precautions	
Environmental precautions	Prevent further leakage or spillage if safe to do so. Should not be released into the environment. Do not allow to enter into soil/subsoil. Prevent product from entering drains.
Methods and material for containm	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.

# 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not breathe vapor or mist. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.

### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep out of the reach of children.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

### Exposure Limits

Chemical Name		ACGIH T	LV	0	SHA PEL		NIOSH IDLH
Limestone		-		TWA: 15 mg/m <sup>3</sup>		TWA	: 5 mg/m <sup>3</sup> respirable dust
1317-65-3				TWA: 5 mg/m <sup>3</sup>		I TN	/A: 10 mg/m <sup>3</sup> total dust
				(vacated)	TWA: 15 mg/m <sup>3</sup>		
				(vacated)	) TWA: 5 mg/m <sup>3</sup>		
Talc		TWA: 2 mg	g/m³	(vacated)	) TWA: 2 mg/m³	IDLH:	: 1000 mg/m <sup>3</sup> containg no
14807-96-6						ast	pestos and <1% quartz
							TWA: 2 mg/m <sup>3</sup>
Chemical Name		Alberta	British C	Columbia	Ontario TWAE	V	Quebec
Limestone	Т	WA: 10 mg/m <sup>3</sup>	TWA: 1	0 mg/m³			TWA: 10 mg/m <sup>3</sup>
1317-65-3			TWA: 3	3 mg/m <sup>3</sup>			-
			STEL: 2	0 mg/m <sup>3</sup>			



Talc 14807-96-6	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	
Other Exposure Guideline		Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992). See section 15 for national exposure control parameters.			
Appropriate engineering of	controls_				
Engineering controls	,	Showers Eyewash stations Ventilation systems.			
Individual protection meas	sures, such as persona	al protective equipment			
Eye/face protection	If splashes a	If splashes are likely to occur, wear safety glasses with side-shields.			
Hand protection	Wear suitabl	Wear suitable gloves.			
Skin and body protection	Wear suitabl	Wear suitable protective clothing.			
Respiratory protection		When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.			
General hygiene consider	skin, eyes or protection. D contaminate clothing shou	clothing. Do not breathe v to not eat, drink or smoke v d clothing and gloves, inclu uld not be allowed out of th thing is recommended. Wa	rial hygiene and safety pra rapor or mist. Wear suitable when using this product. Re uding the inside, before re- e workplace. Regular clean ash hands before breaks ar	e gloves and eye/face emove and wash use. Contaminated work ning of equipment, work	

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical and Chemical Properties Physical state Appearance Odor Color Odor Threshold	Paste / Gel White Slight No information available No information available	
Property	Values	Remarks Method
рН	Neutral	
Melting / freezing point	> 232 °C	None known
Boiling point / boiling range	> 260 °C	
Flash Point	> 232 °C	N1 1
Evaporation Rate	No data available	None known
Flammability (solid, gas)	No data available	None known
Flammability Limit in Air		None known
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Relative density	1.18	
Water Solubility	Negligible	
Solubility(ies)	No data available	None known
Partition coefficient: n-octanol/water	Not Available	
Autoignition temperature	No data available	None known
Decomposition temperature		

Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties	No data available No data available No data available No information available No information available
Other Information Softening Point Molecular Weight VOC Content (%) Liquid Density Bulk Density Particle Size Particle Size Distribution	No information available No information available Negligible No information available No information available No information available No information available

None known None known None known

# **10. STABILITY AND REACTIVITY**

Reactivity	No information available.	
Chemical stability	Stable under normal conditions.	
Possibility of Hazardous Reactions	None under normal processing.	
Hazardous Polymerization	Hazardous polymerization does not occur.	
Conditions to avoid	Excessive heat.	
Incompatible materials	None known based on information supplied.	
Hazardous Decomposition Products Carbon oxides.		

# 11. TOXICOLOGICAL INFORMATION

### Information on likely routes of exposure

### **Product Information**

Inhalation	No known hazard by inhalation.
Eye contact	Contact with eyes may cause irritation.
Skin contact	None known.
Ingestion	Specific test data for the substance or mixture is not available. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

### Information on toxicological effects

Coughing and/ or wheezing. Difficulty in breathing. May cause redness and tearing of the eyes.

### Numerical measures of toxicity

Acute Toxicity

Symptoms

The following values are calculated based on chapter 3.1 of the GHS document .



ATEmix (oral)	2,306.00 mg/kg
ATEmix (inhalation-dust/mist)	0.08 mg/L

Unknown acute toxicity Component Information	No information available		
Chemical Name	LD50 Oral	LD50 Dermal	Inhalation LC50
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.	= 2280 mg/kg (Rat)		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	No information available.
Serious eye damage/eye irritation	No information available.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity Legend	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

# **12. ECOLOGICAL INFORMATION**

### Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Lubricating greases A complex combination of hydrocarbons having carbon numbers predominantly in the range of C12 through C50. may contain organic salts of alkali metals, alkaline earth metals, etc.		96h LC50: > 2000 mg/L (Salmo gairdneri)	-	
Talc	EC50 72 h: > 1000 mg/L ( Skeletonema costatum)	96h LC50: > 1000 mg/L (Turbot)	10-day LC50 = > 12194mg/kg (Corophium volutator)	48h EC50: = >1000mg/L (Acartia tonsa)

Persistence and Degradability

No information available.



Bioaccumulation	There is no data for this product.			
Mobility	No information available.			
Other adverse effects No information available.				
13. DISPOSAL CONSIDERATIONS				
Waste treatment methods				
Waste from residues/unused products	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.			
Contaminated packaging	Do not reuse empty containers.			

This product contains one or more substances that are listed with the State of California as a hazardous waste.

# **14. TRANSPORT INFORMATION**

DOT Proper Shipping Name Hazard Class	NOT REGULATED NON REGULATED N/A
TDG	Not regulated
MEX	NOT REGULATED
ICAO	NOT REGULATED
IATA	Not regulated
IMDG	Not regulated
<u>RID</u>	NOT REGULATED
ADR	NOT REGULATED
ADN	NOT REGULATED

### **15. REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

**International Regulations** 

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

Export Notification requirements Not applicable

International Inventories	
TSCA	Complies.
DSL/NDSL	Complies.



EINECS/ELINCS	Complies.
ENCS	Not determined.
KECL	Complies.
PICCS	Complies.
AICS	Complies.

### Legend

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### US Federal Regulations

### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### US State Regulations

### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

### U.S. State Right-to-Know Regulations

This product may contain substances regulated by state right-to-know regulations.

Chemical Name	New Jersey	Massachusett	Pennsylvania	Rhode Island	Illinois
		S			
Limestone	Х	X	Х		
1317-65-3					
Talc	Х	X	Х		Х
14807-96-6					

### **16. OTHER INFORMATION**

<u>NFPA</u>	Health hazards 1	Flammability 1	Instability 0	Physical and Chemical Properties -
<u>HMIS</u> Chronic Hazard Star Lege	Health hazards 1 end *= Chronic	Flammability 1 Health Hazard	Physical hazards 0	Personal Protection X
Prepared By				
Issuing Date	06-Aug-20	)13		
Revision Date	22-Feb-20	)19		
<b>Revision Note</b>	Initial Rele	ease		

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

### **End of Safety Data Sheet**