


# KKK CLUTCH PACK INSTALLATION INSTRUCTIONS



## INSTALLATION INSTRUCTIONS

TAG	P/N	DESCRIPTION	QTY
1	156703-160	External Splined Friction Plate	10
2	156702-160	Internal Splined Friction Plate	10

### **FITMENT** (for P/N CPRK-KKK)

- BAKER King Kong Klutch

## **TABLE OF CONTENTS**

- 1) Overview, Installation
- 2) Table Of Contents
- 3) Terms
- 4) Disclaimer

## **INSTALLATION INSTRUCTIONS**

- 1) Remove the 6 Allen screws that retain the clutch pressure plate and springs by using a criss cross pattern and loosening each screw a little at a time.
- 2) Remove the clutch pressure plate and springs.
- 3) Remove the 20 clutch plates using 2 scribes, screwdrivers, or magnets.
- 4) Inspect the clutch basket and hub for any defects or abnormal wear and clean with brake cleaner or solvent.
- 5) Soak the new clutch plates in Dextron /Mercon automatic transmission fluid.
- 6) Install the new clutch plates into the basket beginning with an externally splined friction plate. Be sure to face the friction surface of the clutch plate towards the inside of the clutch basket. Alternate back and forth between an externally splined friction plate and an internally splined friction plate. You should end up with an internally splined plate last. Please refer to enclosed service pack diagram.
- 7) Reinstall the pressure plate and clutch springs. Apply blue thread lock to the 6 Allen screws and tighten in a criss cross pattern. Final torque the screws to 110 inch pounds.
- 8) Adjust the clutch as per the factory service manual for your specific model.
- 9) Reinstall the outer primary cover and refill the primary with Dextron/Mercon automatic transmission to the factory recommended level. **DO NOT ATTEMPT TO RUN ANY OTHER TYPE OF PRIMARY FLUID WITH THE KKK. IT IS SPECIFICALLY DESIGNED TO WORK WITH DEXTRON/MERCON ATF ONLY!!**

# KKK CLUTCH PACK INSTALLATION INSTRUCTIONS

## TERMS:

### SPECIAL ORDERS

A minimum \$500 deposit is required with all special orders. Special orders include unique case finishes, unique side door requests (i.e.; wrinkle black door or no logo).

### ALL OTHER ORDERS

Orders can be pre-paid using VISA, Mastercard or American Express.

Prices shown are F.O.B. Haslett, MI. BAKER™ provides free UPS ground shipping on all retail orders for complete transmissions or transmission kit. UPS air shipment is available upon request. Customer is responsible for air shipment premiums.

### LIMITED WARRANTY

BAKER™ Inc. transmission assemblies, transmission kits, and wide tire kits are guaranteed to the original purchaser to be free of manufacturing defects in materials and workmanship for a period of 5 years from the date of purchase or up to 50,000 miles - whichever is sooner.

If the product is found by BAKER™ to be defective, such products will, at the option of BAKER™, be replaced or repaired at cost to BAKER™.

In the event warranty service is required, the original purchaser must call or write BAKER™ immediately with the problem. If it is deemed necessary for BAKER™ to make an evaluation to determine whether the transmission assembly or transmission kit is defective, the entire transmission assembly, whether originally purchased as an assembly or kit, must be properly packaged and returned prepaid to BAKER™ with a copy of the original invoice of purchase.

If after an evaluation has been made by BAKER™ and a defect in materials and/or workmanship is found, BAKER™ will, at BAKER™ option, repair or replace the defective part of the assembly.

Warranty card must be returned within 45 days of purchase to be valid.

### ADDITIONAL WARRANTY PROVISIONS

This limited warranty does not cover labor or other costs or expenses incidental to the repair and or replacement of BAKER™ products. This warranty does not apply if one or more of the following situations is judged by BAKER™ to be relevant: improper installation, accident, modification (including but not limited to use of unauthorized parts), racing, high performance application, mishandling, misapplication, neglect (including but not limited to improper maintenance), or improper repair.

BAKER™ shall not be liable for any consequential or incidental damages arising out of or in connection with a BAKER™ transmission assembly, transmission kit, swingarm, fender, component or part. Consequential damages shall include without limitation, loss of use, income or profit, or losses sustained as the result of injury (including death) to any person or loss of or damage to property.

BAKER™ transmissions, transmission kits, and Wide Tire Kits are designed exclusively for use in Harley-Davidson® motorcycles. BAKER™ shall have no warranty or liability obligation if a BAKER™ part is used in any other application.

If it is determined that a BAKER™ transmission assembly has been disassembled during the warranty period for any reason, this limited warranty will no longer apply.

**BAKER 9 PLATE & BIG DOG CLUTCH SERVICE PACK INSTALLATION INSTRUCTIONS****DISCLAIMER:**

The words Harley, and H-D are registered trademarks and are for reference only. Use of H-D model designations and part numbers are for reference only. BAKER Drivetrain has no association with, and makes no claim against, these words, trademarks, or companies.

It is the sole responsibility of the user to determine the suitability of this product for his or her use, and the user shall assume all legal, personal injury risk and liability and all other as well as all other obligations, duties and risks associated therewith.

**CUSTOMER SUPPORT**

For any installation or service questions, please contact our BAKER technical department toll free: 1-877-640-2004.

**BAKER DRIVETRAIN**  
**9804 E. SAGINAW**  
**HASLETT, MI. 48840**

On the web:

[www.bakerdrivetrain.com](http://www.bakerdrivetrain.com)

