



216 Congers Road, Bldg. 1  
New City, NY 10956 USA  
(845) 634-4330  
FAX: (845) 634-5565  
www.amalabs.com

**50 HUMAN SUBJECT REPEAT INSULT PATCH TEST**  
**SKIN IRRITATION/SENSITIZATION EVALUATION**  
**(Semi-Occlusive Patch)**

AMA Ref. No.: MS20.RIPT.P6556SO.50.HPLE

Date: September 1, 2020

Sponsor: Heritage Park Laundry Essentials  
539 Main Street, Suite 2  
Branford, Connecticut 06405

1.0 Objective:

Consumer products or raw materials designed for consistent reapplication to areas of the skin may, under proper conditions, prove to be contact sensitizers and/or irritants in certain individuals. It is the intention of a Repeat Insult Patch Test (RIPT) to provide a basis for evaluation of this irritation/sensitization potential if such exists.

2.0 Test Material:

2.1 Test Material Description:

On July 2, 2020 one test sample labeled Heritage Park Laundry Essentials - Silk & Wool Detergent / Fragrance Free HP031620-SW was received from Heritage Park Laundry Essentials and assigned AMA Lab No.: P-6556.

2.2 Handling:

Upon arrival at AMA Laboratories, Inc., the test material is assigned a unique laboratory code number and entered into a daily log identifying the lot number, sample description, sponsor, date received and tests requested.

Samples are retained for a period of three months beyond submission of final report unless otherwise specified by the sponsor or, if sample is known to be in support of governmental applications, representative retained samples are kept two years beyond final report submission.

Sample disposition is conducted in compliance with appropriate federal, state and local ordinances.

### 2.3 Test Material Evaluation Prerequisite:

Prior to induction of a human test panel, toxicology, microbiology or in-vitro performance spectra may be required to assess the feasibility of commencement as dictated by an Institutional Review Board (IRB) described in Section 3.0.

Sponsor purports that prior to sample submission the following tests were conducted with no adverse results and that the test data are on file on their premises but may not have been made available to AMA personnel:

- USP or CTFA Preservative Efficacy Test or equivalent
- 90 Day Accelerated Stability and Container Compatibility Study

### 3.0 Institutional Review Board:

Reference: CFR Title 21 Part 56, Subparts A, B, C, and D. The IRB of AMA Laboratories, Inc., consists of five or more individuals, chosen from within the company for technical expertise and from the local community for lay interaction. The list of IRB members is kept on file at AMA Laboratories, Inc. and is available for inspection during the hours of operation.

### 4.0 Panel Selection:

#### 4.1 Standards for Inclusion in a Study:

- Individuals free of any dermatological or systemic disorder which would interfere with the results, at the discretion of the Investigator.
- Individuals free of any acute or chronic disease that might interfere with or increase the risk of study participation.
- Individuals who will complete a preliminary medical history form mandated by AMA Laboratories, Inc. and are in general good health.
- Individuals, who will read, understand and sign an informed consent document relating to the specific type of study they are subscribing. Consent forms are kept on file and are available for examination on the premises of AMA Laboratories, Inc. only.
- Individuals able to cooperate with the Investigator and research staff, willing to have test materials applied according to the protocol, and complete the full course of the study.

#### 4.2 Standards for Exclusion from a Study:

- Individuals under 18 years of age.
- Individuals who are currently taking any medication (topical or systemic) that may mask or interfere with the test results, at the discretion of the study director.
- Subjects with a history of any acute or chronic disease that might interfere with or increase the risk associated with study participation.
- Individuals diagnosed with chronic skin allergies.
- Female volunteers who indicate that they are pregnant or lactating.

#### 4.3 Recruitment:

Panel selection is accomplished by advertisements in local periodicals, community bulletin boards, phone solicitation, electronic media or any combination thereof.

#### 4.4 Informed Consent and Medical History Forms:

An informed consent was obtained from each volunteer prior to initiating the study describing reasons for the study, possible adverse effects, associated risks and potential benefits of the treatment and their limits of liability. Panelists signed and dated the informed consent document to indicate their authorization to proceed and acknowledge their understanding of the contents. Each subject was assigned a permanent identification number and completed an extensive medical history form. These forms along with the signed consent forms, are available for inspection on the premises of AMA Laboratories, Inc. only. Reference 21 CFR Ch. 1 Part 50, Subpart B.

The parties agreed to comply with applicable state and federal privacy laws for the use and disclosure of a subject's personal health information by taking reasonable steps to protect the confidentiality of this information. This obligation shall survive the termination or expiration of this Agreement.

#### 5.0 Population Demographics:

Number of subjects enrolled .....	62	
Number of subjects completing study .....	58	
Age Range .....	18-73	
Sex.....	Male .....	22
	Female .....	36
Race .....	Caucasian .....	29
	Hispanic .....	16
	Asian .....	2
	African American/Black .....	10
	Mixed .....	1

## 6.0 Equipment:

- Patch Description: Parke-Davis Hypoallergenic Readi Bandages or the equivalent, trimmed at right angles on opposite sides to the opening of the paper backing of patch, allowing air flow.
- 1ml volumetric syringe without a needle.

## 7.0 Procedure:

- Subjects are requested to bathe or wash as usual before arrival at the facility.
- As per client request, the test material P-6556 was diluted to 10% in distilled water. Dilutions were freshly prepared on each application day.
- -0.2 ml or 0.2g of the diluted test material is dispensed onto the semi-occlusive, hypoallergenic patch.
- The patch is then applied directly to the skin of the infrascapular regions of the back, to the right or left of midline and the subject is dismissed with instructions not to wet or expose the test area to direct sunlight.
- After 24 hours the patch is removed by the panelist at home.
- This procedure is repeated until a series of nine consecutive 24 hour exposures have been made for every Monday, Wednesday, and Friday for three consecutive weeks.
- In the event of an adverse reaction, the area of erythema and edema is measured. Edema is estimated by evaluation of skin with respect to the contour of unaffected normal skin. Reactions are scored just before applications two through nine and the next test date following application nine. In most instances this is approximately 24 hours after patch removal. Clients are notified immediately in the case of adverse reaction and determination is made as to treatment program or discontinuation if necessary.
- Subjects are then given a 10 - 14 day rest period after which a challenge or retest dose is applied once to a previously unexposed test site. The retest dose is equivalent to any one of the original nine exposures. Reactions are scored 24 and 48 hours after application.
- Comparison is made between the nine inductive responses and the retest dose.
- At the conclusion of the study, the consulting Dermatologist and the consulting Pediatrician reviewed this data and confirmed the stated conclusions.

## 8.0 Results:

Please refer to attached Table.

## 9.0 Observations:

No adverse reactions of any kind were noted during the course of this study.

#### 10.0 Archiving:

All original samples, raw data sheets, technician's notebooks, correspondence files, copies of final reports and remaining specimens are maintained on the premises of AMA Laboratories, Inc. in limited access marked storage files for a period not to exceed two years. A duplicate copy of final reports is separately archived on digital media in a bank safe deposit vault. Sponsors are encouraged to keep all original signed, dated and certified reports. AMA will not be responsible, and it will not be possible to provide duplicate original hard copies of final reports once the documents leave our premises.

#### 11.0 Reference:

Appraisal of the Safety of Chemicals in Food, Drugs and Cosmetics, published by The Association of Food and Drug Officials of The United States, 1965 (modified).


#### 12.0 Security Label Disclosure:

To prevent loss of and protect intellectual property, original, certified documents issued by AMA Laboratories Inc. can be identified by a proprietary, tamper evident security hologram affixed to all Conclusion/Signature pages on final reports. Any attempt to remove the hologram will irreversibly damage the label and leave an immediate trace, thus invalidating the document.


Only reports containing the AMA LABS, INC. hologram intact will be recognized by AMA Laboratories Inc. as a certified original.


13.0 Conclusions:


The test material (AMA Lab. No.: P-6556; Client No.: Heritage Park Laundry Essentials - Silk & Wool Detergent / Fragrance Free HP031620-SW) when tested under semi-occlusion and diluted to 10% in distilled water as described herein, may be considered a **NON-PRIMARY IRRITANT** and **NON-PRIMARY SENSITIZER** to the skin according to the reference.

  
Ronda Bixon, M.D.  
Clinical Laboratory Director

  
Yessenia Cortes, A.A.  
Technician

  
Daniel Cohen, M.D.  
Board Certified Pediatrician

  
Ellen Gendler, M.D.  
Board Certified Dermatologist

  
Date



The AMA family of laboratories (AMA) represents fully independent testing facilities committed to the highest standards of unbiased testing and reporting. AMA is not in partnership, affiliation and/or association, in any way, with any other corporation, company, sole proprietorship, partnership, client, laboratory, and/or any other business entity [collectively, Business Associate(s)]. Should any Business Associate(s) indicate via literature, advertising, reporting, publications, raw data, reports, correspondence and/or any other documentation that they are in any way in partnership, use 'partnership' language or indicate they are otherwise affiliated with AMA, this shall serve as formal notice that AMA shall in no event be legally bound by such claim(s) and any Business Associate(s) representing such affiliation shall, by this instrument, hold AMA harmless and indemnify AMA against and from, without limitation, legal responsibility, damages, lawsuits, actions, claims, proceedings, arbitrations, and the like which may arise against AMA from said Business Associate(s) claim of affiliation. Your possession of this fully executed, signed and dated, final report shall signify your acknowledgment, agreement and acceptance of and compliance with all of the foregoing.

All Services Undertaken Subject to the following General Policy: AMA reports are submitted for exclusive use of the clients to whom they are addressed. Their significance is subject to the adequacy and representative character of the samples and to the comprehensiveness of the test, examination or surveys made. No quotations from AMA reports, or use of AMA names or the names of staff members or sub-contractors are permitted except as expressly authorized in writing. The liability of AMA with respect to services rendered shall in no event exceed the amount of one hundred dollars. Wherein this report is used to support commercial claims, the Sponsor is directed to provide said report in its entirety only.

**TABLE**  
**SUMMARY OF RESULTS**  
**(Semi-Occlusive Patch)**

AMA Lab No.: P-6556  
 Client No.: Heritage Park Laundry Essentials - Silk & Wool Detergent / Fragrance  
 Free HP031620-SW  
 Dilution: 10% in distilled water

No.	Subject ID	R A C E	S E X	Response									Chall. Patch		Score
				1	2	3	4	5	6	7	8	9	24HR	48HR	
1	10 0196	H	F	0	0	0	0	0	0	0	0	0	0	0	0.0
2	11 7654	A	M	0	0	0	0	0	0	0	0	0	0	0	0.0
3	35 8496	H	M	0	0	0	0	0	0	0	0	0	0	0	0.0
4	36 1138	C	M	0	0	0	0	0	0	0	0	0	0	0	0.0
5	36 1634	H	F	0	0	0	0	0	0	0	0	0	0	0	0.0
6	38 0621	C	M	0	0	0	0	0	0	0	0	0	0	0	0.0
7	39 0057	H	F	0	0	0	0	0	0	0	0	0	0	0	0.0
8	39 1287	C	F	0	0	0	0	0	0	0	0	0	0	0	0.0
9	40 0670	C	F	0	0	0	0	0	0	0	0	0	0	0	0.0
10	40 3430	C	F	0	0	0	0	0	0	0	0	0	0	0	0.0
11	40 9294	H	F	0	0	0	0	0	0	0	0	0	0	0	0.0
12	42 5232	C	F	0	0	0	0	0	0	0	0	0	0	0	0.0
13	44 8295	H	F	0	0	0	0	0	0	0	0	0	0	0	0.0
14	44 9509	C	F	0	0	0	0	0	0	0	0	0	0	0	0.0
15	46 7508	C	M	0	0	0	0	0	0	0	0	0	0	0	0.0
16	48 2207	C	F	0	0	0	0	0	0	0	0	0	0	0	0.0
17	50 1810	C	M	0	0	0	0	0	0	0	0	0	0	0	0.0
18	50 5041	C	F	0	0	0	0	0	0	0	0	0	0	0	0.0
19	50 6055	C	F	0	0	0	0	0	0	0	0	0	0	0	0.0
20	52 0525	C	F	0	0	0	0	0	0	0	0	0	0	0	0.0
21	52 5991	H	F	0	0	0	0	0	0	0	0	0	0	0	0.0
22	54 1758	C	F	0	0	0	0	0	0	0	0	0	0	0	0.0
23	54 4138	C	F	0	0	0	0	0	0	0	0	0	0	0	0.0
24	56 3895	H	F	0	0	DC	DC	DC	DC	DC	DC	DC	DC	DC	DC
25	56 8631	C	F	0	0	0	0	0	0	0	0	0	0	0	0.0
26	56 9114	C	F	0	0	0	0	0	0	0	0	0	0	0	0.0
27	58 2348	AA	M	0	0	0	0	0	0	0	0	0	0	0	0.0
28	58 6702	B	M	0	0	0	0	0	0	0	0	0	0	0	0.0
29	60 1825	C	F	0	0	0	0	0	0	0	0	0	0	0	0.0
30	60 3171	B	M	0	0	0	0	0	0	0	0	0	0	0	0.0
31	60 6310	C	M	0	0	0	0	0	0	0	0	0	0	0	0.0
32	62 4154	C	F	0	0	0	0	0	0	0	0	0	0	0	0.0
33	62 5227	B	F	0	0	0	0	0	0	0	0	0	0	0	0.0
34	62 5697	C	F	0	0	0	0	0	0	0	0	0	0	0	0.0
35	66 6606	H	M	0	0	0	0	0	0	0	0	0	0	0	0.0
36	68 0405	H	M	0	0	0	0	0	0	0	0	0	0	0	0.0
37	68 2278	C	F	0	0	0	0	0	0	0	0	0	0	0	0.0
38	68 8432	H	F	0	0	0	0	0	0	0	0	0	0	0	0.0

**TABLE (CONT'D)**  
**SUMMARY OF RESULTS**  
**(Semi-Occlusive Patch)**

AMA Lab No.: P-6556  
 Client No.: Heritage Park Laundry Essentials - Silk & Wool Detergent / Fragrance  
 Free HP031620-SW  
 Dilution: 10% in distilled water

No.	Subject ID	R A C E	S E X	Response									Chall. Patch		Score
				1	2	3	4	5	6	7	8	9	24HR	48HR	
39	70 1220	C	F	0	0	0	0	0	0	0	0	0	0	0	0.0
40	70 9820	C	M	0	0	0	0	0	0	0	0	0	0	0	0.0
41	72 4989	B	M	0	0	0	0	0	0	0	0	0	0	0	0.0
42	76 2993	AA	M	0	0	0	0	0	0	0	0	0	0	0	0.0
43	76 6488	H	F	0	0	DC	DC	DC	DC	DC	DC	DC	DC	DC	DC
44	78 9519	H	F	0	0	0	0	0	0	0	0	0	0	0	0.0
45	80 5010	H	M	0	0	0	0	0	0	0	0	0	0	0	0.0
46	80 7367	H	F	0	0	0	0	0	0	0	0	0	0	0	0.0
47	82 3031	H	F	0	0	0	0	0	0	0	0	0	0	0	0.0
48	82 4366	H	F	0	0	0	0	0	0	0	0	0	0	0	0.0
49	84 0387	M	M	0	0	0	0	0	0	0	0	0	0	0	0.0
50	84 5853	C	F	0	0	0	0	0	0	0	0	0	0	0	0.0
51	84 7424	C	M	0	0	0	0	0	0	0	0	0	0	0	0.0
52	84 8405	C	F	0	0	0	0	0	0	0	0	0	0	0	0.0
53	86 9636	C	F	0	DC	DC	DC	DC	DC	DC	DC	DC	DC	DC	DC
54	88 4232	C	F	0	0	0	0	0	0	0	0	0	0	0	0.0
55	88 5606	H	F	0	0	0	0	0	0	0	DC	DC	DC	DC	DC
56	88 5852	AA	M	0	0	0	0	0	0	0	0	0	0	0	0.0
57	90 1652	AA	M	0	0	0	0	0	0	0	0	0	0	0	0.0
58	92 0179	C	M	0	0	0	0	0	0	0	0	0	0	0	0.0
59	92 6471	AA	M	0	0	0	0	0	0	0	0	0	0	0	0.0
60	94 5644	AA	F	0	0	0	0	0	0	0	0	0	0	0	0.0
61	98 1792	A	F	0	0	0	0	0	0	0	0	0	0	0	0.0
62	98 8131	H	F	0	0	0	0	0	0	0	0	0	0	0	0.0

Evaluation Period:

This study was conducted from July 20, 2020 through August 26, 2020.



Scoring Scale and Definition of Symbols Shown in Table:


- 0.0 - No evidence of any effect
- 0.5 - (Barely perceptible) minimal faint (light pink) uniform or spotty erythema
- 1.0 - (Mild) pink uniform erythema covering most of contact site
- 2.0 - (Moderate) pink/red erythema visibly uniform in entire contact area
- 3.0 - (Marked) bright red erythema with accompanying edema, petechiae or papules
- 4.0 - (Severe) deep red erythema with vesiculation or weeping with or without edema
- DC - Subject discontinued, unrelated to sample
- S - Skin stained from pigment in product, unable to grade reaction
- T - Tan, unable to grade reaction
- [ ]<sup>E</sup> - image of the patch site was electronically transmitted
- M - Mixed Heritage
- AA - African American
- A - Asian
- H - Hispanic
- B - Black
- C - Caucasian


NOTE: All technical employees of AMA LABORATORIES, INC. are required to take and pass a visual discrimination examination overseen by a Board Certified Ophthalmologist using the Farnsworth-Munsell 100 Hue Test as published; which determines a person's ability to discern color against a black background. This test was additionally modified to include a flesh tone background more nearly approaching actual use conditions, wherein erythematous skin is graded according to intensity.

14.0 Quality Assurance Statement:

This study was inspected in accordance with the Standard Operating Procedures of AMA Laboratories, Inc. To assure compliance with the study protocol, the Quality Assurance Unit completed an audit of the study records and report.

Report reviewed by:

  
\_\_\_\_\_  
Jennifer Conforto, M.A.  
Quality Assurance Supervisor

  
\_\_\_\_\_  
Date