

Synergy™

double pole switches - Sleek Design



8 320 10



8 324 12



8 324 23

Sleek design




BSS: Plates made of austenitic Stainless Steel - non-magnetic - grade 304 L


PSS: Plates made of Stainless Steel + rust resistance

GG: Plates made of Stainless Steel + rust resistance

Terminal screws captive and backed off ready for cabling - large angled terminal entries

Compact mechanism for maximum wiring space

Pack	Cat.Nos	Double pole switches 20 A - 250 V~
		Conform to BS EN 60669-1 For flush-mounting, back box to be min. 35 mm deep Supplied with 1 gang side extension (3 mm thick) Cat.No 8 321 98 in case of extra wiring space needed Nominal plate dimensions: 86 x 86 mm
1	8 320 10	 <ul style="list-style-type: none"> ● Brushed stainless steel ● Polished stainless steel ● Glossy gold
1	8 322 10	
1	8 324 10	
1	8 320 16	 <ul style="list-style-type: none"> ● Brushed stainless steel ● Polished stainless steel ● Glossy gold
1	8 322 16	
1	8 324 16	
1	8 320 12	 <ul style="list-style-type: none"> ● Brushed stainless steel ● Polished stainless steel ● Glossy gold
1	8 322 12	
1	8 324 12	

Pack	Cat.Nos	Double pole switches 45 A - 250 V~
		Conform to BS EN 60669-1 For flush-mounting, back box to be min. 47 mm deep Red rocker Nominal plate dimensions: 86 x 86 mm
1	8 320 23	 <ul style="list-style-type: none"> ● Brushed stainless steel ● Polished stainless steel ● Glossy gold
1	8 322 23	
1	8 324 23	

DP switches + blue LED power indicator

- Brushed stainless steel
- Polished stainless steel
- Glossy gold