

---

PRODUCT-DETAILS

# KEU0620

## KE FLEX UNCOVERED CONDUIT 32MM 20M



---

### General Information

Extended Product Type	KEU0620
Product ID	7TCA297050R0190
EAN	5011949204591
Catalog Description	KE FLEX UNCOVERED CONDUIT 32MM 20M
Long Description	Very Flexible, Metallic Conduit, Nominal Conduit Size 32mm, 1 Inch US Trade Size, Outside Diameter 32.0mm, Inside Diameter 28.1mm, Static Bend Radius 60mm, Reel Length 20 Meters, IP40 Rating, Uncovered Galvanised Steel, Metallic

---

### Ordering

EAN	5011949204591
Customs Tariff Number	8307106000

---

### Dimensions

Product Net Weight	20.49 lb 9.293 kg
--------------------	----------------------

---

### Container Information

Package Level 2 Units	1 piece
Package Level 2 Width	1 in 25 mm

Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

## Additional Information

Application	Indoors - Light Industrial, Buildings
Brand / Label	Kopex
Color	Metallic
Flexibility	High
Inside Diameter	28.1 mm
Material	Steel
Nominal Size	1 in
Number of Batteries	0
Outside Diameter	32.0 mm
Product Name	FLEXIBLE METAL CONDUIT
Product Type	Flexible, Metallic Conduit
Radius	Static: 60 mm
Special Functions	Contains No Flame Propagating Materials
Standards	BSI Kitemark KM-90009, Low Voltage Directive
Surface Finishing	Galvanised
UPC	786210247809

## Certificates and Declarations (Document Number)

Data Sheet, Technical Information	KEU0620
Declaration of Conformity - CE	9AKK107492A9617
Instructions and Manuals	KEU0620

## Classifications

ETIM 6	EC001179 - Protective metallic hose
ETIM 7	EC001179 - Protective metallic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5539 >> Flexible Metallic Conduit

## Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

