

PRODUCT-DETAILS

GAM0505

KFE STR CONNECTORS 25X25MM



General Information

Extended Product Type	GAM0505
Product ID	7TCA297050R0008
EAN	5011949203792
Catalog Description	KFE STR CONNECTORS 25X25MM
Long Description	Fitting for Covered Conduit, Straight with External Male Thread, Conduit Size 25mm, M25 Thread, Very High Mechanical and UV Protection, IP54 Rating, Nickel Plated Brass

Ordering

EAN	5011949203792
Customs Tariff Number	7412200090

Dimensions

Product Net Weight	.1 lb 45.351 g
--------------------	-------------------

Container Information

Package Level 1 Units	10 piece
Package Level 2 Units	250 piece
Package Level 2 Width	13 in 330 mm

Package Level 2 Height	7 in 178 mm
Package Level 2 Depth / Length	13 in 330 mm

Additional Information

Application	For Insertion Into Threaded Entries and Knockouts Using a Locknut to Secure
Brand / Label	Kopex
Color	Metallic
Insulation Class	IP54
Material	Brass
Number of Batteries	0
Product Name	brass fitting for conduit
Product Type	Metallic Fitting for Covered Conduit
Size	Conduit Size 25mm ; M25 Thread
Special Functions	Very High Mechanical and UV Protection
Standards	BSI Kitemark KM-90009, Low Voltage Directive
Surface Finishing	Nickel Plated
Temperature Range	Static: -50 to 350 °C Dynamic: -45 to 250 °C
UPC	786210277066

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	GAM0505
Declaration of Conformity - CE	9AKK107492A9617
Instructions and Manuals	GAM0505

Classifications

ETIM 6	EC001180 - Screw connection for protective metallic hose
ETIM 7	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121311
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4441 >> Electrical fittings

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

