

PRODUCT-DETAILS

# GAM0606

## KFE STR COVRD COND CONN 32X32MM



### General Information

Extended Product Type	GAM0606
Product ID	7TCA297050R0010
EAN	5011949203808
Catalog Description	KFE STR COVRD COND CONN 32X32MM
Long Description	Fitting for Covered Conduit, Straight with External Male Thread, Conduit Size 32mm, M32 Thread, Very High Mechanical and UV Protection, IP54 Rating, Nickel Plated Brass

### Ordering

EAN	5011949203808
Customs Tariff Number	7907002000

### Dimensions

Product Net Weight	.176 lb 79.819 g
--------------------	---------------------

### Container Information

Package Level 1 Units	5 piece
Package Level 2 Units	125 piece
Package Level 2 Width	1 in 25 mm

Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

## Additional Information

Application	For Insertion Into Threaded Entries and Knockouts Using a Locknut to Secure
Brand / Label	Kopex
Color	Metallic
Insulation Class	IP54
Material	Brass
Number of Batteries	0
Product Name	zinc fitting for conduit
Product Type	Metallic Fitting for Covered Conduit
Size	Conduit Size 32mm ; M32 Thread
Special Functions	Very High Mechanical and UV Protection
Standards	BSI Kitemark KM-90009, Low Voltage Directive
Surface Finishing	Nickel Plated
Temperature Range	Static: -50 to 350 °C Dynamic: -45 to 250 °C
UPC	786210241814

## Certificates and Declarations (Document Number)

Data Sheet, Technical Information	GAM0606
Declaration of Conformity - CE	9AKK107492A9617
Instructions and Manuals	GAM0606

## Classifications

ETIM 6	EC001180 - Screw connection for protective metallic hose
ETIM 7	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121311
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4441 >> Electrical fittings

## Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

