

# Slimline Plus



**Quality, style & flexibility  
to any interior design**

# slimline plus

Stylish



Robust



Ease of installation

Affordable

For over 55 years, MK Electric has been a household name throughout the region, trusted and respected, whilst offering the highest quality, safe and reliable wiring accessories.

The MK Slimline Plus range sees continues its core line traditions of providing high quality, safe and reliable wiring accessories, with a focus on style and flexibility which will compliment any interior.

At MK Electric we continually strive to design products which suit the needs of specifiers and users, whilst considering the practical demands of installers.


The new MK Slimline Plus range offers a wide range of accessories, which are unobtrusive and practical. Manufactured using Polycarbonate, MK Slimline Plus comes with a high gloss finish that is both tough and durable. Quick and easy installation is a given, and multi-fixing points allow for angular movement that will easily accommodate improperly installed back boxes.



Think Quality. Think MK.

wiring devices










- Stylish profile with surround of only 7mm thick
- Bring style and flexibility to interior decoration
- Choice of white or colour shrouds
- Six standard high quality metallic colours with the option for mix and match.



- Multi-Gang Surrounds give you a neater way of housing your switches and sockets
- Available in 2, 3 and 4 gang landscape surround



Mix & Match for Colour Choices

Colour Surrounds			Shroud	Product
			 <b>SS4781 TTA</b> Titanium shroud - 1 gang wide rocker	 <b>S11W MBK + SS4781 TTA</b>
				 <b>S11W TTA + SS4781 TTA</b>
<p><b>Surround Plates :</b>                      S11 ABR / MBK / CHM / TTA / PRL / STB                      S11W ABR / MBK / CHM / TTA / PRL / STB</p>			<p><b>*Note : Order White Shrouds</b>                      Eg. SS4781 WHI, SS2757 WHI</p> <p><b>*Note : Order Colour Shrouds</b>                      Eg. SS4781 TTA (Titanium), SS2757 BLK (Black)</p>	

\* Consult sales office for details.

## wiring devices

## SOCKET OUTLETS



**S2757 WHI**  
1 gang 13A SP  
switched socket outlet



**S2747 WHI**  
2 gang 13A SP  
switched socket outlet



**S2657 WHI**  
1 gang 13A SP switched  
socket outlet with neon



**S2647 WHI**  
2 gang 13A SP switched  
socket outlet with neon



**S780 WHI**  
1 gang 13A unswitched  
socket outlet



**S781 WHI**  
2 gang 13A  
unswitched socket outlet



**S2493 WHI**  
1 gang 15A switched  
socket outlet with neon



**S2891 WHI**  
1 gang 5A SP switch  
socket outlet



**S2893 WHI**  
1 gang 15A  
switched socket outlet



**S772 WHI**  
1 gang 15A  
unswitched socket outlet



**S2757DP WHI**  
1 gang 13A DP  
switched socket outlet



**S2747DP WHI**  
2 gang 13A DP  
switched socket outlet



**S2657DP WHI**  
1 gang 13A DP  
switched socket outlet  
with neon



**S2647DP WHI**  
2 gang 13A DP  
switched socket outlet  
with neon



**S4151S2 WHI**  
1 gang 16A  
schuko socket



**S4152S2 WHI**  
2 gang 16A  
schuko socket



**S8155 WHI**  
1 gang 16A switched  
2 pin universal socket

## STANDARD ROCKER SWITCHES - MODULAR



**S8870 WHI (1 way)**  
**S8871 WHI (2 way)**  
**S8879 WHI (Intermediate)**  
1 gang 10AX SP switch



**S8872 W1 WHI (1 way)**  
**S8872 WHI (2 way)**  
2 gang 10AX SP switch



**S8873 W1 WHI (1 way)**  
**S8873 WHI (2 way)**  
3 gang 10AX SP switch



**S8874 W1 WHI (1 way)**  
**S8874 WHI (2 way)**  
4 gang 10AX SP switch



**S8875 W1 WHI (1 way)**  
**S8875 WHI (2 way)**  
5 gang 10AX SP switch



**S8878B WHI**  
1 gang 10A SP 1 way push  
switch with 'BELL' symbol



**S8878P WHI**  
1 gang 10A SP 1 way push  
switch marked 'PRESS'



**S8871N WHI**  
1 gang 10AX SP 2 way  
switch with neon



**S8403 WHI**  
1 gang 20AX DP switch



**S8404 WHI**  
2 gang 20AX DP switch



**S8423 WHI**  
1 gang 20AX DP  
switch with neon



**S8423 WH WHI**  
1 gang 20AX DP switch  
with neon marked  
'WATER HEATER'



**S8424 WHI**  
2 gang 20AX DP  
switch with neon



**S8878P/AC/RGN WHI**  
2 gang 10A 2 way SP push  
switch RED/GREEN with neon  
marked 'AIR CONDITIONER'



**S8878P/AC/RG WHI**  
2 gang 10A 2 way SP push  
switch RED/GREEN marked  
'AIR CONDITIONER'

## DIMMERS/ FAN SPEED CONTROLLER

\*All dimmers designed for incandescent lamp & low voltage halogen lamp with ferromagnetic transformer.



**S1512 WHI**  
600W/250VA  
2 way dimmer



**S1535 WHI**  
1000W/450VA  
1 way dimmer



**S1561 WHI**  
1000W/450VA  
2 way dimmer



**S8601 WHI**  
200VA fan speed controller



**S8501 WHI**  
500W/200VA 1 gang  
dimmer with 2 way  
switch module



**S8522 WHI**  
500W/200VA 2 gang  
dimmer with 2 way  
switch modules

## wiring devices

## WIDE ROCKER SWITCHES



**S4781 W1 WHI (1 way)**  
**S4781 WHI (2 way)**  
**S4785 (Intermediate)**  
 1 gang 10AX SP switch



**S4781N W1 WHI (1 way)**  
**S4781N WHI (2 way)**  
 1 gang 10AX SP switch  
 with neon indicator



**S4782 W1 WHI (1 way)**  
**S4782 WHI (2 way)**  
 2 gang 10AX SP switch



**S4782N W1 WHI (1 way)**  
**S4782N WHI (2 way)**  
 2 gang 10AX SP switch  
 with neon indicator



**S4783 WHI**  
 3 gang 10AX SP  
 2 way switch



**S4783N WHI**  
 3 gang 10AX SP  
 2 way switch with neon  
 indicator



**S4778B WHI**  
 1 gang 10A 1 way push  
 switch with 'BELL' symbol



**S4787 WHI**  
 1 gang 20AX DP switch



**S4787N WHI**  
 1 gang 20AX DP switch  
 with neon indicator



**S4788 WHI**  
 2 gang 20AX DP switch



**S4788N WHI**  
 2 gang 20AX DP switch  
 with neon indicator



**S4771 WHI**  
 1 gang 20AX SP  
 2 way switch with neon  
 indicator

**S4725 WHI**  
 1 gang 20AX DP  
 2 way switch with neon  
 indicator

## VOICE/TV OUTLETS



**S4817 WHI (4 wire)**  
 1 gang RJ11 American type



2 gang RJ11 American type



**S3520 WHI**  
 Single non-isolated



Single isolated



**S3522 WHI**  
 Double TV/FM isolated



Cable Vision TV/FM socket  
 (For Singapore market only)



**S3553 WHI**  
 TV/FM & satellite  
 (non-Isolated)  
 triplexer socket



**S3529 WHI**  
 Cable TV 'F' type  
 connector

## STANDARD ROCKER SWITCHES - MONOBLOC



**S4870 WHI (1 way)**  
**S4871 WHI (2 way)**  
**S4875 WHI (Intermediate)**  
1 gang 10AX SP switch



**S4872 W1 WHI (1 way)**  
**S4872 WHI (2 way)**  
2 gang 10AX SP switch



**S4873 W1 WHI (1 way)**  
**S4873 WHI (2 way)**  
3 gang 10AX SP switch



**S4874 W1 WHI (1 way)**  
**S4874 WHI (2 way)**  
4 gang 10AX SP switch



**S8479 WHI**  
1 gang 20AX  
intermediate switch



**S8431 WHI**  
1 gang 20AX SP  
2 way switch



**S8432 WHI**  
2 gang 20AX SP  
2 way switch



**S8433 WHI**  
3 gang 20AX SP  
2 way switch



**S8434 WHI**  
4 gang 20AX SP  
2 way switch



**S5423 WHI**  
1 gang 20AX DP  
1 way switch with neon  
indicator



**S5423 WH WHI**  
1 gang 20AX DP 1 way  
switch with neon marked  
'WATER HEATER'



**S8425 WHI**  
1 gang 20AX DP  
2 way switch with neon  
indicator



**S8471 WHI**  
1 gang 20AX SP  
2 way switch with neon  
indicator



**S1070 WHI**  
13A switched fused  
connection unit with  
front flex outlet & neon



13A switched fused  
connection unit with  
front flex outlet



**S1090 WHI**  
25A front flex outlet with  
3 terminal block, each of  
which will accommodate  
up to 2nos. of  
4mm<sup>2</sup> conductors



13A unswitched fused  
connection unit with front  
flex outlet



**S1092 WHI**  
13A unswitched fused  
connection unit with  
bottom flex outlet



**S330 WHI**  
13A switched fused  
connection unit with  
bottom flex outlet



**S370 WHI**  
13A switched fused  
connection unit with  
neon & bottom flex outlet



**S377 WHI**  
13A unswitched fused  
connection unit with  
neon & bottom flex outlet

## wiring devices

ARCHITRAVE  
SWITCHES

**S8840 WHI**  
1 gang 1 way  
10AX SP switch



**S8841 WHI**  
1 gang 2 way  
10AX SP switch



**S8848B WHI**  
1 gang 10A SP  
push switch with  
'BELL' symbol



**S8848P WHI**  
1 gang 10A SP push  
switch marked 'PRESS'

DATA/VOICE  
OUTLETS

**S5450 WHI**  
1 gang euro plate - 1  
module



**S5451 WHI**  
1 gang euro plate - 2  
modules



**SX5452**  
1 module blank plate  
(For use with S5450 WHI/  
S5451 WHI)



**SX5453**  
1 module adaptor  
(For use with S5450 WHI/  
S5451 WHI)



**SX5456**  
LJU 6C Adaptor  
- 1 module



**S 170 WHI**  
LJU6C blank plate  
- 1 module



**S171 WHI**  
1 gang LJU6C  
front plate - 1 module



**S172 WHI**  
1 gang LJU6C  
front plate - 2 module



**S184 WHI**  
2 gang euro frontplate  
- 4 module



**S422 WHI**  
1 gang BT telephone socket  
(master)



**S427 WHI**  
1 gang BT telephone socket  
(secondary)



**S3540 WHI**  
3 pin telephone socket  
marked with 'TELEPHONE'  
symbol



**S4810 WHI**  
10 way telephone connector



**SX5454**  
RJ45 CAT 5e Jack



**SX5455**  
RJ11 Jack



**SX5458**  
RJ12 Jack



**SX5457**  
RJ45 Cat 6 Jack



## HIGH CURRENT SWITCHES/ COOKER CONTROL UNITS/SHAVER UNIT



**S5105 WHI**  
32A DP switch with neon



**S5061 WHI**  
Cooker connection unit 45A DP main switch & 13A SP switched socket with neons



**S5045 WHI**  
45A Cooker connection unit with 3 terminal block, each of which will accommodate up to two nos. of 6mm<sup>2</sup> conductor



**S5215 WHI**  
45A DP switch with neon



**S701 WHI**  
Shaver supply unit, dual voltage 115/230V output 220-240V 50Hz input



**S706 WHI**  
Shaver supply unit, 115/230V output 127AC 50/60Hz input

## HOTEL RANGE



**S4324 WHI**  
Key card switch (220-240VAC 50Hz)



**S4325 WHI**  
Key card switch (12VAC/12VDC 50Hz)



**S4326 WHI**  
Key card switch (127 VAC 60Hz)



**S4327 WHI**  
"Service" and "Do Not Disturb" switch with indicator 10AX 250VAC 50Hz



**S4328 WHI**  
2 way Bell switch with Service indicator 10A 250VAC 50Hz

## BLANK PLATES/ COVER CAP



**S3827 WHI**  
1 gang blank plate



**S3828 WHI**  
2 gang blank plates



**S15 WHI**  
Connection unit cover cap to blank off the front flex outlet

## wiring devices

WHITE  
SURROUNDS

**S11 WHI**  
1 gang standard surround  
- White



**S11W WHI**  
1 gang wide rocker surround  
- White



**S11D WHI**  
1 gang bottom fused  
connection unit surround



**S2H WHI**  
2 gang landscape  
surround



**S2H 45A WHI**  
2 gang landscape  
surround



**S2V WHI**  
2 gang portrait surround



**S1A WHI**  
1 gang Architrave  
surround

1 GANG  
COLOUR  
SURROUNDS

**S11 \*\*\***  
1 gang standard surround



**S11W \*\*\***  
1 gang wide rocker  
switch surround



**S11D \*\*\***  
1 gang bottom fused  
connection unit surround

Available in the following Colours



Champagne  
CHM



Matt Black  
MBK



Antique Bronze  
ABR



Titanium  
TTA



Satin Brass  
STB



Pearl  
PRL

\*\*\*

wiring devices

## 2 GANGS COLOUR SURROUNDS



**S2H**  
2 gang landscape surround

Available in the following Colours



Champagne  
CHM



Matt Black  
MBK



Antique Bronze  
ABR



Titanium  
TTA



Satin Brass  
STB



Pearl  
PRL

## WHITE MULTI-GANG SURROUNDS/ ACCESSORIES



**S21H WHI**  
Landscape 2 x 1 gang surround



**S21HW WHI**  
Landscape - Wide rocker, 2 x 1 gang surround



**S31H WHI**  
Landscape 3 x 1 gang surround



**S31HW WHI**  
Landscape - Wide rocker, 3 x 1 gang surround



**S41H WHI**  
Landscape 4 x 1 gang surround



**S11A 12HA 11 WHI**  
Landscape 1 x 1 gang 2 x 2 gang 1 x 1 gang surround



**S21A 12H WHI**  
Landscape 2 x 1 gang 1 x 2 gang surround



Multi-gang surrounds and accessories allow quick and easy installation of customer specific product combination. The landscape surrounds are available in 2,3 and 4 gang formats.



**SS10 WHI**  
Shroud coupler to join products for multi-gang surrounds



**SS20 WHI**  
20mm DIA spacer to align boxes for multi-gang surrounds



**SS25 WHI**  
25mm DIA spacer to align boxes for multi-gang surrounds

## BOXES



**31019 WHI**  
1 gang surface box;  
depth : 32mm



**31029 WHI**  
2 gang surface box;  
depth : 32mm




**2031 WHI**  
1 gang surface box;  
depth : 44mm



**2172 WHI**  
2 gang surface box;  
depth : 44mm



**861 ZIC** : depth 25mm  
**866 ZIC** : depth 35mm  
**877 ZIC** : depth 46mm  
1 gang flush box



**862 ZIC** : depth 25mm  
**886 ZIC** : depth 35mm  
**878 ZIC** : depth 46mm  
2 gang flush box



**SS30 WHI**  
1 gang flush box;  
depth : 35mm



**SS30 BLK**  
1 gang flush box;  
depth : 35mm



**SS40 WHI**  
2 gang flush box;  
depth : 35mm



**SS40 BLK**  
2 gang flush box;  
depth : 35mm



**G2154 WHI**  
1 gang architrave box





**3921 ZIC**  
1 gang architrave flush box

## wiring devices

**CONFORM TO INTERNATIONAL STANDARDS**

The products are manufactured in an ISO 9002 environment and comply to British/IEC standards.

	British Standard/IEC
10A/AX Light Switches (10AX switch rating means no need to derate its current rating when connected to fluorescent lamps or inductive loads)	IEC/BSEN 60669
20AX DP Switches	IEC/BSEN 60669
13A Socket Outlets	BS 1363
15A Socket Outlets	BS 546
Fused Connection Units	BS 1363
Shaver Unit	IEC/BSEN 61558
25A/45A Connection Unit	BS 5733
DATA Communication Outlets	BS 5733
16A Universal Socket Outlet	BS 5733
16A Schuko Socket Outlet	IEC 60884
45A DP Switch	BSEN 60669
45A DP Cooker Connection Unit with 13A Switched Socket	BS 4177
32A DP Switch	IEC/BSEN 60669
Dimmer/Fan Speed Controller	IEC 60669
Flush Boxes	BS 4662 IEC 60670
Coupler & Spacer	BS 5733

**DIMENSIONS**



## HONEYWELL MIDDLE EAST ELECTRICAL DEVICES & SYSTEMS

<b>HEAD OFFICE</b> <b>HONEYWELL - ELECTRICAL DEVICES &amp; SYSTEMS</b> The Arnold Centre, Paycocke Road Basildon Essex SS14 3EA UK	Telephone: <b>+44 (0)1268 563000</b>	Facsimile: <b>+44 (0)1268 563405</b>
<b>Regional Office (Middle East)</b> Honeywell Middle East, Environmental & Combustion Controls EMAAR Business Park, Building 2, Level 2 Office 201, Sheik Zayed Road, P.O.Box 232362, Dubai, UAE	Telephone: <b>+971 4 450 5800</b>	Facsimile: <b>+971 4 450 5900</b>
<b>KSA Area Office</b> 5th Floor, Taawonieh Northern Tower P.O. Box 56106 Riyadh 11554, KSA	Telephone: <b>+966 11 4346888</b> <b>+966 11 4346817</b>	Facsimile: <b>+966 11 4346889</b>
<b>Jeddah Office</b> 3rd Floor, L/G Building, Sitteen St. South to Bicycle Round P.O. Box 8589, Jeddah 20492, KSA	Telephone: <b>+966 2 617 8114/7</b>	Facsimile: <b>+966 2 617 8277</b>
<b>Qatar Area Office</b> P.O. Box 63757, Doha - Qatar	Telephone: <b>+974 442 09075</b>	Facsimile: <b>+974 444 23970</b>
Website: <b>www.mkelectric.com</b>	Email: <b>mkenquiries.me@honeywell.com</b>	Ref <b>MEMK0109-0815a-EN</b>

Registered Office: Honeywell House Arlington Business Park Bracknell Berkshire RG12 1EB

Registered No. 189291