

Chief Stix

Chief Stix

Sample ID: HR20210191489
Strain: Chief Stix
Matrix: Plant
Type: Preroll
Sample Size: 20 units; Batch:

Produced:
Collected: 01/29/2021
Received: 01/29/2021
Completed: 02/03/2021
Batch#: CS-CBG-012921

Client
HHemp.Co
Lic. # AG-R10666417IHH
924 Chevy Way
Medford, OR 97504




Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	02/02/2021	Complete
Moisture	02/01/2021	11.88%
Water Activity	02/01/2021	Pass - 0.59000 aw
Terpenes	02/02/2021	Complete
Residual Solvents	02/01/2021	Pass
Microbials	02/03/2021	Pass
Mycotoxins	02/02/2021	Pass
Pesticides	02/01/2021	Pass
Heavy Metals	02/02/2021	Pass
Foreign Matter	02/01/2021	Pass

Cannabinoids

Complete



Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/g
THCa	0.0033	0.0100	0.10	1.0
Δ9-THC	0.0033	0.0100	ND	ND
CBDa	0.0033	0.0100	ND	ND
CBD	0.0033	0.0100	0.14	1.4
CBN	0.0010	0.0025	ND	ND
CBGa	0.0033	0.0100	9.82	98.2
CBG	0.0010	0.0025	0.24	2.4
Total THC			0.09	0.90
Total CBD			0.14	1.40
Total			10.30	103.0

1 Unit = g, 0.8g.

Determination of Cannabinoids by HPLC, HL223

Total THC = THCa * 0.877 + Δ9-THC

Total CBD = CBDa * 0.877 + CBD

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01



Ming Li

Ming Li - General Manager
02/03/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Chief Stix

Sample ID: HR20210191489
Strain: Chief Stix
Matrix: Plant
Type: Preroll
Sample Size: 20 units; Batch:


Produced:
Collected: 01/29/2021
Received: 01/29/2021
Completed: 02/03/2021
Batch#: CS-CBG-012921

Client
HHemp.Co
Lic. # AG-R10666417IHH
924 Chevy Way
Medford, OR 97504

Terpenes

Analyte	LOD	LOQ	Results	
	%	%	%	mg/g
α-Bisabolol	0.0080	0.0100	0.097	0.97
β-Caryophyllene	0.0080	0.0100	0.093	0.93
Guaiol	0.0080	0.0100	0.064	0.64
α-Humulene	0.0080	0.0100	0.033	0.33
Caryophyllene Oxide	0.0080	0.0100	0.022	0.22
β-Ocimene	0.0080	0.0100	0.019	0.19
Ocimene	0.0080	0.0100	0.019	0.19
3-Carene	0.0080	0.0100	ND	ND
α-Phellandrene	0.0080	0.0100	ND	ND
α-Pinene	0.0080	0.0100	ND	ND
α-Terpinene	0.0080	0.0100	ND	ND
α-Terpineol	0.0080	0.0100	ND	ND
β-Myrcene	0.0080	0.0100	ND	ND
β-Pinene	0.0080	0.0100	ND	ND
Borneol	0.0080	0.0100	ND	ND
Camphene	0.0080	0.0100	ND	ND
cis-Nerolidol	0.0080	0.0100	ND	ND
δ-Limonene	0.0080	0.0100	ND	ND
Eucalyptol	0.0080	0.0100	ND	ND
Fenchol	0.0080	0.0100	ND	ND
Fenchone	0.0080	0.0100	ND	ND
γ-Terpinene	0.0080	0.0100	ND	ND
Geraniol	0.0080	0.0100	ND	ND
Geranyl Acetate	0.0080	0.0100	ND	ND
Isopulegol	0.0080	0.0100	ND	ND
Linalool	0.0080	0.0100	ND	ND
Menthol	0.0080	0.0100	ND	ND
Nerol	0.0080	0.0100	ND	ND
Pulegone	0.0080	0.0100	ND	ND
p-Cymene	0.0080	0.0100	ND	ND
Terpinolene	0.0080	0.0100	ND	ND
trans-Nerolidol	0.0080	0.0100	ND	ND
Total			0.347	3.47

Primary Aromas



Date Tested: 02/02/2021

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. SOP HL228. GC-FID



Ming Li

Ming Li - General Manager
02/03/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Chief Stix

Sample ID: HR20210191489

Strain: Chief Stix

Matrix: Plant

Type: Preroll

Sample Size: 20 units; Batch:

Produced:

Collected: 01/29/2021

Received: 01/29/2021

Completed: 02/03/2021

Batch#: CS-CBG-012921

Client

HHemp.Co

Lic. # AG-R10666417IHH

924 Chevy Way

Medford, OR 97504

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.03	0.1	0.1	ND	Pass	Fludioxonil	0.03	0.1	0.1	ND	Pass
Acephate	0.03	0.1	0.1	ND	Pass	Hexythiazox	0.03	0.1	0.1	ND	Pass
Acequinocyl	0.03	0.1	0.1	ND	Pass	Imazalil	0.03	0.1	0.03	ND	Pass
Acetamiprid	0.03	0.1	0.1	ND	Pass	Imidacloprid	0.03	0.1	5	ND	Pass
Aldicarb	0.03	0.1	0.03	ND	Pass	Kresoxim Methyl	0.03	0.1	0.1	ND	Pass
Azoxystrobin	0.03	0.1	0.1	ND	Pass	Malathion	0.03	0.1	0.5	ND	Pass
Bifenazate	0.03	0.1	0.1	ND	Pass	Metalaxyl	0.03	0.1	2	ND	Pass
Bifenthrin	0.03	0.1	3	ND	Pass	Methiocarb	0.03	0.1	0.03	ND	Pass
Boscalid	0.03	0.1	0.1	ND	Pass	Methomyl	0.03	0.1	1	ND	Pass
Captan	0.03	0.1	0.7	ND	Pass	Mevinphos	0.03	0.1	0.03	ND	Pass
Carbaryl	0.03	0.1	0.5	ND	Pass	Myclobutanil	0.03	0.1	0.1	ND	Pass
Carbofuran	0.03	0.1	0.03	ND	Pass	Naled	0.03	0.1	0.1	ND	Pass
Chlorantraniliprole	0.03	0.1	10	0.14	Pass	Oxamyl	0.03	0.1	0.5	ND	Pass
Chlordane	0.03	0.1	0.03	ND	Pass	Paclobutrazol	0.03	0.1	0.03	ND	Pass
Chlorfenapyr	0.03	0.1	0.03	ND	Pass	Parathion Methyl	0.03	0.1	0.03	ND	Pass
Chlorpyrifos	0.03	0.1	0.03	ND	Pass	Pentachloronitrobenzene	0.03	0.1	0.1	ND	Pass
Clofentezine	0.03	0.1	0.1	ND	Pass	Permethrin	0.03	0.1	0.5	ND	Pass
Coumaphos	0.03	0.1	0.03	ND	Pass	Phosmet	0.03	0.1	0.1	ND	Pass
Cyfluthrin	0.03	0.1	2	ND	Pass	Piperonyl Butoxide	0.03	0.1	3	ND	Pass
Cypermethrin	0.03	0.1	1	ND	Pass	Prallethrin	0.03	0.1	0.1	ND	Pass
Daminozide	0.03	0.1	0.03	ND	Pass	Propiconazole	0.03	0.1	0.1	ND	Pass
Diazinon	0.03	0.1	0.1	ND	Pass	Propoxur	0.03	0.1	0.03	ND	Pass
Dichlorvos	0.03	0.1	0.03	ND	Pass	Pyrethrins	0.03	0.1	0.5	ND	Pass
Dimethoate	0.03	0.1	0.03	ND	Pass	Pyridaben	0.03	0.1	0.1	ND	Pass
Dimethomorph	0.03	0.1	2	ND	Pass	Spinetoram	0.03	0.1	0.1	ND	Pass
Ethoprophos	0.03	0.1	0.03	ND	Pass	Spinosad	0.03	0.1	0.1	ND	Pass
Etofenprox	0.03	0.1	0.03	ND	Pass	Spiromesifen	0.03	0.1	0.1	ND	Pass
Etoazole	0.03	0.1	0.1	ND	Pass	Spirotetramat	0.03	0.1	0.1	ND	Pass
Fenhexamid	0.03	0.1	0.1	ND	Pass	Spiroxamine	0.03	0.1	0.03	ND	Pass
Fenoxycarb	0.03	0.1	0.03	ND	Pass	Tebuconazole	0.03	0.1	0.1	ND	Pass
Fenpyroximate	0.03	0.1	0.1	ND	Pass	Thiacloprid	0.03	0.1	0.03	ND	Pass
Fipronil	0.03	0.1	0.03	ND	Pass	Thiamethoxam	0.03	0.1	5	ND	Pass
Fonicamid	0.03	0.1	0.1	ND	Pass	Trifloxystrobin	0.03	0.1	0.1	ND	Pass

Date Tested: 02/01/2021

We analyze samples by AOAC Official Method 2007.01-Modified; ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory: HL105.10-01. Tested by LC/MS/MS and GC/MS/MS, HL201.2



Ming Li

Ming Li - General Manager
02/03/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Chief Stix

Sample ID: HR20210191489
Strain: Chief Stix
Matrix: Plant
Type: Preroll
Sample Size: 20 units; Batch:

Produced:
Collected: 01/29/2021
Received: 01/29/2021
Completed: 02/03/2021
Batch#: CS-CBG-012921

Client
HHemp.Co
Lic. # AG-R10666417IHH
924 Chevy Way
Medford, OR 97504

Residual Solvents

Analyte	LOD µg/g	LOQ µg/g	Limit µg/g	Results µg/g	Status
1,2-Dichloro-Ethane	1	1	1	ND	Pass
Acetone	1	10	5000	ND	Pass
Acetonitrile	1	5	410	ND	Pass
Benzene	1	1	1	ND	Pass
Butane	1	25	5000	ND	Pass
Chloroform	1	1	1	ND	Pass
Ethanol	1	10	5000	ND	Pass
Ethyl-Acetate	1	10	5000	ND	Pass
Ethyl-Ether	1	10	5000	ND	Pass
Ethylene Oxide	1	1	1	ND	Pass
Heptane	1	10	5000	ND	Pass
Isopropanol	1	10	5000	ND	Pass
Methanol	1	10	3000	ND	Pass
Methylene-Chloride	1	1	1	ND	Pass
n-Hexane	1	10	290	ND	Pass
Pentane	1	10	5000	ND	Pass
Propane	1	10	5000	ND	Pass
Toluene	1	10	890	ND	Pass
Trichloroethene	1	1	1	ND	Pass
Xylenes	1	10	2170	ND	Pass

ISO 17025 Accredited Laboratory

Date Tested: 02/01/2021
ND = Not Detected; SOP HL231. Headspace GC-FID



Ming Li

Ming Li - General Manager
02/03/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Chief Stix

Sample ID: HR20210191489	Produced:	Client
Strain: Chief Stix	Collected: 01/29/2021	HHemp.Co
Matrix: Plant	Received: 01/29/2021	Lic. # AG-R10666417IHH
Type: Preroll	Completed: 02/03/2021	924 Chevy Way
Sample Size: 20 units; Batch:	Batch#: CS-CBG-012921	Medford, OR 97504

Microbials

Pass

Analyte	Results	Status
Aerobic Plate Count	NR	NT
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga Toxin-producing E. coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass
Yeast & Mold	NR	NT

Date Tested: 02/03/2021

NR = Not Reported; Aerobic Bacteria refers to Aerobic Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 3. E.coli refers to E.coli Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Coliforms refers to Coliform Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Salmonella analysis method by Compact Dry SL, Hardy Diagnostics. Visual Mold inspection by UV light. 1= Mold Present, 0=Mold Not Present. Yeast and Mold Plate count method by AOAC no. 100401 or FDA BAM Jan 2001, Chapter 18. HL105.10-01. Salmonella and STEC: SOP HL 316. Aspergillus sp.: SOP HL311.2 (modified) & SOP HL 317.

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	0.4	1		ND	Tested
Aflatoxin B2	0.4	1		ND	Tested
Aflatoxin G1	0.4	1		ND	Tested
Aflatoxin G2	0.4	1		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	0.4	1	20	ND	Pass

Date Tested: 02/02/2021

SOP HL 240

Total Aflatoxins = Aflatoxin B1 + Aflatoxin B2 + Aflatoxin G1 + Aflatoxin G2. Each aflatoxin is tested individually. HL241. Tested by HPLC-FID, HL241

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.07	0.20	0.2	ND	Pass
Cadmium	0.07	0.20	0.2	ND	Pass
Lead	0.17	0.50	0.5	ND	Pass
Mercury	0.03	0.10	0.1	ND	Pass

Date Tested: 02/02/2021

SOP HL 237. Tested by Atomic Fluorescence Spectrometry, HL237



Ming Li

Ming Li - General Manager
02/03/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



CS-Menthol-CBG

Sample ID: HR20210290266	Produced:	Client
Strain: CS-Menthol-CBG	Collected: 02/05/2021	HHemp.Co
Matrix: Plant	Received: 02/05/2021	Lic. # AG-R10666417IHH
Type: Preroll	Completed: 02/08/2021	924 Chevy Way
Sample Size: 20 units; Batch:	Batch#: CS-M-CBG-020421	Medford, OR 97504




Summary

Test	Date Tested	Result
Batch		Complete
Cannabinoids	02/08/2021	Complete
Moisture	02/05/2021	13.50%

Cannabinoids

Complete



Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/g
THCa	0.0033	0.0100	0.07	0.7
Δ9-THC	0.0033	0.0100	0.10	1.0
CBDa	0.0033	0.0100	0.39	3.9
CBD	0.0033	0.0100	0.09	0.9
CBN	0.0010	0.0025	ND	ND
CBGa	0.0033	0.0100	10.27	102.7
CBG	0.0010	0.0025	0.52	5.2
Total THC			0.16	1.60
Total CBD			0.43	4.30
Total			11.44	114.4

Determination of Cannabinoids by HPLC, HL223

Total THC = THCa * 0.877 + Δ9-THC

Total CBD = CBDa * 0.877 + CBD

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01



Ming Li

Ming Li - General Manager
02/08/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Chief Stix

Sample ID: HR20210191490
Strain: Chief Stix
Matrix: Plant
Type: Preroll
Sample Size: 20 units; Batch:

Produced:
Collected: 01/29/2021
Received: 01/29/2021
Completed: 02/04/2021
Batch#: CS-CBG: CBD-012921

Client
HHemp.Co
Lic. # AG-R10666417IHH
924 Chevy Way
Medford, OR 97504




Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	02/02/2021	Complete
Moisture	02/01/2021	11.74%
Water Activity	02/01/2021	Pass - 0.60000 aw
Terpenes	02/02/2021	Complete
Residual Solvents	02/01/2021	Pass
Microbials	02/03/2021	Pass
Mycotoxins	02/02/2021	Pass
Pesticides	02/01/2021	Pass
Heavy Metals	02/02/2021	Pass
Foreign Matter	02/01/2021	Pass

Cannabinoids

Complete



Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/g
THCa	0.0033	0.0100	0.30	3.0
Δ9-THC	0.0033	0.0100	ND	ND
CBDA	0.0033	0.0100	7.46	74.6
CBD	0.0033	0.0100	0.25	2.5
CBN	0.0010	0.0025	ND	ND
CBGa	0.0033	0.0100	1.54	15.4
CBG	0.0010	0.0025	0.06	0.6
Total THC			0.26	2.60
Total CBD			6.79	67.90
Total			9.61	96.1

1 Unit = g, 0.8g.

Determination of Cannabinoids by HPLC, HL223

Total THC = THCa * 0.877 + Δ9-THC

Total CBD = CBDA * 0.877 + CBD

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01



Ming Li

Ming Li - General Manager
02/04/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Chief Stix

Sample ID: HR20210191490
Strain: Chief Stix
Matrix: Plant
Type: Preroll
Sample Size: 20 units; Batch:

Produced:
Collected: 01/29/2021
Received: 01/29/2021
Completed: 02/04/2021
Batch#: CS-CBG: CBD-012921

Client
HHemp.Co
Lic. # AG-R10666417IHH
924 Chevy Way
Medford, OR 97504

Terpenes

Analyte	LOD	LOQ	Results	Results	
	%	%	%	mg/g	
β-Caryophyllene	0.0080	0.0100	0.105	1.05	
α-Bisabolol	0.0080	0.0100	0.044	0.44	
α-Humulene	0.0080	0.0100	0.043	0.43	
Guaiol	0.0080	0.0100	0.024	0.24	
Caryophyllene Oxide	0.0080	0.0100	0.023	0.23	
β-Ocimene	0.0080	0.0100	0.015	0.15	
Ocimene	0.0080	0.0100	0.015	0.15	
α-Pinene	0.0080	0.0100	0.012	0.12	
3-Carene	0.0080	0.0100	ND	ND	
α-Phellandrene	0.0080	0.0100	ND	ND	
α-Terpinene	0.0080	0.0100	ND	ND	
α-Terpineol	0.0080	0.0100	ND	ND	
β-Myrcene	0.0080	0.0100	<LOQ	<LOQ	
β-Pinene	0.0080	0.0100	ND	ND	
Borneol	0.0080	0.0100	ND	ND	
Camphene	0.0080	0.0100	ND	ND	
cis-Nerolidol	0.0080	0.0100	ND	ND	
δ-Limonene	0.0080	0.0100	ND	ND	
Eucalyptol	0.0080	0.0100	ND	ND	
Fenchol	0.0080	0.0100	ND	ND	
Fenchone	0.0080	0.0100	ND	ND	
γ-Terpinene	0.0080	0.0100	ND	ND	
Geraniol	0.0080	0.0100	ND	ND	
Geranyl Acetate	0.0080	0.0100	ND	ND	
Isopulegol	0.0080	0.0100	ND	ND	
Linalool	0.0080	0.0100	ND	ND	
Menthol	0.0080	0.0100	ND	ND	
Nerol	0.0080	0.0100	ND	ND	
Pulegone	0.0080	0.0100	ND	ND	
p-Cymene	0.0080	0.0100	ND	ND	
Terpinolene	0.0080	0.0100	ND	ND	
trans-Nerolidol	0.0080	0.0100	ND	ND	
Total			0.281	2.81	

Primary Aromas

 Cinnamon	 Chamomile	 Hops	 Wood	 Earthy
---	--	---	---	---

Date Tested: 02/02/2021
ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. SOP HL228. GC-FID



Ming Li
Ming Li - General Manager
02/04/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323. SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Chief Stix

Sample ID: HR20210191490	Produced:	Client
Strain: Chief Stix	Collected: 01/29/2021	HHemp.Co
Matrix: Plant	Received: 01/29/2021	Lic. # AG-R10666417IHH
Type: Preroll	Completed: 02/04/2021	924 Chevy Way
Sample Size: 20 units; Batch:	Batch#: CS-CBG: CBD-012921	Medford, OR 97504

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.03	0.1	0.1	ND	Pass	Fludioxonil	0.03	0.1	0.1	ND	Pass
Acephate	0.03	0.1	0.1	ND	Pass	Hexythiazox	0.03	0.1	0.1	ND	Pass
Acequinocyl	0.03	0.1	0.1	ND	Pass	Imazalil	0.03	0.1	0.03	ND	Pass
Acetamiprid	0.03	0.1	0.1	ND	Pass	Imidacloprid	0.03	0.1	5	ND	Pass
Aldicarb	0.03	0.1	0.03	ND	Pass	Kresoxim Methyl	0.03	0.1	0.1	ND	Pass
Azoxystrobin	0.03	0.1	0.1	ND	Pass	Malathion	0.03	0.1	0.5	ND	Pass
Bifenazate	0.03	0.1	0.1	ND	Pass	Metalaxyl	0.03	0.1	2	ND	Pass
Bifenthrin	0.03	0.1	3	ND	Pass	Methiocarb	0.03	0.1	0.03	ND	Pass
Boscalid	0.03	0.1	0.1	ND	Pass	Methomyl	0.03	0.1	1	ND	Pass
Captan	0.03	0.1	0.7	ND	Pass	Mevinphos	0.03	0.1	0.03	ND	Pass
Carbaryl	0.03	0.1	0.5	ND	Pass	Myclobutanil	0.03	0.1	0.1	ND	Pass
Carbofuran	0.03	0.1	0.03	ND	Pass	Naled	0.03	0.1	0.1	ND	Pass
Chlorantraniliprole	0.03	0.1	10	ND	Pass	Oxamyl	0.03	0.1	0.5	ND	Pass
Chlordane	0.03	0.1	0.03	ND	Pass	Paclobutrazol	0.03	0.1	0.03	ND	Pass
Chlorfenapyr	0.03	0.1	0.03	ND	Pass	Parathion Methyl	0.03	0.1	0.03	ND	Pass
Chlorpyrifos	0.03	0.1	0.03	ND	Pass	Pentachloronitrobenzene	0.03	0.1	0.1	ND	Pass
Clofentezine	0.03	0.1	0.1	ND	Pass	Permethrin	0.03	0.1	0.5	ND	Pass
Coumaphos	0.03	0.1	0.03	ND	Pass	Phosmet	0.03	0.1	0.1	ND	Pass
Cyfluthrin	0.03	0.1	2	ND	Pass	Piperonyl Butoxide	0.03	0.1	3	ND	Pass
Cypermethrin	0.03	0.1	1	ND	Pass	Prallethrin	0.03	0.1	0.1	ND	Pass
Daminozide	0.03	0.1	0.03	ND	Pass	Propiconazole	0.03	0.1	0.1	ND	Pass
Diazinon	0.03	0.1	0.1	ND	Pass	Propoxur	0.03	0.1	0.03	ND	Pass
Dichlorvos	0.03	0.1	0.03	ND	Pass	Pyrethrins	0.03	0.1	0.5	ND	Pass
Dimethoate	0.03	0.1	0.03	ND	Pass	Pyridaben	0.03	0.1	0.1	ND	Pass
Dimethomorph	0.03	0.1	2	ND	Pass	Spinetoram	0.03	0.1	0.1	ND	Pass
Ethoprophos	0.03	0.1	0.03	ND	Pass	Spinosad	0.03	0.1	0.1	ND	Pass
Etofenprox	0.03	0.1	0.03	ND	Pass	Spiromesifen	0.03	0.1	0.1	ND	Pass
Etoxazole	0.03	0.1	0.1	ND	Pass	Spirotetramat	0.03	0.1	0.1	ND	Pass
Fenhexamid	0.03	0.1	0.1	ND	Pass	Spiroxamine	0.03	0.1	0.03	ND	Pass
Fenoxycarb	0.03	0.1	0.03	ND	Pass	Tebuconazole	0.03	0.1	0.1	ND	Pass
Fenpyroximate	0.03	0.1	0.1	ND	Pass	Thiacloprid	0.03	0.1	0.03	ND	Pass
Fipronil	0.03	0.1	0.03	ND	Pass	Thiamethoxam	0.03	0.1	5	ND	Pass
Fonicamid	0.03	0.1	0.1	ND	Pass	Trifloxystrobin	0.03	0.1	0.1	ND	Pass

Date Tested: 02/01/2021

We analyze samples by AOAC Official Method 2007.01-Modified; ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01. Tested by LC/MS/MS and GC/MS/MS, HL201.2



Ming Li

Ming Li - General Manager
02/04/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Chief Stix

Sample ID: HR20210191490	Produced:	Client
Strain: Chief Stix	Collected: 01/29/2021	HHemp.Co
Matrix: Plant	Received: 01/29/2021	Lic. # AG-R10666417IHH
Type: Preroll	Completed: 02/04/2021	924 Chevy Way
Sample Size: 20 units; Batch:	Batch#: CS-CBG: CBD-012921	Medford, OR 97504

Residual Solvents

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	1	1	1	ND	Pass
Acetone	1	10	5000	ND	Pass
Acetonitrile	1	5	410	ND	Pass
Benzene	1	1	1	ND	Pass
Butane	1	25	5000	ND	Pass
Chloroform	1	1	1	ND	Pass
Ethanol	1	10	5000	ND	Pass
Ethyl-Acetate	1	10	5000	ND	Pass
Ethyl-Ether	1	10	5000	ND	Pass
Ethylene Oxide	1	1	1	ND	Pass
Heptane	1	10	5000	ND	Pass
Isopropanol	1	10	5000	ND	Pass
Methanol	1	10	3000	ND	Pass
Methylene-Chloride	1	1	1	ND	Pass
n-Hexane	1	10	290	ND	Pass
Pentane	1	10	5000	ND	Pass
Propane	1	10	5000	ND	Pass
Toluene	1	10	890	ND	Pass
Trichloroethene	1	1	1	ND	Pass
Xylenes	1	10	2170	ND	Pass

ISO 17025 Accredited Laboratory

Date Tested: 02/01/2021
ND = Not Detected; SOP HL231. Headspace GC-FID



Ming Li

Ming Li - General Manager
02/04/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL217.1; All LQC ran in accordance with 16 CCR sec. 5730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.

Chief Stix

Sample ID: HR20210191490	Produced:	Client
Strain: Chief Stix	Collected: 01/29/2021	HHemp.Co
Matrix: Plant	Received: 01/29/2021	Lic. # AG-R10666417IHH
Type: Preroll	Completed: 02/04/2021	924 Chevy Way
Sample Size: 20 units; Batch:	Batch#: CS-CBG: CBD-012921	Medford, OR 97504

Microbials

Pass

Analyte	Results	Status
Aerobic Plate Count	NR	NT
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga Toxin-producing E. coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass
Yeast & Mold	NR	NT

Date Tested: 02/03/2021
NR = Not Reported; Aerobic Bacteria refers to Aerobic Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 3. E.coli refers to E.coli Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Coliforms refers to Coliform Plate Count, we analyze by method FDA BAM Jan 2001, Chapter 4. Salmonella analysis method by Compact Dry SL, Hardy Diagnostics. Visual Mold inspection by UV light. 1= Mold Present, 0=Mold Not Present. Yeast and Mold Plate count method by AOAC no. 100401 or FDA BAM Jan 2001, Chapter 18. HL105.10-01. Salmonella and STEC: SOP HL 316. Aspergillus sp.: SOP HL311.2 (modified) & SOP HL 317.

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	0.4	1		ND	Tested
Aflatoxin B2	0.4	1		ND	Tested
Aflatoxin G1	0.4	1		ND	Tested
Aflatoxin G2	0.4	1		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	0.4	1	20	ND	Pass

Date Tested: 02/02/2021
SOP HL 240
Total Aflatoxins = Aflatoxin B1 + Aflatoxin B2 + Aflatoxin G1 + Aflatoxin G2. Each aflatoxin is tested individually. HL241. Tested by HPLC-FID, HL241

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.07	0.20	0.2	ND	Pass
Cadmium	0.07	0.20	0.2	ND	Pass
Lead	0.17	0.50	0.5	ND	Pass
Mercury	0.03	0.10	0.1	ND	Pass

Date Tested: 02/02/2021
SOP HL 237. Tested by Atomic Fluorescence Spectrometry, HL237



Ming Li

Ming Li - General Manager
02/04/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



CS-Menthol-Blend

Sample ID: HR20210290267
Strain: CS-Menthol-Blend
Matrix: Plant
Type: Preroll
Sample Size: 20 units; Batch:

Produced:
Collected: 02/05/2021
Received: 02/05/2021
Completed: 02/08/2021
Batch#: CS-M-CBG: CBD-020421

Client
HHemp.Co
Lic. # AG-R10666417IHH
924 Chevy Way
Medford, OR 97504




Summary

Test	Date Tested	Result
Batch		Complete
Cannabinoids	02/08/2021	Complete
Moisture	02/05/2021	12.61%

Cannabinoids

Complete



Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/g
THCa	0.0033	0.0100	0.29	2.9
Δ9-THC	0.0033	0.0100	ND	ND
CBDa	0.0033	0.0100	7.36	73.6
CBD	0.0033	0.0100	0.26	2.6
CBN	0.0010	0.0025	ND	ND
CBGa	0.0033	0.0100	1.68	16.8
CBG	0.0010	0.0025	0.08	0.8
Total THC			0.25	2.50
Total CBD			6.71	67.10
Total			9.67	96.7

Determination of Cannabinoids by HPLC, HL223

Total THC = THCa * 0.877 + Δ9-THC

Total CBD = CBDa * 0.877 + CBD

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. HL105.10-01



Ming

Ming Li - General Manager
02/08/2021

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

