

3M Critical & Chronic Care Solutions Division Product Catalog



3M Critical & Chronic Care Solutions

Reducing complexity, reinventing delivery, so you can focus on what's important.

Health care is evolving rapidly. Changing reimbursements. More stringent patient requirements. New care delivery models. 3M understands your challenges and strives to make your job easier with reliable, quality products and solutions. Supported by comprehensive training, professional development, and clinical, technical, and customer support, our products can help you see more patients at lower costs, while continuing to improve overall health.

That's health care progress made possible.

Help your teams improve patient outcomes across the continuum of care, from the hospital to the clinic, long-term facility to home, with medical supplies and clinical expertise you can rely on.

Clinical specialists providing:

- Professional (CE credited) continuing education programs.
 3M.com/medicaleducation
- Protocol and formulary development to promote clinical outcomes, standardization, and utilization within your departments.
- Solutions-based website for easy access to information on a wide range of skin and wound clinical conditions. 3M.com/C3SD
- Toll-free helpline that offers experts to assist customers with technical and product information. 1-800-228-3957

Experienced sales team, including specially trained representatives who provide in-service training, continuing education and conversion programs.

Customer service representatives

who are available to handle your order entry calls and special shipment requests to ensure customer satisfaction.

Table of Contents

Advanced Wound Care• Alginate	Compression	4–5
• Bordered.25• Antimicrobial I.V.26–27• Securement Systems.28–29• I.V. Advanced Securement.30• Highly Breathable.31• Adhesive Free Window.32Medical Tapes33–43Self-Adherent Wraps44–46Skin Care.47–55Adhesive Skin Closures56–62Disinfecting Port Protectors63–68Other Products70• Wound Cleanser70• Self-Adhering Foam Products71• Reusable Cold/Hot Pack.72	 Alginate Composite Island Contact Layer Foam Hydrocolloid Hydrogel Silver Superabsorber 	8 9–10 11 12–14 15–17 18 19–20 21
Self-Adherent Wraps .44–46 Skin Care .47–55 Adhesive Skin Closures .56–62 Disinfecting Port Protectors .63–68 Other Products .70 • Wound Cleanser .70 • Self-Adhering Foam Products .71 • Reusable Cold/Hot Pack .72	 Bordered. Antimicrobial I.V. Securement Systems. I.V. Advanced Securement. Highly Breathable. Adhesive Free Window. 	
Skin Care. 47–55 Adhesive Skin Closures 56–62 Disinfecting Port Protectors 63–68 Other Products 9 • Wound Cleanser 70 • Self-Adhering Foam Products 71 • Reusable Cold/Hot Pack 72		
Disinfecting Port Protectors		
Other Products • Wound Cleanser 70 • Self-Adhering Foam Products 71 • Reusable Cold/Hot Pack 72	Adhesive Skin Closures	
Wound Cleanser	Disinfecting Port Protectors	63–68
	Self-Adhering Foam Products Reusable Cold/Hot Pack	



Compression

Compression

3M[™] Coban[™] 2 and 3M[™] Coban[™] 2 Lite Two-Layer Compression Systems

Engineered with Intelligent Compression Dynamics to stay in place and deliver comfortable, effective, therapeutic compression for venous leg ulcers and other conditions requiring compression.

- Comfortable Provides sustained therapeutic compression for up to 7 days
- Stays in place Clinically proven to significantly reduce slippage, to encourage longer wear
- Provides consistent compression The compression layer is designed to be applied at full stretch, reducing application variability

Cohan 2

- Enables a more normal lifestyle The thin, lightweight, breathable sleeve allows patients to wear their own shoes, so they can return to their regular daily activities
- Easy to use Application is fast, and easy to teach and learn
- Not made with natural rubber latex

Suggested applications:

- For management of venous leg ulcers, edema, lymphedema and other clinical conditions where compression is appropriate
- Coban 2 Compression System (Cat #2094N) may be used for patients with an ABPI greater than or equal to 0.8
- Coban 2 Lite Compression System (Cat #2794N) may be used for patients with ABPI greater than or equal to 0.5

		Comfort Layer Size	Boxes/	HCPCS
Application/Use Cat. No. Compression Layer		Compression Layer Size	Case	Code
Below the knee	2094N	4 in × 2.9 yd (10 cm × 2,7 m)	8	A6441
below the knee	20941	4 in \times 5.1 yd (10 cm \times 4,7 m) stretched	0	A6452
Below the knee	2794N	4 in × 2.9 yd (10 cm × 2,7 m)	8	A6441
(ABPI > 0.5)	2/941	4 in × 5.1 yd (10 cm × 4,7 m) stretched	0	A6452
Below the knee	2094XL	4 in × 3.8 yd (10 cm × 3,5 m)	8	A6441
(Ig. circumference)	2094AL	4 in × 6.3 yd (10 cm × 5,8 m) stretched	0	A6452
Above the knee	20096	6 in × 3.8 yd (15 cm × 3,5 m)	8	
Above the knee	20096	6 in × 4.9 yd (15 cm × 4,5 m) stretched	8	
Techen	0000	2 in × 1.3 yd (5 cm × 1,2 m)		
Toe boot	2092	2 in × 3 yd (5 cm × 2,7 m) stretched	8	

Dressings

Dressings – Alginate

3M[™] Tegaderm[™] High Integrity and High Gelling Alginate Dressing

Both High Integrity and High Gelling styles maintain a moist wound healing environment.

- Gel forming for optimal moist wound healing environment
- Absorbent use on moderate to heavily exudating wounds
- Highly conformable primary wound dressing



• Compatible with 3M cover dressings

Suggested applications:

- Pressure, venous and neuropathic (diabetic) ulcers
- Superficial wounds, cuts and abrasions
- Donor sites
- Post-operative wounds
- Trauma wounds
- Other dermal lesions

Cat. No.	Size	Each/Box	Boxes/Case	HCPCS Code		
3M [™] Tegaderm [™] High Integrity Alginate Dressing						
90112	4 in. x 4 in. (10 cm x 10 cm)	10	5	A6196		
90120	Rope 12 in. (30,4 cm)	5	4	A6199		
3M [™] Tegaderm [™] High Gelling Alginate Dressing						
90212	4 in. x 4 in. (10 cm x 10 cm)	10	5	A6196		
90220	Rope 12 in. (30,4 cm)	5	4	A6199		

Dressings – Composite

3M[™] Tegaderm[™] Absorbent Clear Acrylic Dressing

A unique transparent wound dressing with fluid handling capacity.

- Transparent dressing allows for wound monitoring without changing the dressing
- Clear design takes the guesswork out of application over the wound
- Novel acrylic polymer pad technology designed to handle low to moderate wound drainage
- No dressing breakdown in the wound
- Low friction surface minimizes potential for friction and shear
- Allows for gentle removal from skin
- Barrier to external contaminants, body fluids, bacteria and viruses*

Suggested applications:

- Partial- and full-thickness dermal ulcers
- Skin tears
- Pressure ulcers
- Superficial wounds and abrasions
- Superficial partial-thickness burns
- Donor sites
- Clean, closed approximated surgical incisions or laparoscopic incisions

Cat. No.	Dressing Pad Size	Overall Dressing Size	Dressings/ Box	Boxes/ Case	HCPCS Code
3M [™] Tegad	lerm [™] Absorbent Clear	Acrylic Dressing			
90800 (Oval)	1-1/2 in. x 2-1/4 in. (3,8 cm x 5,7 cm)	3 in. x 3-3/4 in. (7,6 cm x 9,5 cm)	5	6	A6203
90801 (Oval)	2-3/8 in. x 3 in. (6 cm x 7,6 cm)	4-3/8 in. x 5 in. (11,1 cm x 12,7 cm)	5	6	A6203
90802 (Square)	3-7/8 in. x 4 in. (9,8 cm x 10,1 cm)	5-7/8 in. x 6 in. (14,9 cm x 15,2 cm)	5	6	A6203
90803 (Oval)	3-3/8 in. x 4-1/4 in. (8,5 cm x 10,7 cm)	5-5/8 in. x 6-1/4 in. (14,2 cm x 15,8 cm)	5	6	A6203
90805 (Square)	5-7/8 in. x 6 in. (14,9 cm x 15,2 cm)	7-7/8 in. x 8 in. (20 cm x 20,3 cm)	5	4	A6204
90807 (Sacral)	4-1/2 in. x 5-5/8 in. (11,4 cm x 14,3 cm)	6-5/8 in. x 7-1/2 in. (16,8 cm x 19 cm)	5	4	A6204

Ordering Information



Dressings – Island

3M[™] Medipore[™] +Pad Soft Cloth Adhesive Wound Dressing

A gentle, conformable, absorbent dressing.

- Highly conformable dressing is easy to apply, conforms to body contours, and flexes with movement or swelling
- Dressing is porous and breathable for increased patient comfort, better exchange of moisture vapor and oxygen, and reduced risk of skin maceration



- Unique, non-adherent pad won't stick to the wound, allowing normal wound healing processes to occur with less pain and trauma
- Dressing provides excellent adhesion, yet is gentle to the skin
- · Convenient, all-in-one dressing reduces application time
- Absorbent pad protects wound and absorbs drainage
- Full range of sizes is available to fit every application pad

Suggested applications:

- Post-surgical dressings especially on areas where swelling or movement is expected
- Superficial and partialthickness wounds

- Lacerations, abrasions and burns
- IV catheter sites
- Light to moderately draining wounds

Cat. No.	Dressing Pad Size	Overall Dressing Size	Dressings/ Box	Boxes/ Case	HCPCS Code			
3M [™] Medi	3M [™] Medipore [™] +Pad Soft Cloth Adhesive Wound Dressing							
3562	1 in. x 1-1/2 in. (2,5 cm x 4 cm)	2 in. x 2-3/4 in. (5 cm x 7 cm)	50	4	A6219			
3564	1 in. x 2-3/8 in. (2,5 cm x 6 cm)	2-3/8 in. x 4 in. (6 cm x 10 cm)	50	4	A6219			
3566	1-3/4 in. x 2-3/8 in. (4,5 cm x 6 cm)	3-1/2 in. x 4 in. (9 cm x 10 cm)	25	4	A6219			
3568	4 in. x 4 in. (10 cm x 10 cm)	6 in. x 6 in. (15 cm x 15 cm)	25	4	A6219			
3569	1-3/4 in. x 4 in. (4,5 cm x 10 cm)	3-1/2 in. x 6 in. (9 cm x 15 cm)	25	4	A6219			
3570	1-3/4 in. x 6 in. (4,5 cm x 15 cm)	3-1/2 in. x 8 in. (9 cm x 20 cm)	25	4	A6219			
3571	1-3/4 in. x 8 in. (4,5 cm x 20 cm)	3-1/2 in. x 10 in. (9 cm x 25 cm)	25	4	A6219			
3573	1-3/4 in. x 11-3/4 in. (4,5 cm x 30 cm)	3-1/2 in. x 13-3/4 in. (9 cm x 35 cm)	25	4	A6220			

Dressings – Island

3M[™] Tegaderm[™] +Pad Film Dressing with Non-Adherent Pad

A waterproof, absorbent dressing.

- Convenient, all-in-one sterile dressing reduces application time
- Waterproof barrier which allows patients to bathe or shower without removing dressing



- Unique, non-adherent pad won't stick to the wound, allowing normal wound healing processes to occur with less pain and trauma
- Breathable film allows skin to function normally with good exchange of moisture vapor and oxygen
- Conformable dressing is easy to apply, and stretches with the skin to promote longer wear time

Suggested applications:

- Post-surgical dressings especially on areas where swelling or movement is expected
- Superficial and partialthickness wounds
- Lacerations, abrasions and burns
- IV catheter sites
- Light to moderately draining wounds

Ordering Information

Cat. No.	Dressing Pad Size	Overall Dressing Size	Dressings/ Box	Boxes/ Case	HCPCS Code			
3M [™] Tegac	3M [™] Tegaderm [™] +Pad Film Dressing with Non-Adherent Pad							
3582	1 in. x 1-1/2 in. (2,5 cm x 4 cm)	2 in. x 2-3/4 in. (5 cm x 7 cm)	50	4	A6203			
3584	1 in. x 2-3/8 in. (2,5 cm, x 6 cm)	2-3/8 in. x 4 in. (6 cm x 10 cm)	50	4	A6203			
3586	1-3/4 in. x 2-3/8 in. (4,5 cm x 6 cm)	3-1/2 in. x 4 in. (9 cm x 10 cm)	25	4	A6203			
3587 (Oval)	1-3/4 in. x 2-3/8 in. (4,5 cm x 6 cm)	3-1/2 in. x 4-1/8 in. (9 cm x 10,5 cm)	25	4	A6203			
3588	4 in. x 4 in. (10 cm x 10 cm)	6 in. x 6 in. (15 cm x 15 cm)	25	4	A6203			
3589	1-3/4 in. x 4 in. (4,5 cm x 10 cm)	3-1/2 in. x 6 in. (9 cm x 15 cm)	25	4	A6203			
3590	1-3/4 in. x 6 in. (4,5 cm x 15 cm)	3-1/2 in. x 8 in. (9 cm x 20 cm)	25	4	A6203			
3591	1-3/4 in. x 8 in. (4,5 cm x 20 cm)	3-1/2 in. x 10 in. (9 cm x 25 cm)	25	4	A6203			
3593	1-3/4 in. x 11-3/4 in. (4,5 cm x 30 cm)	3-1/2 in. x 13-3/4 in. (9 cm x 35 cm)	25	4	A6204			

Dressings – Contact Layer

3M[™] Tegaderm[™] Non-Adherent Contact Layer

Protects the wound bed while reducing pain of dressing changes. A woven, nylon fabric with sealed edges that is non-adherent, non-irritating and hypoallergenic. The wound contact material is placed over the wound and under gauze or other absorbent dressing.



- Minimizes disruption of granulating tissue
- Lessens patient pain during dressing changes and removal
- Maintains an optimal moist wound environment for healing
- Indicated for both partial and full-thickness ulcers
- Easily cut to size

Suggested applications:

- Partial- and full-thickness wounds
- Clean closed surgical incisions
- Superficial and partial-thickness burns
- Donor sites
- Graft fixation sites
- Skin tears
- Traumatic and chronic wounds
- Dermatologic lesions

Ordering Information

Cat. No.	Size	Each/Box	Boxes/Case	HCPCS Code		
3M [™] Tegaderm [™] Non-Adherent Contact Layer						
5642	3 in. x 4 in. (7,6 cm x 10,1 cm)	10	4	A6206		
5643	3 in. x 8 in. (7,6 cm x 20,3 cm)	10	4	A6207		
5644	8 in. x 10 in. (20,3 cm x 25,4 cm)	5	4	A6208		

Dressings – Foam

3M[™] Tegaderm[™] High Performance Foam Non-Adhesive Dressing

A non-adhesive foam dressing that effectively handles low to high exudating wounds. Innovative layer technology absorbs and evaporates moisture to maintain an optimal wound healing environment.



- Unique multi-layer design provides high absorbency with high breathability to reduce the risk of maceration
- Adapts to changing levels of exudate to maintain moisture balance for optimal wound healing
- Demonstrates high fluid handling capacity under compression
- Dressing does not stick to wound bed thereby minimizing disruption of healing tissue
- Film backing prevents strike-through and protects against external bacteria and viruses*

Suggested applications:

- Pressure, arterial, neuropathic (diabetic) and venous leg ulcers, including use under compression wraps
- Skin tears and abrasions
- Donor sites
- Superficial and partial-thickness burns


Ordering Information

Cat. No.	Size	Dressings/ Box	Boxes/ Case	HCPCS Code		
3M [™] Tegaderm [™] Non-Adherent Contact Layer						
90600	2 in. x 2 in. (5 cm x 5 cm)	10	4	A6209		
90601	4 in. x 4 in. (10 cm x 10 cm)	10	4	A6209		
90602	4 in. x 8 in. (10 cm x 20 cm)	5	6	A6210		
90603	8 in. x 8 in. (20 cm x 20 cm)	5	6	A6211		
90604	3-1/2 in. x 3-1/2 in. (8,8 cm x 8,8 cm), Fenestrated	10	4	A6209		
90605	4 in. x 24 in. (10 cm x 60 cm), Roll	1 roll/pkg.	6 rolls	A6211		

Dressings – Foam

3M[™] Tegaderm[™] High Performance Foam Adhesive Dressing

Helps meet the challenges for low- to high-exudating wounds.



- Unique multi-layer design provides high absorbency with high breathability to reduce the risk of maceration
- Adapts to changing levels of exudate to maintain moisture balance for optimal wound healing
- Film backing prevents strike-through and protects against external bacteria and viruses*
- The mini-wrap provides easy application for difficult body contours such as fingers and toes

Suggested applications:

- Pressure, arterial, neuropathic (diabetic) and venous leg ulcers
- Difficult body contours: heel, elbow
- Skin tears and abrasions
- Superficial and partial-thickness burns

Cat. No.	Foam Pad Size	Overall Dressing Size	Dressings/ Box	Boxes/ Case	HCPCS Code
3M [™] Tegader	m [™] High Performance	e Foam Adhesive Dres	sing		
90610 (Square)	2 in. x 2 in. (5 cm x 5 cm)	3-1/2 in. x 3-1/2 in. (8,8 cm x 8,8 cm)	10	4	A6212
90611 (Oval)	2-1/2 in. x 3 in. (6 cm x 7,6 cm)	4 in. x 4-1/2 in. (10 cm x 11 cm)	10	4	A6212
90612 (Square)	4 in. x 4 in. (10 cm x 10 cm)	5-5/8 in. x 5-5/8 in. (14,3 cm x 14,3 cm)	10	4	A6212
90613 (Oval)	4 in. x 4-1/2 in. (10 cm x 11 cm)	5-5/8 in. x 6-1/8 in. (14,3 cm x 15,6 cm)	5	6	A6213
90614 (Mini Oval)	1-1/4 in. x 1-1/2 in. (3,1 cm x 3,8 cm)	2-3/4 in. x 3 in. (6,9 cm x 7,6 cm)	10	4	A6212
90616 (Oval)	5-1/2 in. x 6-3/4 in. 14 cm x 17,1 cm)	7-1/2 in. x 8-3/4 in. (19 cm x 22,2 cm)	5	3	A6213
90619 (Heel/Elbow)	3 in. x 3 in. (7,6 cm x 7,6 cm)	5-1/2 in. x 5-1/2 in. (13,9 cm x 13,9 cm)	5	4	A6212
90615** (Mini Wrap)	1 in. x 1 in. (2,5 cm x 2,5 cm)	2-3/4 in. x 2-3/4 in. (7 cm x 7 cm)	10	4	A6212

Ordering Information

*In vitro testing shows that the transparent film provides a viral barrier from viruses 27 nm in diameter or larger while the dressing remains intact without leakage.

**The mini wrap dressing is constructed of a conformable, absorbent, polyurethane foam pad with a highly breathable, non-waterproof, film backing reinforced with soft cloth tape.



Dressings – Foam

3M[™] Tegaderm[™] Silicone Foam Dressing

Ideal for wound management and as part of a comprehensive pressure ulcer/injury prevention program.



foam dressing* while being gentle to the skin

- Highly conformable and features a thin, low-profile edge
- Unique multi-layer design that absorbs and evaporates moisture
- Patented spoke delivery system enables easy application
- Stays in place yet removes gently making it ideal for fragile skin
- Film backing that adapts to varying levels of moisture
- Significant absorption capacity
- · Lift, assess and re-adhere without losing adhesion

Suggested applications:

- Wound management
- Pressure ulcer/injury prevention
- Venous leg ulcer
- Tube/device cushioning or under compression
- · Suitable for use on fragile skin
- Superficial and partial-thickness burns
- Skin tears
- Donor sites

Ordering Information

Cat. No.	Product	Overall Dressing Size	Dressings/ Box	Boxes/ Case	HCPCS Code		
3M [™] Teg	3M [™] Tegaderm [™] Silicone Foam Dressing						
90631	Non-Bordered Dressing	4 in. x 4-1/4 in. (10 cm x 11 cm)	10	4	A6210		
90632	Non-Bordered Dressing	6 in. x 6 in. (15 cm x 15 cm)	10	4	A6210		
90643	Bordered Dressing	2 in. x 2 in. (5 cm x 5 cm)	10	6	A6212		
90640	Bordered Dressing	3 in. x 3 in. (8 cm x 8 cm)	10	6	A6212		
90641	Bordered Dressing	4 in. x 4 in. (10 cm x 10 cm)	10	6	A6212		
90642	Bordered Dressing	6 in. x 6 in. (15 cm x 15 cm)	10	4	A6213		
90646	Heel and Contour	6 in. x 6 in. (15 cm x 15 cm)	5	4	A6212		
90647	Small Sacral	6 in. x 6-3/4 in. (15 cm x 17 cm)	10	4	A6213		
90648	Large Sacral	7-1/4 in. x 8-3/4 in. (18,5 cm x 22 cm)	5	4	A6213		

*4×4 and 6×6 dressings, based on in vivo studies EM-13977 and EM-13978.

Dressings – Hydrocolloid

3M[™] Tegaderm[™] Hydrocolloid Dressing

Maintains an optimal moist wound environment which has been shown to enhance healing.

 For low to moderate draining wounds — significantly higher absorbency than leading hydrocolloid at 48 hours



- Proven up to 7 day wear time
- Smooth outer surface helps reduce the risk of shear and friction
- Breathable outer film layer provides consistently high rate of moisture vapor transmission
- Water-resistant film border adheres firmly
- Film border on oval and sacral dressings eliminates the need for tape and makes dressing application easier
- Outer film barrier protects wound and surrounding skin from contaminants, body fluids, bacteria and viruses*

Suggested applications:

- Partial- and full-thickness dermal ulcers
- Superficial wounds and abrasions
- Superficial and partial-thickness burns
- Donor sites

Ordering Information

Cat. No.	Gel Pad Size	Dressing Size	Dressings/ Box	Boxes/ Case	HCPCS Code		
3M [™] Tegad	3M [™] Tegaderm [™] Hydrocolloid Dressing						
90001 (Ovals)	2-3/4 in. x 3-1/2 in. (6,9 cm x 8,8 cm)	4 in. x 4-3/4 in.** (10,1 cm x 12 cm)	5	20	A6237		
90003 (Ovals)	4 in. x 4-3/4 in. (10,1 cm x 12 cm)	5-1/4 in. x 6 in.** (13,3 cm x 15,2 cm)	5	12	A6238		
90004 (Ovals)	5-1/2 in. x 6-3/4 in. (13,9 cm x 17,1 cm)	6-3/4 in. x 8 in.** (17,1 cm x 20,3 cm)	3	20	A6238		
90002 (Squares)	4 in. x 4 in. (10,1 cm x 10,1 cm)	4 in. x 4 in. (10,1 cm x 10,1 cm)	5	20	A6234		
90005 (Squares)	6 in. x 6 in. (15,2 cm x 15,2 cm)	6 in. x 6 in. (15,2 cm x 15,2 cm)	3	20	A6235		

*In vitro testing shows that the transparent film provides a viral barrier from viruses 27 nm in diameter or larger while the dressing remains intact without leakage.

**Dimensions of entire dressing, including hydrocolloid and film backing.

Dressings – Hydrocolloid

3M[™] Tegaderm[™] Hydrocolloid Thin Dressing

Thin, absorbent and highly conformable.

- May be used as a protective dressing on at-risk skin — may be used on intact skin to protect from friction
- Film border on oval sizes seals to prevent premature dressing failure due to edge lift
- Protects the wound and periwound skin from contaminants, body fluids, bacteria and viruses*

Suggested applications:

- Partial-thickness dermal ulcers
- Superficial wounds and abrasions
- Donor sites

Cat. No.	Gel Pad Size	Dressing Size	Dressings/ Box	Boxes/ Case	HCPCS Code
3M [™] Tegad	lerm [™] Hydrocolloid Thir	Dressing			
90021 (Ovals)	2-3/4 in. x 3-1/2 in. (6,9 cm x 8,8 cm)	4 in. x 4-3/4 in.** (10,1 cm x 12 cm)	10	10	A6237
90023 (Ovals)	4 in. x 4-3/4 in. (10,1 cm x 12 cm)	5-1/4 in. x 6 in.** (13,3 cm x 15,2 cm)	10	6	A6238
90024 (Ovals)	5-1/2 in. x 6-3/4 in. (13,9 cm x 17,1 cm)	6-3/4 in. x 8 in.** (17,1 cm x 20,3 cm)	6	10	A6238
90022 (Squares)	4 in. x 4 in. (10,1 cm x 10,1 cm)	4 in. x 4 in. (10,1 cm x 10,1 cm)	5	20	A6234

Ordering Information

*In vitro testing shows that the transparent film provides a viral barrier from viruses 27 nm in diameter or larger while the dressing remains intact without leakage.

**Dimensions of entire dressing, including hydrocolloid and film backing.



Dressings – Hydrocolloid

3M[™] Tegaderm[™] Hydrocolloid Dressing Sacral Design

Shape designed specifically for sacral area to allow long wear time.

- Allows convenient placement in the sacral-coccyx area with one-handed application
- Special film bordered "notch" area is designed to allow application in close proximity to the anal opening while still providing a barrier to contamination by feces



- For low to moderate draining wounds Significantly higher absorbency than leading hydrocolloid at 48 hours
- Provides "non-tenting" border application into the gluteal cleft area to seal against incontinence
- Proven up to 7 day wear time
- Film border seals to help prevent premature dressing failure
- Outer film barrier protects wound and surrounding skin from contaminants, body fluids, bacteria and viruses*

Suggested applications:

- Partial- and full-thickness dermal ulcers
- Superficial wounds and abrasions
- Superficial and partial-thickness burns
- Donor sites

Cat. No.	Gel Pad Size	Dressing Size	Dressings/ Box	Boxes/ Case	HCPCS Code		
3M [™] Tegaderm [™] Hydrocolloid Dressing Sacral Design							
90007	4-7/8 in. x 5-1/2 in. (12,3 cm x 15,9 cm)	6-3/4 in. x 6-3/8 in. (17,1 cm x 16,1 cm)**	6	4	A6238		

^{*}In vitro testing shows that the transparent film provides a viral barrier from viruses 27 nm in diameter or larger while the dressing remains intact without leakage.

^{**}Dimensions of entire dressing, including hydrocolloid and film backing.

Dressings – Hydrogel

3M[™] Tegaderm[™] Hydrogel Wound Filler

Amorphous hydrogel, formulated to help provide a moist wound healing environment that has been shown to enhance wound healing. Available in single-dose tubes.

- Preservative-free
- Easy to apply
- Convenient 15 gram and 25 gram sizes

Suggested applications:

- Dry to minimally draining dermal ulcers: pressure, arterial, venous and neuropathic (diabetic) ulcers
- Wounds exhibiting dry eschar and fibrinous slough
- Post-operative surgical wounds
- Abrasions and lacerations

Cat. No.	Size	Tubes/ Box	Boxes/ Case	HCPCS Code			
3M [™] Tegaderm [™] Hydrogel Wound Filler							
91110	15 gm	10	10	A6248			
91111	25 gm	10	10	A6248			



Dressings – Silver

3M[™] Tegaderm[™] Ag Mesh Dressing with Silver*

Fast-acting, long-lasting antimicrobial barrier in an affordable dressing.

- Easy to use, can be cut, folded or fluffed
- Effective up to seven days
- Effective against a wide range of microbes, including yeast, fungi** and antibiotic-resistant bacteria (MRSA and VRE)
- Versatile, may be used as primary dressing or with absorbent wound fillers
- Can be moistened with wound exudate, sterile normal saline, sterile water or liquid hydrogel

Suggested applications:

- Pressure, arterial, neuropathic (diabetic) and venous leg ulcers
- Surgical wounds
- Trauma wounds
- Superficial and partial thickness burns
- Abrasions
- Donor sites

Ordering Information

Cat. No.	Size	Dressings/ Box	Boxes/ Case	HCPCS Code		
3M [™] Tegaderm [™] Ag Mesh Dressing with Silver*						
90500	2 in. x 2 in. (5 cm x 5 cm)	5	4	A6402		
90501	4 in. x 5 in. (10 cm x 12,7 cm)	5	4	A6403		
90502	4 in. x 8 in. (10 cm x 20 cm)	5	4	A6403		
90503	8 in. x 8 in. (20 cm x 20 cm)	3	4	A6404		

*Caution: Federal law (U.S.A.) restricts the device to sale by or on the order of a licensed health care professional.

**Based upon in vitro studies; data on file, 3M Health Care.



Dressings – Silver

3M[™] Tegaderm[™] Alginate Ag Silver Dressing*

Provides the antimicrobial silver, soft-gelling absorbency and fiber strength that professionals need to manage critically colonized wounds and wounds at increased risk of infection.

 Antimicrobial effectiveness reduces a broad spectrum of pathogens, including MRSA and VRE



- Soft-gelling absorbency conforms to the wound and is soft and pliable
- Ensures a moist environment for optimal wound healing
- One-piece removal

Suggested applications:

- Pressure, arterial (diabetic) and venous leg ulcers
- Post-operative wounds
- Trauma wounds (dermal lesions, trauma injuries or incisions)
- Graft and donor sites
- Superficial and partial-thickness burns

Ordering Information

Cat. No.	Size	Dressings/ Box	Boxes/ Case	HCPCS Code		
3M [™] Tegaderm [™] Alginate Ag Silver Dressing*						
90301	2 in. x 2 in. (5 cm x 5 cm)	10	4	A6196		
90303	4 in. x 5 in. (10 cm x 12,7 cm)	10	4	A6197		
90305	6 in. x 6 in. (15 cm x 15 cm)	5	4	A6197		
90307	1 in. x 12 in. (2,5 cm x 30 cm)	5	4	A6199		

*Caution: Federal law (U.S.A.) restricts the device to sale by or on the order of a licensed health care professional.

Dressings – Superabsorber

3M[™] Tegaderm[™] Superabsorber Dressing

Absorbs and contains exudate.

Superabsorber dressing locks in exudate to help prevent moisture associated complications — even under compression. Can be used both as a primary and secondary dressing.

- Versatile for a variety of wounds with moderate to high exudate levels
- Helps prevent maceration of the wound edges
- Reduces frequency of dressing changes
- Provides patient comfort

Suggested applications:

- Primary or secondary dressing for management of moderate to high exuding partial- and full-thickness wounds
- Pressure ulcers
- Venous leg ulcers
- Neuropathic (diabetic foot) ulcers
- Dehisced surgical wounds

Cat. No.	Overall Dressing Size	Superabsorber Size	Dressings/ Box	Boxes/ Case	HCPCS Code			
3M [™] Tegad	3M [™] Tegaderm [™] Superabsorber Dressing							
90701	3-7/8 in. x 3-7/8 in. (10 cm x 10 cm)	2-3/4 in. x 3-1/8 in. (7 cm x 8 cm)	10	5	A6196			
90702	3-7/8 in. x 7-7/8 in. (10 cm x 20 cm)	3-1/8 in. x 6-5/8 in. (8 cm x 17 cm)	10	5	A6197			
90703	7-7/8 in. x 7-7/8 in. (20 cm x 20 cm)	6-1/4 in. x 6-5/8 in. (16 cm x 17 cm)	10	5	A6197			
90704	7-7/8 in. x 11-3/4 in. (20 cm x 30 cm)	6-1/4 in. x 10-5/8 in. (16 cm x 27 cm)	10	5	A6198			



Dressings – HP Film Adhesive

3M[™] Tegaderm[™] HP Transparent Film Dressing

Tegaderm[™] HP dressings are transparent I.V. dressings which are more adherent in moist conditions than standard transparent dressings.

- Transparent dressings allow easy monitoring of wounds without the need to remove the dressing
- Picture-frame delivery makes placement accurate and easy, minimizing potential to stick to gloves or to itself
- Conformable: dressing flexes with skin for greater patient comfort
- Provides a waterproof, sterile barrier to external contaminants including liquids, bacteria and viruses*

Suggested applications:

- Catheter sites
- To protect reddened/at-risk skin
- Stage I and Stage II pressure ulcers
- Skin tears and minor excisions

Ordering Information

Cat. No.	Size	Dressings/ Box	Boxes/ Case	HCPCS Code				
3M [™] Tegaderm [™] HP Transparent Film Dressing								
Frame Style								
9519HP	2-3/8 in. x 2-3/8 in. (6 cm x 6 cm)	100	4	A6257				
9534HP	2-3/8 in. x 2-3/4 in. (6 cm x 7 cm)	100	4	A6257				
9536HP	4 in. x 4-3/4 in. (10 cm x 12 cm)	50	4	A6258				
9543HP (Sacral)	4-1/2 in. x 4-3/4 in. (11,5 cm x 12 cm)	12	4	A6258				
9545HP (Oval)	2-1/8 in. x 2-1/2 in. (5,4 cm x 6,4 cm)	50	6	A6257				
9546HP (Oval)	4 in. x 4-1/2 in. (10 cm x 11,5 cm)	50	4	A6257				
9548HP (Oval)	5-1/2 in. x 6-1/2 in. (14 cm x 16,5 cm)	10	8	A6258				
Tegaderm [™] IV Sec	Tegaderm [™] IV Securement Dressing Designed for the BD Nexiva [™] Closed I.V. Catheter System							
9525HP	2-1/2 in. x 2-3/4 in. (6,5 cm x 7 cm)	100	4	A4221				

ithout the sing nakes easy, tick to Hexes with comfort terile barrier to external

raderm HP

Dressings – Film

3M[™] Tegaderm[™] Transparent Film Dressing

Tegaderm[™] Brand transparent dressings can be used to cover and protect catheter sites and wounds, to maintain a moist environment for wound healing, and to secure devices to the skin.

 Provides a waterproof, sterile barrier to external contaminants including liquids, bacteria and viruses*



- Made with a hypoallergenic, latex-free adhesive that is gentle to the skin yet holds catheters and other devices in place
- · Conformable: dressing flexes with skin for greater patient comfort
- Unique shapes and designs for both I.V. and wound needs

Suggested applications:

- Catheter sites
- Acute and chronic wounds
- Skin protection
- Feeding tubes

Dressings/Box Boxes/Case **HCPCS** Code Cat. No. Size 3M[™] Tegaderm[™] Transparent Film Dressing Frame Style 1622W 1-3/4 in. x 1-3/4 in. (4,4 cm x 4,4 cm) 100 4 A6257 1624W 2-3/8 in. x 2-3/4 in. (6 cm x 7 cm) 100 4 A6257 1626W 4 in. x 4-3/4 in. (10 cm x 12 cm) 50 4 A6258 9505W 2-3/8 in. x 2-3/4 in. (6 cm x 7 cm) A6257 20 10 9506W 4 in. x 4-3/4 in. (10 cm x 12 cm) 10 10 A6258 4 in. x 4-1/2 in. (10 cm x 11.5 cm) 1630 50 4 A6258 2-3/8 in. x 2-3/4 in. (6 cm x 7 cm) 1634 100 4 A6257 1626 4 in. x 4-3/4 in. (10 cm x 12 cm) 50 4 A6258 1627 4 in. x 10 in. (10 cm x 25 cm) 4 A6258 20 1628 6 in. x 8 in. (15 cm x 20 cm) A6258 10 8 1629 8 in. x 12 in. (20 cm x 30 cm) A6259 10 8 Frame Style with Border 1614 2-3/8 in. x 2-3/4 in. (6 cm x 7 cm) 100 A6257 4 1616 4 in. x 4-3/4 in. (10 cm x 12 cm) 50 4 A6258 First Aid Style 1620 2-3/8 in. x 2-3/4 in. (6 cm x 7 cm) 100 A6257 1621 4 in. x 4-3/4 in. (10 cm x 12 cm) 50 4 A6258

*In vitro testing shows that the transparent film provides a viral barrier from viruses 27 nm in diameter or larger while the dressing remains intact without leakage.

Dressings – Film Roll

3M[™] Tegaderm[™] Transparent Film Roll

This non-sterile roll version of 3M[™] Tegaderm[™] Transparent Film Dressing provides all the benefits of surgical tape while providing a waterproof, bacterial and viral barrier.

 Provides a waterproof barrier to external contaminants including liquids, bacteria and viruses*



- Can be used for fixation of medical devices or infusion tubing
- Conformable fits body contours, permits free movement without stress on the skin

Suggested applications:

- Fixation of medical devices (e.g. drainage tubes, etc.)
- Waterproof fixation of primary dressings such as gauzes, alginates, foams, etc.
- · Protection of at-risk skin from friction and body fluids

Cat. No.	Size	Rolls/ Box	Boxes/ Case	HCPCS Code		
3M [™] Tegaderm [™] Transparent Film Roll						
16002	2 in. x 11 yd. (5 cm x 10 m)	1	4	A6257-A6259		
16004	4 in. x 11 yd. (10 cm x 10 m)	1	4	A6257-A6259		
16006	6 in. x 11 yd. (15 cm x 10 m)	1	4	A6257-A6259		

Ordering Information

*Product is non-sterile; not recommended as a primary wound or I.V. dressing.



Dressings – Bordered

3M[™] Tegaderm[™] Transparent Film Dressings with Border

Secure. Protect. Stabilize.

- Stabilizes the catheter, minimizing catheter movement
- Provides a waterproof, sterile barrier to external contaminants including liquids, bacteria and viruses*
- Transparency allows monitoring of I.V. sites without the need to remove the dressing



 Picture-frame delivery makes placement accurate and easy, minimizing potential to stick to gloves or to itself

Suggested applications:

- Peripheral and midline venous catheters
- Central venous catheters (including subclavian, jugular, femoral and PICCs)
- Tunneled central vascular devices (ports)

- Dialysis catheters
- Hickman/Broviac catheters
- Pulmonary artery catheters
- Arterial catheters
- Epidural catheters
- Enteral feeding tubes

Cat. No.	Size	Dressings/ Box	Boxes/ Case	HCPCS Code		
3M [™] Tegaderm [™] Transparent Film Dressings with Border						
1610	2 in. x 2-1/4 in. (5 cm x 5,7 cm)	100	4	A6257		
1633	2-3/4 in. x 3-1/4 in. (7 cm x 8,5 cm)	100	4	A6257		
1635	3-1/2 in. x 4-1/4 in. (8,5 cm x 10,5 cm)	50	4	A6257		
1650	4 in. x 6-1/8 in. (10 cm x 15,5 cm)	25	4	A6258		
1655	3-1/2 in. x 4-1/2 in. (6,9 cm x 11,5 cm)	50	4	A6257		

Ordering Information

Dressings – Antimicrobial I.V.

3M[™] Tegaderm[™] CHG Chlorhexidine Gluconate I.V. Port Dressing

Antimicrobial dressing designed for oncology and hematology patients and others with implanted venous ports.

- CHG gel pad provides immediate and continuous antimicrobial protection
- CHG gel pad conforms around the needle; stays in place and in contact with skin



- Adhesive-free window minimizes adhesive contact with needle and patient's skin, reducing the risk of the dressing sticking to needle during removal
- Flexes with patient movement and can be worn up to 7 days
- Transparent dressing and CHG gel pad permit clear visibility around the insertion site area

Suggested applications:

• Designed for use with implanted venous ports and non-coring Huber needles

Cat. No.	CHG Gel Pad Device Size	Dressing Size	Device + Dressings/Box	Boxes/ Case	HCPCS Code
3M [™] Teg	aderm [™] CHG Chlorhexid	dine I.V. Port Dressing			
1665	2-7/16 in. x 1-15/16 in. (6,2 cm x 4,9 cm)	4-3/4 in. x 4-3/4 in. (12 cm x 12 cm)	25	4	A4221

Dressings – Antimicrobial I.V.

3M[™] Tegaderm[™] CHG Chlorhexidine Gluconate I.V. Securement Dressing

The only transparent dressing cleared and proven to reduce catheter-related bloodstream infections (CRBSI) and vascular catheter colonization that aligns with evidence-based guidelines and practice standards.



The dressing provides four essential elements you need to protect I.V. sites in one integrated, easy-to-use product.

- Infection Reduction: Clinically proven to reduce CRBSI by 60% in patients with central and arterial lines
- Site Visibility: Transparent dressing and gel pad enable early identification of complications at the insertion site
- Consistent Application: The integrated CHG gel pad and dressing design ensure standardized, correct application every time
- Catheter Securement: Designed to minimize catheter movement and dislodgement

Suggested applications:

- Short peripheral I.V. and midline venous catheters
- Central venous catheters (including subclavian, jugular, femoral and PICCs)
- Dialysis catheters
- Arterial catheters
- Epidural catheters
- Other percutaneous devices

Cat. No.	Size	Rolls/ Box	Boxes/ Case	HCPCS Code			
3M [™] Tegaderm [™] CHG Chlorhexidine Gluconate I.V. Securement Dressing*							
1657	3-1/2 in. x 4-1/2 in. (8,5 cm x 11,5 cm)	25	4	A4221			
1658	4 in. x 4-3/4 in. (10 cm x 12 cm)	25	4	A4221			
1659	4 in. x 6-1/8 in. (10 cm x 15,5 cm)	25	4	A4221			
1660	2-3/4 in. x 3-3/8 in. (7 cm x 8,5 cm)	25	4	A4221			

Ordering Information

*Caution: Federal law (U.S.A.) restricts the device to sale by or on the order of a licensed heath care professional.

Securement Systems – PICC/CVC

3M[™] PICC/CVC Securement Device + Tegaderm[™] I.V. Advanced Securement Dressing

Securement without sacrifice.

- Sutureless securement balances reliable adhesion with gentleness to skin
- Designed to be worn for up to 7 days
- Removes cleanly, without causing patients undue pain or distress
- Skin-friendly materials improve comfort and mobility
- Easy to apply and remove



- Eliminates the risks and costs of suture-related needlestick injuries
- Can be repositioned upon initial application without losing adhesion

Suggested applications:

• Accommodates the majority of PICC and CVC catheters up to and including 12 French

Cat. No. 3M [™] PICC	Overall Device Size	Overall Dressing Size vice + 3M [™] Tegaderm [™]	Device + Dressings/Box	Boxes/ Case	HCPCS Code
1837- 2100	2 in. x 2-1/8 in. (5,1 cm x 5,4 cm)	3-1/2 in. x 4-1/2 in. (8,5 cm x 11,5 cm)	20	4	A4221
1839- 2100	2 in. x 2-1/8 in. (5,1 cm x 5,4 cm)	4 in. x 6-1/8 in. (10 cm x 15,5 cm)	20	4	A4221



Securement Systems – PICC/CVC

3M[™] PICC/CVC Securement Device + Tegaderm[™] CHG Chlorhexidine Gluconate I.V. Securement Dressing

Securement without sacrifice.

- Single package with device and antimicrobial CHG dressing
- Sutureless securement balances reliable adhesion with gentleness to skin
- Designed to be worn for up to 7 days
- Removes cleanly, without causing patients undue pain or distress



- Skin-friendly materials improve comfort and mobility
- Easy to apply and remove
- Eliminates the risks and costs of suture-related needlestick injuries
- Easy to apply and remove

Suggested applications:

 Accommodates the majority of PICC and short-term CVC catheters up to and including 12 French


Cat. No.	Overall Device Size	Overall Dressing Size	Device + Dressings/Box	Boxes/ Case	HCPCS Code		
3M [™] PICC/CVC Securement Device + Tegaderm [™] CHG Chlorhexidine Gluconate I.V. Securement Dressing*							
1877- 2100	2 in. x 2-1/8 in. (5,1 cm x 5,4 cm)	3-1/2 in. x 4-1/2 in. (8,5 cm x 11,5 cm)	20	4	A4221		
1879- 2100	2 in. x 2-1/8 in. (5,1 cm x 5,4 cm)	4 in. x 6-1/8 in. (10 cm x 15,5 cm)	20	4	A4221		

Dressings – I.V. Advanced Securement

3M[™] Tegaderm[™] I.V. Advanced Securement Dressing

Designed for securement and comfort. Comprehensively designed to deliver exceptional patient care through advanced catheter securement, superior wear time and gentle removal.

 A line of I.V. dressings which optimizes all characteristics to provide advanced I.V. and central line catheter securement



- Easy to apply and remove
- Provides up to 7 days of wear time for CVCs

Suggested applications:

- Adult and pediatric venous catheters
- Short peripheral and midline venous catheters
- Central venous catheters (including subclavian, jugular, femoral and PICCs)
- Port-a-caths or mediports

- Dialysis catheters
- Hickman/Broviac catheters
- Pulmonary artery catheters
- Arterial catheters
- Epidural and other regional nerve block catheters
- Enteral feeding tubes
- Infusion sets

Cat. No.	Size	Dressings/ Box	Boxes/ Case	HCPCS Code
3M [™] Tegad	derm [™] I.V. Advanced Securement Dressing	g with Comfor	Adhesive T	echnology*
1680	1-1/2 in. x 1-3/4 in. (3,8 cm x 4,5 cm)	100	4	A4221
1681	2-3/4 in. x 3-1/8 in. (7 cm x 8 cm)	100	4	A4221
1682	2 in. x 2-1/4 in. (5 cm x 5,7 cm)	100	4	A4221
1683	2-1/2 in. x 2-3/4 in. (6,5 cm x 7 cm)	100	4	A4221
1685	3-1/2 in. x 4-1/2 in. (8,5 cm x 11,5 cm)	50	4	A4221
1688	4 in. x 4-3/4 in. (10 cm x 12 cm)	50	4	A4221
1689	4 in. x 6-1/8 in. (10 cm x 15,5 cm)	25	4	A4221

Ordering Information



Dressings – Highly Breathable

3M[™] Tegaderm[™] Diamond Pattern Film Dressing

A transparent dressing for protecting I.V. and wound sites and securing catheters to moist skin. It balances increased breathability with effective adhesion so it stays in place even in moist conditions.



- Promotes moisture evaporation and improved securement while providing continuous site observation
- Provides a waterproof, sterile barrier to external contaminants including liquids, bacteria and viruses*
- Picture-frame delivery makes placement accurate and easy, minimizing potential to stick to gloves or to itself

Suggested applications:

- To cover and protect central venous catheter sites including subclavian, jugular, femoral and PICC
- To cover and protect short peripheral I.V. and midline venous catheters

Cat. No.	Size	Dressings/ Box	Boxes/ Case	HCPCS Code
3M [™] Tegad	erm [™] Diamond Pattern Film Dressing			
1679	4 in. x 4-1/2 in. (10 cm x 11,5 cm)	50	4	A6257
1684	2-3/8 in. x 2-3/4 in. (6 cm x 7 cm)	100	4	A6257
1686	4 in. x 4-3/4 in. (10 cm x 12 cm)	50	4	A6258

Dressings – Adhesive-Free Window

3M[™] Tegaderm[™] I.V. Transparent Film Dressing with Adhesive-Free Window

Transparent film dressing with adhesive-free window designed for oncology and hematology patients and others with implanted venous ports.

- Adhesive-free window minimizes adhesive contact with needle and patient's skin, reducing the risk of the dressing sticking to needle during removal
- Flexes with patient movement and can be worn up to 7 days
- Transparent dressing permits clear visibility around the insertion site area



Suggested applications:

• Designed for use with implanted venous ports and non-coring Huber needles

Cat. No.	Size	Dressings/ Box	Boxes/ Case	HCPCS Code
3M [™] Tega	derm [™] I.V. Transparent Film Dressing with	h Adhesive-Free	Window	
1668	4-3/4 in. x 4-3/4 in. (12 cm x 12 cm)	25	4	A4221

Medical Tapes

Medical Tapes – Extra Gentle General Securement



3M[™] Kind Removal Silicone Tape

3M Kind Removal Silicone Tape provides reliable securement, kind removal, and gentle wear without compromise.

- Security: Offers reliable and constant fixation, remains in place until you decide otherwise
- Comfort: Removes cleanly, without disrupting fragile skin layers or causing patients undue pain



- Ease of use: Can be repositioned and neatly torn by hand
- Economical: Offered in single patient roll sizes

Suggested applications:

- Ideal for patients with sensitive, compromised, or at-risk skin
- When repeated taping is necessary
- When skin integrity and minimizing pain are primary concerns

2770-2 2 in. x 5.5 yd. (5 cm x 5 m) - 6 10 A445 2775-0 0.75 in. x 5.5 yd. (1,9 cm x 5 m) Yes 12 10 A445 2775-1 1 in. x 5.5 yd. (2,5 cm x 5 m) Yes 12 10 A445	Cat. No.	Size	Individually Boxed	Rolls/ Box	Boxes/ Case	HCPCS Code	
2770-2 2 in. x 5.5 yd. (5 cm x 5 m) - 6 10 A445 2775-0 0.75 in. x 5.5 yd. (1,9 cm x 5 m) Yes 12 10 A445 2775-1 1 in. x 5.5 yd. (2,5 cm x 5 m) Yes 12 10 A445 2775-2 2 in. x 5.5 yd. (5 cm x 5 m) Yes 6 10 A445	3M [™] Kind Removal Silicone Tape						
2775-0 0.75 in. x 5.5 yd. (1,9 cm x 5 m) Yes 12 10 A445 2775-1 1 in. x 5.5 yd. (2,5 cm x 5 m) Yes 12 10 A445 2775-2 2 in. x 5.5 yd. (5 cm x 5 m) Yes 6 10 A445	2770-1	1 in. x 5.5 yd. (2,5 cm x 5 m)	_	12	10	A4452	
2775-1 1 in. x 5.5 yd. (2,5 cm x 5 m) Yes 12 10 A445 2775-2 2 in. x 5.5 yd. (5 cm x 5 m) Yes 6 10 A445	2770-2	2 in. x 5.5 yd. (5 cm x 5 m)	—	6	10	A4452	
2775-2 2 in. x 5.5 yd. (5 cm x 5 m) Yes 6 10 A445	2775-0	0.75 in. x 5.5 yd. (1,9 cm x 5 m)	Yes	12	10	A4452	
	2775-1	1 in. x 5.5 yd. (2,5 cm x 5 m)	Yes	12	10	A4452	
Single-Patient Use Rolls	2775-2	2 in. x 5.5 yd. (5 cm x 5 m)	Yes	6	10	A4452	
2770S-1 1 in. x 1.5 yd. (2,5 cm x 1,3 m) — 100 5 A445	2770S-1	1 in. x 1.5 yd. (2,5 cm x 1,3 m)	—	100	5	A4452	
2770S-2 2 in. x 1.5 yd. (5 cm x 1,3 m) - 50 5 A445	2770S-2	2 in. x 1.5 yd. (5 cm x 1,3 m)	_	50	5	A4452	

Medical Tapes – Multi-Purpose General Securement



3M[™] Transpore[™] White Surgical Tape

Gentle tape with strong adhesion and easy, bi-directional tear for dressing applications.

- Gentle to skin
- Easy, straight bi-directional tear
- Breathable to maintain skin integrity
- Good initial and long-term adhesion (72 hours)
- Easy to handle with gloves
- Hypoallergenic and not made with natural rubber latex
- Water resistant

Suggested applications:

- Securing dressings to damp or dry skin
- Taping fragile, at-risk skin
- When repeated taping is needed
- Anchoring tubing and devices
- When tape width must be customized

Cat. No.	Size	Rolls/ Box	Boxes/ Case	HCPCS Code		
3M [™] Transpore [™] White Surgical Tape						
1534-0	1/2 in. x 10 yd. (1,25 cm x 9,1 m)	24	10	A4452		
1534-1	1 in. x 10 yd. (2,5 cm x 9,1 m)	12	10	A4452		
1534-2	2 in. x 10 yd. (5 cm x 9,1 m)	6	10	A4452		
1534-3	3 in. x 10 yd. (7,6 cm x 9,1 m)	4	10	A4452		
Single-Patient Use Rolls						
15345-1	1 in. x 1.5 yd. (2,5 cm x 1,3 m)	100	5	A4452		
15345-2	2 in. x 1.5 yd. (5 cm x 1,3 m)	50	5	A4452		



Medical Tapes – Flexible



3M[™] Medipore[™] H Soft Cloth Surgical Tape

High adhesion, breathable soft cloth tape for a range of applications.

- Easy-tear perforated rolls
- Gentle, breathable to maintain skin integrity
- Excellent cross and diagonal stretch
- Hypoallergenic and latex free
- Water resistant

Suggested applications:

- When repeated taping is needed
- Securing over areas where skin may stretch (e.g., edema, distention, hematoma formation or movement)

Cat. No.	Size	Rolls/ Box	Boxes/ Case	HCPCS Code			
3M [™] Medipor	3M™ Medipore™ H Soft Cloth Surgical Tape						
2861	1 in. x 10 yd. (2,5 cm x 9,1 m)	24	1	A4452			
2862	2 in. x 10 yd. (5 cm x 9,1 m)	12	1	A4452			
2863	3 in. x 10 yd. (7,6 cm x 9,1 m)	12	1	A4452			
2864	4 in. x 10 yd. (10,1 cm x 9,1 m)	12	1	A4452			
2866	6 in. x 10 yd. (15,2 cm x 9,1 m)	12	1	A4452			
2868	8 in. x 10 yd. (20,3 cm x 9,1 m)	6	1	A4452			
Single-Patient Use Rolls							
2862S	2 in. x 2 yd. (5 cm x 1,8 m)	48	1	A4452			
2864S	4 in. x 2 yd. (10,1 cm x 1,8 m)	24	1	A4452			
2866S	6 in. x 2 yd. (15,2 cm x 1,8 m)	16	1	A4452			



Medical Tapes – High Adhesion Critical Device/Tube Securement

3M[™] Durapore[™] Surgical Tape

Durable, no-stretch silk-like cloth tape for critical tubing applications.

- High strength, versatile, conformable
- Adheres well to dry skin
- Convenient bidirectional tear
- Hypoallergenic and not made with natural rubber latex
- Water resistant

Suggested applications:

- Securing tubing and devices
- Anchoring bulky dressings
- Immobilizing fingers and toes
- Stabilizing finger splints

Size	Rolls/ Box	Boxes/ Case	HCPCS Code		
e [™] Surgical Tape					
1/2 in. x 10 yd. (1,25 cm x 9,1 m)	24	10	A4452		
1 in. x 10 yd. (2,5 cm x 9,1 m)	12	10	A4452		
2 in. x 10 yd. (5 cm x 9,1 m)	6	10	A4452		
3 in. x 10 yd. (7,6 cm x 9,1 m)	4	10	A4452		
t Use Rolls					
1 in. x 1-1/2 yd. (2,5 cm x 1,37 m)	100	5	A4452		
2 in. x 1-1/2 yd. (5 cm x 1,37 m)	50	5	A4452		
	Size ** Surgical Tape 1/2 in. x 10 yd. (1,25 cm x 9,1 m) 1 in. x 10 yd. (2,5 cm x 9,1 m) 2 in. x 10 yd. (5 cm x 9,1 m) 3 in. x 10 yd. (7,6 cm x 9,1 m) : Use Rolls 1 in. x 1-1/2 yd. (2,5 cm x 1,37 m)	Size Rolls/ Box *" Surgical Tape 1/2 in. x 10 yd. (1,25 cm x 9,1 m) 24 1 in. x 10 yd. (2,5 cm x 9,1 m) 12 2 in. x 10 yd. (2,5 cm x 9,1 m) 6 3 in. x 10 yd. (7,6 cm x 9,1 m) 4 : Use Rolls 1 1 in. x 1-1/2 yd. (2,5 cm x 1,37 m) 100	Size Rolls/ Box Boxes/ Case *" Surgical Tape		



Medical Tapes – Multi-Purpose General Securement



3M[™] Transpore[™] Surgical Tape

Transparent, perforated plastic tape that tears easily, works reliably.

- Easy, straight, bidirectional tear
- Easy to handle with gloves
- · Good adhesion to skin and tubing
- Transparent, porous
- Hypoallergenic and not made with natural rubber latex
- Water resistant
- Allows clinician to tailor the tape for various dressings and devices

Suggested applications:

- Securing tubing and devices (e.g., catheters, IV tubing)
- Anchoring bulky dressings
- When tape width must be customized

Cat. No.	Size	Rolls/ Box	Boxes/ Case	HCPCS Code
3M [™] Transpore [™] Surgical Tape				
1527-0 1/2 in. x 10 yd. (1,25 cm x 9,1 m)		24	10	A4452
1527-1	1 in. x 10 yd. (2,5 cm x 9,1 m)	12	10	A4452
1527-2	2 in. x 10 yd. (5 cm x 9,1 m)	6	10	A4452
1527-3	3 in. x 10 yd. (7,6 cm x 9,1 m)	4	10	A4452
Single-Patient Use Rolls				
15275-1	1 in. x 1-1/2 yd. (2,5 cm x 1,37 m)	100	5	A4452
15275-2	2 in. x 1-1/2 yd. (5 cm x 1,37 m)	50	5	A4452



Medical Tapes – Multi-Purpose

General Securement

3M[™] Micropore[™] Surgical Tape The Original, Breathable Paper Tape

Gentle, breathable, #1 trusted brand for 50 years.

- Gentle adhesion
- Conformable and highly breathable
- Reliably secures dressings and devices to skin
- Hypoallergenic and not made with natural rubber latex

Suggested applications:

- Securing small to medium dressings, especially on damp skin
- Securing lightweight tubing
- Securing ostomy appliances
- Taping fragile, at-risk skin

Ordering Information

• When repeated taping is needed

Cat. No.	Size	Rolls/ Box	Boxes/ Case	HCPCS Code	
3M [™] Micropo	re [™] Surgical Tape				
1530-0	1/2 in. x 10 yd. (1,25 cm x 9,1 m)	24	10	A4450	
1530-1	1 in. x 10 yd. (2,5 cm x 9,1 m)	12	10	A4450	
1530-2	2 in. x 10 yd. (5 cm x 9,1 m)	6	10	A4450	
1530-3	3 in. x 10 yd. (7,6 cm x 9,1 m)	4	10	A4450	
Single-Patient Use Rolls					
1530S-1	1 in. x 1-1/2 yd. (2,5 cm x 1,37 m)	100	5	A4450	
1530S-2	0S-2 2 in. x 1-1/2 yd. (5 cm x 1,37 m) 50 5		5	A4450	
Tan					
1533-0	1/2 in. x 10 yd. (1,25 cm x 9,1 m)	24	10	A4450	
1533-1	1 in. x 10 yd. (2,5 cm x 9,1 m)	12	10	A4450	
1533-2	2 in. x 10 yd. (5 cm x 9,1 m)	6	10	A4450	
White Disper	ser				
1535-0	1/2 in. x 10 yd. (1,25 cm x 9,1 m)	24	10	A4450	
1535-1	1 in. x 10 yd. (2,5 cm x 9,1 m)	12	10	A4450	
1535-2	2 in. x 10 yd. (5 cm x 9,1 m)	6	10	A4450	
1535-3	3 in. x 10 yd. (7,6 cm x 9,1 m)	4	10	A4450	





Medical Tapes – Flexible



3M[™] Medipore[™] Soft Cloth Surgical Tape 3M[™] Medipore[™] Dress-It Pre-Cut Dressing Cover

Breathable soft cloth tape for

a broad range of applications.

- Available in pre-cut pads
- Easy to use
- Easy on the skin

Suggested applications:

- Securing dressings and ostomy pouches to fragile skin
- When repeated taping is needed
- Anchoring post-surgical dressings
- Used as retentive sheeting over gauze
- Securing over areas where skin may stretch (e.g., edema, distention, hematoma formation or movement)

Cat. No.	Size	Dressings/ Pad	Pads/ Box	Boxes/ Case	HCPCS Code
3M [™] Mee	dipore [™] Soft Cloth Surgical Tape				
2961	1 in. x 10 yd. (2,5 cm x 9,1 m)	_	24	1	A4452
2962	2 in. x 10 yd. (5 cm x 9,1 m)	_	12	1	A4452
2963	3 in. x 10 yd. (7,6 cm x 9,1 m)	_	12	1	A4452
2964	4 in. x 10 yd. (10,1 cm x 9,1 m)	_	12	1	A4452
2966	6 in. x 10 yd. (15,2 cm x 9,1 m)	-	12	1	A4452
2968	8 in. x 10 yd. (20,3 cm x 9,1 m)	_	6	1	A4452
Single-Pa	atient Use Rolls				
2962S	2 in. x 2 yd. (5 cm x 1,8 m)	_	48	1	A4452
2964S	4 in. x 2 yd. (10,1 cm x 1,8 m)	—	24	1	A4452
2966S	6 in. x 2 yd. (15,2 cm x 1,8 m)	—	16	1	A4452
3M [™] Mee	dipore [™] Dress-It Pre-Cut Dressing Cov	er			
2954	3-7/8 in. x 4-5/8 in. (10 cm x 12 cm)	3	25	4	A4452
2955	3-7/8 in. x 7-7/8 in. (10 cm x 20 cm)	3	25	4	A4452
2956	5-7/8 in. x 5-7/8 in. (15 cm x 15 cm)	3	25	4	A4452
2957	5-7/8 in. x 11 in. (15 cm x 28 cm)	3	25	4	A4452
2958	7-7/8 in. x 11 in. (20 cm x 28 cm)	3	25	4	A4452



Medical Tapes – Flexible Flexible Securement



3M[™] Microfoam[™] Surgical Tape 3M[™] Microfoam[™] Sterile Tape Patch/Patches

Highly conformable elastic foam tape that stretches for compression applications or securing dressings on challenging areas.

- Multi-directional stretch to accommodate swelling and promote comfort
- Conforms readily
- Gentle, secure adhesion to irregularly contoured sites
- Water resistant
- Hypoallergenic and not made with natural rubber latex

Suggested applications:

- Securing dressings on sites where movement is likely such as over joints and other challenging areas
- Securing compression dressings to assist in hemostasis or control edema (e.g., cardiovascular/angio sites, breast biopsies, orthopedic, thoracic and abdominal surgical dressing)
- Provides cushioning as needed

Ordering Information

Cat. No.	Size	Rolls/ Box	Boxes/ Case	HCPCS Code
3M [™] Microfo	am [™] Surgical Tape			
1528-1	1528-1 1 in. x 5-1/2 yd. (2,5 cm x 5 m)*		6	A4452
1528-2	2 in. x 5-1/2 yd. (5 cm x 5 m)*	6	6	A4452
1528-3	3 in. x 5-1/2 yd. (7,6 cm x 5 m)*	4	6	A4452
1528-4	4 in. x 5-1/2 yd. (10,1 cm x 5 m)*	3	6	A4452
3M [™] Microfoam [™] Sterile Tape Patch/Patches				
1562	4-1/5 in. x 7 in. (10,6 cm x 17,7 cm)	25	4	A4452

*Stretched length.



Medical Tapes – High Adhesion Critical Device/Tube Securement

3M[™] Multipore[™] Dry Surgical Tape

Specialized tape for high moisture applications.

- Reliable securement in damp areas; suitable for wet or diaphoretic skin
- Bi-directional elastic stretch
- Conformable to body contours and curves
- Grid liner enables precise cutting and customization to any shape or size
- Water resistant
- Hypoallergenic and not made with natural rubber latex

A specialized tape designed for firm and critical securement of medical devices such as catheters, tubing or wound dressings in high moisture applications and damp areas.

Suggested applications:

- Critical securement of tubing
- Critical securement of other medical devices such as catheters or wound dressings

Cat. No.	Size	Rolls/ Box	Boxes/ Case	HCPCS Code
3M [™] Multipo	ore [™] Dry Surgical Tape			
3730-0	1/2 in. × 5 1/2 yd. (1,25 cm × 5 m)	12	4	A4452
3730-1	1 in. × 5 1/2 yd. (2,5 cm × 5 m)	24	4	A4452
3730-2	2 in. × 5 1/2 yd. (5 cm × 5 m)	12	4	A4452





Medical Tapes

3M[™] Blenderm[™] Surgical Tape

Occlusive, transparent plastic tape that protects from external fluids and contaminants.

- Waterproof barrier
- Flexible
- Transparent
- Hypoallergenic and not made with natural rubber latex



Suggested applications:

- Protecting dressings from external moisture, fluids, contaminants
- Enhancing penetration of topical medications
- Dermatological patch testing

Cat. No.	Size	Rolls/ Box	Boxes/ Case	HCPCS Code
3M [™] Blende	rm [™] Surgical Tape			
1525-0	1/2 in. x 5 yd. (1,25 cm x 4,5 m)	24	10	A4452
1525-1	1 in. x 5 yd. (2,5 cm x 4,5 m)	12	10	A4452
1525-2	2 in. x 5 yd. (5 cm x 4,5 m)	6	10	A4452

Self-Adherent Wraps

Self-Adherent Wraps

3M[™] Coban[™] Self-Adherent Wrap


A self-adherent elastic wrap that functions like a tape, but sticks only to itself.

- Sticks to itself without adhesive needs no pins or clips
- Wrap stays in place no need for frequent readjustment
- Lightweight, porous and comfortable for patients
- Protect primary dressings
- Available sterile and non-sterile

Suggested applications:

- Secure dressings, IVs or other devices
- Compression to reduce edema
- Reduce post-operative swelling
- Overwrap for splints, support sprains and strains.

Cat. No.	Description	Size	Rolls/ Box	HCPCS Code
3M [™] Coban [™]	Self-Adherent Wrap*			
1581	Standard, Tan	1 in. x 5 yd. (25 mm x 4,5 m)**	30	A6453
1582	Standard, Tan	2 in. x 5 yd. (50 mm x 4,5 m)**	36	A6453
1583	Standard, Tan	3 in. x 5 yd. (75 mm x 4,5 m)**	24	A6454
1584	Standard, Tan	4 in. x 5 yd. (100 mm x 4,5 m)**	18	A6454
1586	Standard, Tan	6 in. x 5 yd. (150 mm x 4,5 m)**	12	A6455
1583S	Sterile, Tan	3 in. x 5 yd. (75 mm x 4,5 m)**	24	A6454
1584S	Sterile, Tan	4 in. x 5 yd. (100 mm x 4,5 m)**	18	A6454
1586S	Sterile, Tan	6 in. x 5 yd. (150 mm x 4,5 m)**	12	A6455
1581B	Blue	1 in. x 5 yd. (25 mm x 4,5 m)**	30	A6453
1582B	Blue	2 in. x 5 yd. (50 mm x 4,5 m)**	36	A6453
1583B	Blue	3 in. x 5 yd. (75 mm x 4,5 m)**	24	A6454
1583G	Green	3 in. x 5 yd. (75 mm x 4,5 m)**	24	A6454
1583R	Red	3 in. x 5 yd. (75 mm x 4,5 m)**	24	A6454
1583W	White	3 in. x 5 yd. (75 mm x 4,5 m)**	24	A6454
1583Y	Yellow	3 in. x 5 yd. (75 mm x 4,5 m)**	24	A6454
1584B	Blue	4 in. x 5 yd. (100 mm x 4,5 m)**	18	A6454
1583A	Rainbow Pack	3 in. x 5 yd. (75 mm x 4,5 m)**	12	A6454
1583N	Neon Pack	3 in. x 5 yd. (75 mm x 4,5 m)**	12	A6454
1584L	Longer Length	4 in. x 6-1/2 yd. (100 mm x 6 m)**	18	A6454





Self-Adherent Wraps

3M[™] Coban[™] LF Latex Free Self-Adherent Wrap with Hand Tear

Latex-free, self-adherent elastic wrap that functions like a tape, but sticks only to itself and allows clinicians to tear by hand.

- Does not contain natural rubber latex in the product or its packaging
- Hand tearable eliminates the need for scissors or cutting
- Sticks to itself without need for adhesive, pins or clips for fast and easy application
- Wrap stays in place no need for frequent readjustment
- · Lightweight, porous and comfortable for patients
- Protect primary dressings
- Available sterile and non-sterile



Ordering	Information
----------	-------------

Cat. No.	Description	Size	Rolls/ Box	HCPCS Code
3M [™] Coban [™] L	F Latex Free Self-Ad	therent Wrap with Hand Tear		
2081	Standard, Tan	1 in. x 5 yd. (25 mm x 4,5 m)**	30	A6453
20815	Standard, Tan	1.5 in. x 5 yd. (37,5 mm x 4,5 m)**	48	A6453
2082	Standard, Tan	2 in. x 5 yd. (50 mm x 4,5 m)**	36	A6453
2083	Standard, Tan	3 in. x 5 yd. (75 mm x 4,5 m)**	24	A6454
2084	Standard, Tan	4 in. x 5 yd. (100 mm x 4,5 m)**	18	A6454
2084L	Standard, Tan, Longer Length	4 in. x 6-1/2 yd. (100 mm x 6 m)**	18	A6454
2086	Standard, Tan	6 in. x 5 yd. (150 mm x 4,5 m)**	12	A6455
20825	Sterile, Tan	2 in. x 5 yd. (50 mm x 4,5 m)**	36	A6453
20835	Sterile, Tan	3 in. x 5 yd. (75 mm x 4,5 m)**	24	A6454
2084S	Sterile, Tan	4 in. x 5 yd. (100 mm x 4,5 m)**	18	A6454
2086S	Sterile, Tan	6 in. x 5 yd. (150 mm x 4,5 m)**	12	A6455
2081C	Brights Pack	1 in. x 5 yd. (25 mm x 4,5 m)**	30	A6453
20815C	Brights Pack	1.5 in. x 5 yd. (37,5 mm x 4,5 m)**	48	A6453
2082C	Brights Pack	2 in. x 5 yd. (50 mm x 4,5 m)	36	A6453
2083C	Brights Pack	3 in. x 5 yd. (75 mm x 4,5 m)	24	A6454
2084C	Brights Pack	4 in. x 5 yd. (100 mm x 4,5 m)**	18	A6454

**Fully-stretched length.

3M[™] Cavilon[™] No-Rinse Skin Cleanser

A no-rinse cleanser that can be used for incontinence and general skin cleansing needs.

- pH balanced formula for effective, gentle cleansing
- Moisturizes, conditions and soothes skin
- Hypoallergenic
- Helps control odor

Suggested applications:

- Incontinence skin care cleaning urine, stool and body fluids from skin
- May also be used for diabetic foot care



Cat. No.	Size	ltems/ Box	Boxes/ Case	HCPCS Code
3M [™] Cavilon [™] No-Rin	nse Skin Cleanser			
3380	8 oz. bottle	12	1	A6250

3M[™] Cavilon[™] 3-in-1 Incontinence Care Lotion

A complete incontinence skin care system in one product that cleanses, moisturizes and protects.

- Reduces caregiver time and effort
- Helps facilitate staff compliance with incontinence skin care protocols
- pH balanced

Suggested applications:

• Incontinence skin care — cleaning urine, stool and body fluids from skin



Cat. No.	Size	ltems/ Box	Boxes/ Case	HCPCS Code
3M [™] Cavilon [™] 3-in-	1 Incontinence Care Lotion			
3383	8 oz. bottle	12	1	A6250

3M[™] Cavilon[™] No Sting Barrier Film

The original alcohol-free barrier film intended to protect skin from body fluids, adhesives and friction.

It is composed of a unique 3M terpolymer that forms a breathable, transparent protective coating on the skin. The polymer is dissolved in a solvent system that makes the product fast drying and non-sticky. It also contains a plasticizer that assists in forming a continuous film even when applied over an area that bends or creases. It is non-cytotoxic and hypoallergenic allowing use on intact or damaged skin.



- More clinical evidence than any other moisture barrier or barrier film
- The intelligent choice to help prevent medical adhesive-related skin injury (MARSI) around infusion sites and wounds
- Clinically proven, cost effective, long lasting protection from incontinenceassociated dermatitis (IAD)
- Helps protect skin around wounds and ostomies from moisture and body fluids
- Will not clog or reduce absorbency of diapers or pads
- New peel down package for 1 mL wand is designed to facilitate aseptic technique
- CHG compatible

Suggested applications:

- · Incontinence-associated dermatitis prevention and management
- Peristomal/Peritube skin protection
- Periwound skin protection
- Medical adhesive-related skin injury (MARSI) prevention under dressings, tapes and negative pressure wound therapy (NPWT)
- Protection from moisture and friction (MASD)

Cat. No.	Size	Items/ Box	Boxes/ Case	HCPCS Code
3M [™] Cavilon [™] No	Sting Barrier Film			
3343	1 mL wand	25	4	A6250
3344	1 mL wipe	30	4	A6250
3345	3 mL wand	25	4	A6250
3346	28 mL spray bottle	12	1	A6250

3M[™] Cavilon[™] Advanced Skin Protectant

A waterproof barrier film for management of incontinenceassociated dermatitis (IAD). Breakthrough technology for skin protection. It protects patients' skin — even under the most challenging conditions. Use this revolutionary, no-removal barrier solution to stop, reverse and prevent IAD. Long lasting barrier, protecting the skin for up to 7 days.



- The product's superior barrier performance allows/enables damaged skin to heal
- The protective barrier prevents, stops and reverses the effects of IAD
- Due to its ability to attach /adhere to wet, weeping (denuded) and/or dry skin and its exceptional barrier properties, the product does a superior job of protecting skin from irritants
- Protective barrier reduces pain associated with IAD and IAD care
- Forms a transparent coating on the skin

Suggested applications:

- Peristomal/Peritube skin protection
- Moisture/friction lesions

Cat. No.	Size	Items/ Case	HCPCS Code			
3M [™] Cavilon [™] Advanced Skin Protectant						
5050	2.7 mL applicator	20	A6250			

3M[™] Cavilon[™] Durable Barrier Cream Fragrance Free

A unique moisturizing barrier cream formulated with 3M polymers for patients at risk from Incontinence-Associated Dermatitis (IAD).

- Durable and concentrated
- Resists wash off eliminates the need for frequent reapplication
- Allows tapes and dressings to adhere
- Concentrated requires less frequent application and less product with each application than typical moisture barriers
- CHG compatible
- Hypoallergenic
- Contains dimethicone for skin protection

Suggested applications:

- Protecting at-risk skin from damage associated with incontinence
- Moisturizing severely dry skin

Cavilor	Cavilon Durable Barri Cream	
Durable Barrie Cream		avilon
1054 and 1	3355 11 mige 325 m • Ku	Durable Barrier Dream Henris Versioner Henris Versioner H

Cat. No.	Size	Items/ Box	Boxes/ Case	HCPCS Code
3M [™] Cavilon [™] Du	rable Barrier Cream Fragrance Free			
3353	2 g sachet	20	12	A6250
3354	1 oz. tube	48	1	A6250
3355	3.25 oz. tube	12	1	A6250

3M[™] Cavilon[™] Antifungal Cream

Effectively relieves redness, irritation, scaling, itching, discomfort and burning.

- Miconazole Nitrate 2%
- Enriched with water-repelling ingredients for skin protection

Suggested applications:

• For the treatment of superficial skin infections caused by yeast (candida albicans)



Cat. No.	Size	ltems/ Box	Boxes/ Case	HCPCS Code		
3M [™] Cavilon [™]	3M [™] Cavilon [™] Antifungal Cream					
3389	2 oz. tube	24	1	A6250		
3390	5 oz. tube	12	1	A6250		

3M[™] Cavilon[™] Extra Dry Skin Cream

Moisturizing cream that softens rough, cracked or scaly skin. Lipid rich formula lasts 24 hours.

- Ideal for diabetic foot care
- Hypoallergenic
- Not made with natural rubber latex

Suggested applications:

- Moisturizing dry, cracked or scaly skin anywhere on the body
- Ideal for daily diabetic foot care



Cat. No.	Size	ltems/ Box	Boxes/ Case	HCPCS Code
3M [™] Cavilon [™] Extra D	Ory Skin Cream			
3386	4 oz. tube	12	1	A6250

3M[™] Cavilon[™] Moisturizing Hand Lotion

A lotion that moisturizes, soothes and softens skin. Can be used in between hand washings.

- CHG compatible
- Hypoallergenic
- Fragrance free
- Will not break down latex gloves

Suggested applications:

- Moisturizing between hand disinfections
- General purpose moisturizer



Cat. No.	Size	ltems/ Box	Boxes/ Case	HCPCS Code		
3M [™] Cavilon [™] Moisturizing Hand Lotion						
9205	16 oz. pump bottle	12	1	A6250		
9215	2 oz. personal size bottle	48	1	A6250		

3M[™] Steri-Strip[™] Reinforced Skin Closures

The standard for wound closure and wound support.

- Provides wound support and assists in increasing the tensile strength of the wound compared to sutures^{12,3}
- Non-invasive design reduces scarring and the risk for infection as compared to sutures and staples, providing less tissue trauma and better cosmetic outcomes^{1,4}
- Sterile, breathable and comfortable to wear
- Hypoallergenic adhesive
- Permits early staple/suture removal^{1,2,3}
- Less expensive than skin adhesives, sutures or staples⁵

Suggested applications:

 Known for their versatility, Steri-Strip Reinforced Skin Closures are used in the closure of lacerations, surgical incisions and following early suture/staple removal

Cat. No.		Strips/ Envelope	Envelopes/ Box	Boxes/ Case
3M [™] Steri-Str	ip [™] Adhesive Skin Closures (Reinforced)			
R1540	1/8 in. x 3 in. (3 mm x 75 mm)	5	50	4
R1541	1/4 in. x 3 in. (6 mm x 75 mm)	3	50	4
R1542	1/4 in. x 1-1/2 in. (6 mm x 38 mm)	6	50	4
R1546	1/4 in. x 4 in. (6 mm x 100 mm)	10	50	4
R1547	1/2 in. x 4 in. (12 mm x 100 mm)	6	50	4
R1548	1 in. x 5 in. (25 mm x 125 mm)	4	25	4
R1549	1/2 in. x 2 in. (12 mm x 50 mm)	6	50	4

Ordering Information

- 1. Pepicello J, Yavorek H: 1989: 5-year experience with tape closure of abdominal wounds. SG&O, 169:310-314.
- 2. Chao T-C, Tsaez F-Y: 1990: Paper tape in the closure of abdominal wounds. SG&O, 171:65-67.
- 3. Forrester JC: 1970: Wolff's law in relation to the healing skin wound. J Trauma, 10:770-779.
- Hirshman HP, Schuman, DJ, Kajiyama, G: 1984: Penetration of Staphylococcus aureus into sutured wounds. J Ortho Res, 2:269-271.
- Zempsky WT, Zehrer CL, Lyle CT, Hedblom EC: 2005: Economic Comparison of Methods of Wound Closure: Wound Closure Strips vs. Sutures and Wound Adhesives. Int Wound J, 2:272-281.



3M[™] Steri-Strip[™] Elastic Skin Closures

Designed to stretch and accommodate post-surgical edema, body movement and contours.

• Non-invasive design helps reduce scarring and the risk for infection as compared to sutures and staples, providing less tissue trauma and better cosmetic outcomes^{1,2}



- Soft, nonwoven backing for patient comfort
- Hypoallergenic adhesive
- Stretches with body movement or edema
- Less expensive than skin adhesives, sutures or staples³
- · Sterile, breathable and comfortable to wear

Suggested applications:

 Steri-Strip Elastic Skin Closures are ideal for highly contoured areas, where musculoskeletal movement or edema is expected

Cat. No.	Size	Strips/ Envelope	Envelopes/ Box	Boxes/ Case
3M [™] Steri-Stri	p [™] Elastic Skin Closures			
E4540	1/8 in. x 3 in. (3 mm x 75 mm)	5	50	4
E4541	1/4 in. x 3 in. (6 mm x 75 mm)	3	50	4
E4542	1/4 in. x 1-1/2 in. (6 mm x 38 mm)	6	50	4
E4546	1/4 in. x 4 in. (6 mm x 100 mm)	10	50	4
E4547	1/2 in. x 4 in. (12 mm x 100 mm)	6	50	4
E4548	1 in. x 5 in. (25 mm x 125 mm)	4	25	4
E4549	1/2 in. x 2 in. (12 mm x 50 mm)	6	50	4

- Pepicello J, Yavorek H: 1989: 5-year experience with tape closure of abdominal wounds. SG&O, 169:310-314.
 Hirshman HP, Schuman, DJ, Kajiyama, G: 1984: Penetration of Staphylococcus aureus into sutured wounds.
- J Ortho Res, 2:269-271. 3. Zempsky WT, Zehrer CL, Lyle CT, Hedblom EC: 2005: Economic Comparison of Methods of Wound
- Zempsky WT, Zehrer CL, Lyle CT, Hedblom EC: 2005: Economic Comparison of Methods of Wound Closure: Wound Closure Strips vs. Sutures and Wound Adhesives. Int Wound J, 2:272-281.

3M[™] Steri-Strip[™] Blend Tone Skin Closures

Deliver wound support with a less noticeable look.

- Light color blends with many skin tones for a cosmetically pleasing appearance
- Sterile, breathable and comfortable to wear



- Non-invasive design helps reduce scarring and the risk for infection as compared to sutures and staples, providing less tissue trauma and better cosmetic outcomes¹²
- Hypoallergenic adhesive
- Less expensive than skin adhesives, sutures or staples³

Suggested applications:

 Steri-Strip Blend Tone Skin Closures can be used when there is a need for a non-reinforced, gentle closure; It is barely noticeable and allows natural skin tone to show through, making it ideal for face and hand applications

	Envelopes/ Box	at. No. Size	Cat. No.
		M [™] Steri-Strip [™] Blend Tone Skin Closures	3M [™] Steri-St
) 4	50	1550 1/8 in. x 3 in. (3 mm x 75 mm)	B1550
) 4	50	1551 1/4 in. x 3 in. (6 mm x 75 mm)	B1551
) 4	50	1553 1/4 in. x 4 in. (6 mm x 100 mm)	B1553
) 4	50	1557 1/2 in. x 4 in. (12 mm x 100 mm)	B1557
) 4	50	1/2 in. x 2 in. (12 mm x 50 mm)	B1559
	50	1/553 1/4 in. x 4 in. (6 mm x 100 mm) 1557 1/2 in. x 4 in. (12 mm x 100 mm)	B1553 B1557

Ordering Information

- 1. Pepicello J, Yavorek H: 1989: 5-year experience with tape closure of abdominal wounds. SG&O, 169:310-314.
- Hirshman HP, Schuman, DJ, Kajiyama, G: 1984: Penetration of Staphylococcus aureus into sutured wounds. J Ortho Res, 2:269-271.
- Zempsky WT, Zehrer CL, Lyle CT, Hedblom EC: 2005: Economic Comparison of Methods of Wound Closure: Wound Closure Strips vs. Sutures and Wound Adhesives. Int Wound J, 2:272-281.

3M[™] Steri-Strip[™] Antimicrobial Skin Closures

Small, but effective way to help reduce the risk of surgical site infections on patients.

- Product's iodophor adhesive has broadspectrum activity against the most common pathogens causing SSIs³
- Non-invasive design helps reduce scarring and the risk for infection as compared to sutures and staples, providing less tissue trauma and better cosmetic outcomes^{1,2}
- the risk
- Excellent long-term adhesion
- Comfortable to wear
- Fast Application

Suggested applications:

 Steri-Strip Antimicrobial Skin Closures are ideal for use where additional antimicrobial activity is desired or for wound support following early suture or staple removal

Ordering Information

Cat. No.	Size	Strips/ Envelope	Envelopes/ Box	Boxes/ Case
3M [™] Steri-Strip	[™] Antimicrobial Skin Closures			
A1840	1/8 in. x 3 in. (3 mm x 75 mm)	5	50	4
A1841	1/4 in. x 3 in. (6 mm x 75 mm)	3	50	4
A1842	1/4 in. x 1-1/2 in. (6 mm x 38 mm)	6	50	4
A1846	1/4 in. x 4 in. (6 mm x 100 mm)	10	50	4
A1847	1/2 in. x 4 in. (12 mm x 100 mm)	6	50	4
A1848	1 in. x 5 in. (25 mm x 125 mm)	4	25	4

- Pepicello J, Yavorek H: 1989: 5-year experience with tape closure of abdominal wounds. SG&O, 169:310-314.
 Hirshman HP, Schuman, DJ, Kajiyama, G: 1984: Penetration of Staphylococcus aureus into sutured wounds. J Ortho Res, 2:269-271.
- 3. A 3M In Vitro Ioban" Study 05-010730 (2008), 3M Health Care.

3M[™] Steri-Strip[™] Wound Closure System*

Excellent cosmesis with 3M[™] Steri-Strip[™] Skin Closures combined with the bacterial and viral protection* of 3M[™] Tegaderm[™] Transparent Film Dressing.

- Waterproof barrier enables patients to shower
- Provides bacterial and viral protection**
- Quick and easy closure
- Non-invasive design helps reduce scarring and the risk for infection as compared to sutures and staples, providing less tissue trauma and better cosmetic outcomes^{1,3}
- Provides general wound support for increased tensile strength²
- Sterile, breathable and comfortable to wear
- May be worn up to 7 days

Suggested applications:

 Steri-Strip Wound Closure System* is conveniently packaged for arthroscopic surgeries and other applications; Ideal for wounds and incisions 2.5 cm or less

Cat. No.	Dressing Size	Steri-Strip Size	Dressing and Skin Closure Qty.	Envelopes/ Box	Boxes/ Case
3M [™] Steri-Strip [™] Wound Closure System*					
W8512	2-3/8 in. x 1-7/8 in. (60 mm x 47 mm)		1 each/envelope	25	4
W8514	2-3/8 in. x 1-7/8 in. (60 mm x 47 mm)		3 each/envelope	25	4
W8516	2-3/8 in. x 1-7/8 in. (60 mm x 47 mm)		5 each/envelope	25	4

Ordering Information

*Caution: The package of the 3M[™] Steri-Strip[™] Wound Closure System contains natural rubber latex which may cause allergic reactions.

**In vitro testing shows that the transparent film dressing provides a viral barrier from viruses 27nm in diameter or larger while the dressing remains intact without leakage.

References:

1. Pepicello J, Yavorek H: 1989: 5-year experience with tape closure of abdominal wounds. SG&O, 169:310-314.

2. Chao T-C, Tsaez F-Y: 1990: Paper tape in the closure of abdominal wounds. SG&O, 171:65-67.

 Hirshman HP, Schuman, DJ, Kajiyama, G: 1984: Penetration of Staphylococcus aureus into sutured wounds. J Ortho Res, 2:269-271.



3M[™] Steri-Strip[™] Compound Benzoin Tincture

3M[™] Steri-Strip[™] Compound Benzoin Tincture may be used to increase skin closure adhesion. Sterile tray packaging allows aseptic delivery.



Cat. No.	Description Each/Box		Boxes/Case		
3M [™] Steri-Strip [™] Compound Benzoin Tincture					
C1544	2/3 cc	40	4		

3M[™] Curos[™] Disinfecting Cap for Needleless Connectors

Consistent use of Curos disinfecting caps on I.V. needleless connectors is associated with decreased CLABSI. Curos caps are alcohol-containing caps that twist onto ports for disinfection and protection. Each Curos cap contains 70% isopropyl alcohol (IPA) which bathes the surface of the port and disinfects it in 1 minute.

- Disinfects in 1 minute protects ports for up to 7 days if not removed
- Twists on easily and stays securely in place on commonly used needleless connectors
- Brightly colored to help clinicians verify and measure compliance
- Dispensed as individual caps or on a convenient ten-cap strip which can be hung from I.V. poles for easy access
- In vitro testing shows effectiveness against the six microorganisms commonly associated with CLABSI: Staphylococcus aureus, Staphylococcus epidermidis, Escherichia coli, Pseudomonas aeruginosa, Candida glabrata and Candida albicans
- Meets 2016 Infusion Therapy Standards of Practice for add-on devices published by INS
- For single-use only

Suggested applications:

- Disinfect needleless connectors before line access
- Curos disinfecting caps may be used in the home or a health care facility
- 3-year shelf life please refer to product expiration date
- Use only on needleless connectors do not use on open female luers

Cat. No.	Description	Each/Box	Boxes/Case	Total Caps/Case		
3M [™] Curos [™] Disinfecting Caps for Needleless Connectors						
CFF1-270	Individual Caps	270	20	5,400		
CFF10-250	Strips (10 caps/strip)	25 Strips	20	5,000		

3M[™] Curos Jet[™] Disinfecting Caps for Needleless Connectors

3M[™] Curos Jet[™] Disinfecting Caps are the next-generation solution for needleless connector disinfection. Meeting the high-efficacy standards of all Curos port protectors, Curos Jet disinfecting caps utilize 70% isopropyl alcohol (IPA) to disinfect all critical surfaces of needleless connectors. Consistent use of Curos disinfecting caps on I.V. needleless connectors is associated with decreased CLABSI.



- Disinfects in 1 minute protects ports for up to 7 days if not removed
- Twists on easily and stays securely in place on commonly used needleless connectors
- Brightly colored to help clinicians verify and measure compliance
- A high profile makes the Curos Jet disinfecting cap easy to handle when wearing gloves
- Dispensed as individual caps or on a convenient five-cap strip which can be hung from I.V. poles for easy access
- In vitro testing shows effectiveness against the six microorganisms commonly associated with CLABSI: Staphylococcus aureus, Staphylococcus epidermidis, Escherichia coli, Pseudomonas aeruginosa, Candida glabrata and Candida albicans
- Meets 2016 Infusion Therapy Standards of Practice for add-on devices published by INS
- For single-use only

Suggested applications:

- Disinfect needleless connectors before line access
- Curos Jet disinfecting caps may be used in the home or a healthcare facility
- 3-year shelf life please refer to product expiration date
- Use only on needleless connectors do not use on open female luers

Cat. No.	Description	Each/Box	Boxes/Case	Total Caps/Case		
3M [™] Curos Jet [™] Disinfecting Caps for Needleless Connectors						
CFJ1-270	Individual Caps	270	20	5,400		
CFJ5-250	Strips (5 caps/strip)	50 Strips	20	5,000		

3M[™] Curos Tips[™] Disinfecting Cap for Male Luers

This specially designed Curos Tips disinfecting cap disinfects the critical surfaces and protects the distal end of I.V. tubing and other male luer devices. Meeting the high-efficacy standards of all



Curos port protectors, Curos Tips disinfecting caps utilize 70% isopropyl alcohol (IPA) to disinfect in 1 minute.

- Disinfects in 1 minute protects ports for up to 7 days if not removed
- Twists on easily and stays securely in place
- Unique design shields excess alcohol from entering lumen while providing sufficient flow of alcohol precisely where it is needed on the exposed exterior of the male luer
- Brightly colored to help clinicians verify and measure compliance
- Dispensed on a convenient five-cap strip which can be hung from I.V. poles for easy access
- In vitro testing shows effectiveness against the six microorganisms commonly associated with CLABSI: Staphylococcus aureus, Staphylococcus epidermidis, Escherichia coli, Pseudomonas aeruginosa, Candida glabrata and Candida albicans
- Meets 2016 Infusion Therapy Standards of Practice for add-on devices published by INS
- For single-use only

Suggested applications:

- Disinfect male luers
- Curos Tips disinfecting caps may be used in the home or a health care facility
- 3-year shelf life please refer to product expiration date

Cat. No.	Description	Total Caps/Case				
3M [™] Curos Tips [™] Disinfecting Cap for Male Luers						
CM5-200	Strips (5 caps/strip)	40 Strips	10	2,000		

3M[™] Curos[™] Disinfecting Caps for Tego[®] Hemodialysis Connectors

This specially designed Curos disinfecting cap is compatible* with Tego[®] Hemodialysis Connectors.

- Disinfects in 1 minute protects ports for up to 7 days if not removed
- Twists on easily and stays securely in place
- White Curos caps for Tego® Hemodialysis Connectors are easily distinguished from green caps for dedicated use on the Tego® connectors
- In vitro testing shows effectiveness against the six microorganisms commonly associated with CLABSI: Staphylococcus aureus, Staphylococcus epidermidis, Escherichia coli, Pseudomonas aeruginosa, Candida glabrata and Candida albicans

curos

- Meets 2016 Infusion Therapy Standards of Practice for add-on devices published by INS
- For single-use only

Suggested applications:

- Disinfect Tego[®] Hemodialysis Connectors before line access
- Curos disinfecting port protectors may be used in the home or a health care facility
- 3-year shelf life please refer to product expiration date
- Use only on Tego[®] Hemodialysis Connectors

Ordering Information

Cat. No.	Description	Each/Box	Boxes/Case	Total Caps/Case		
3M [™] Curos [™] Disinfecting Caps for Tego [®] Hemodialysis Connectors						
CTG1-270	Individual Caps	270	8	2,160		

*ICU Medical. "Tego Swab Recommendations and Compatibility with Disinfecting Caps," October, 2012.

Tego® is a registered trademark of ICU Medical, Inc. 3M[™] Curos[™] Disinfecting Caps are not affiliated with ICU Medical, Inc.

3M[™] Curos[™] Stopper Disinfecting Cap for Open Female Luers

Meeting the high-efficacy standards of all Curos[™] Disinfecting Port Protectors, Curos stopper caps utilize 70% isopropyl alcohol (IPA) to disinfect the critical surfaces of open female luers, prior to line access.

- Disinfects in 1 minute protects open female luers for up to 7 days if not removed
- Designed to luer lock onto a wide range of stopcocks and catheter hubs
- Unique cap design holds pressure to maintain a closed system
- Brightly colored to help clinicians verify and measure compliance
- Dispensed as individual caps or on a convenient five-cap strip which can be hung from I.V. poles for easy access
- In vitro testing shows effectiveness against the six microorganisms commonly associated with CLABSI: Staphylococcus aureus, Staphylococcus epidermidis, Escherichia coli, Pseudomonas aeruginosa, Candida glabrata and Candida albicans
- Addresses stopcock contamination concerns highlighted in the 2016 Infusion Therapy Standards of Practice published by INS
- For single-use only

Suggested applications:

- Disinfect open female luers (such as stopcocks and catheter hubs) before line access
- Curos stopper disinfecting caps may be used in the home or a health care facility
- 1-year shelf life please refer to product expiration date
- Use only on open female luers do not use on needleless connectors

Ordering	Information

Cat. No.	Description	Each/Box	Boxes/Case	Total Caps/Case		
3M [™] Curos [™] Stopper Disinfecting Cap for Open Female Luers						
CSA1-270	Individual Caps	270	8	2,160		
CSA5-250	Strips (5 caps/strip)	50 Strips	8	2,000		



3M[™] Wound Cleanser

Zinc-nutrient formulated, gentle wound cleanser in easy-to-use squeeze bottle.

- Low cytotoxicity potential, pH-balanced
- Gentle spray stream consistent with guidelines for safe and effective cleansing
- Fragrance-free, no-rinse formulation

Suggested applications:

- Pressure, venous, arterial and neuropathic (diabetic) ulcers
- Abrasions
- Superficial and partial-thickness burns
- Open surgical incisions
- Skin tears



Cat. No.	Description	Bottles/ Case	HCPCS Code
3M [™] Wound Cleanse	r		
91101	4 oz. (114 ml) squeeze bottle	12	A6260

3M[™] Reston[™] Self-Adhering Foam Products

Cushions and protects skin from damage.

- Versatile padding adheres well to a variety of surfaces
- Lightweight and conformable padding can be cut, layered and shaped, allowing it to be adapted for many applications
- Available in medium- and high-support pads or light-support foam roll to meet your application needs

Suggested applications:*

- Protect against skin damage from splints, casts and prostheses
- May be used as padding for devices such as beds, chairs and operating room tables

Cat. No.	Size	Pads/Box	Packages/ Case	HCPCS Code			
3M [™] Reston [™] Se	3M [™] Reston [™] Self-Adhering Foam Pads						
Medium Suppor	t: 7/16 in. thickness						
1560M	7-7/8 in. x 11-3/4 in. (20 cm x 29,8 cm)	10	5	E1399			
High Support: 15	High Support: 15/16 in. thickness						
1561H	7-7/8 in. x 11-3/4 in. (20 cm x 29,8 cm)	5	5	E1399			
3M [™] Reston [™] Se	If-Adhering Foam Rolls						
Light Support: 3	Light Support: 3/16 in. thickness						
1563L	4 in. x 196 in. (10 cm x 5 m)	1	5	E1399			

Ordering Information

*Product is not intended to be used as a pressure reducing device.

*Contraindications: This product is not to be used as a dressing in post-surgical treatment procedures such as liposuction. Such uses can result in damage to the skin such as blistering or tearing which may lead to hypopigmentation and the risk of serious infection.



3M[™] Reusable Cold/Hot Pack

A soft, gel-filled pack that can be used to provide hot or cold therapy.*

- Stores conveniently in home freezer, remaining pliable and ready to use
- Reusable for cost savings and convenience

Suggested applications:

• Providing hot or cold pain relief



Cat. No.	Size	Each/Box	Boxes/Case			
3M [™] Reusable Cold/Hot Pack						
1570 with covers	4 in. x 10 in.	2	10			
1572 Cover	4-3/4 in. x 10-1/2 in.	100	1			

Education Programs

To learn more or to register for self study modules or live webinars visit 3M.com/medicaleducation

3M[™] Health Care Academy

3M Health Care Academy offers continuing education for healthcare professionals. This professional training and education resource is dedicated to helping you focus on deepening your expertise and improving patient care. Our education includes: Ambulatory Surgery, Auscultation, Edema Management, Hand Hygiene, I.V. Site Care, Patient Monitoring, Professional Development, Skin & Wound Care, Sterilization & Monitoring, Surgical Solutions.



On-Demand Education

Register for on-demand courses to meet your need for continuing education. See and hear industry experts discuss topics of interest to you.



Product Training

Our instructional videos help you make the most of 3M Medical products.



Live Events

Earn free continuing education (CE) credits through live webinars or in-person seminars. See and hear industry experts discuss topics of interest to you.



Resources

Connect to healthcare guidelines, in-service articles and more, all organized by profession.



Continuing Education Contact Hours

CE contact hours provided to nurses through the California Board of Registered Nursing. Nurse participants may receive CE credit upon completion of education modules unless otherwise noted.

Faculty

The faculty is recognized clinical and scientific experts who develop and deliver education exploring timely topics in a way that allows participants to apply the learning in their clinical practice. Current science and evidence is highlighted to support their teaching.

Disclaimer

HCPCS codes have been provided to assist you in the preparation of insurance claims. Please note, however, that the reimbursement information provided by 3M Health Care and its representatives is intended to provide general information relevant to coverage and coding for 3M products. Insurers' reimbursement policies can vary and the use of the codes discussed here does not guarantee that an insurer will cover or pay at any particular level. Health care providers should exercise independent clinical judgment in choosing the codes which most accurately describe the products provided.

For more information

These resources, educational programs and services may be obtained through your 3M Critical & Chronic Care Solutions Representative. If you have questions regarding who your 3M Representative is, please call the 3M Health Care Customer Helpline at **1-800-228-3957**. Outside of the United States, contact the local 3M subsidiary. 3M's knowledgeable sales force is also available to facilitate these programs and to train health care professionals in the use of all 3M Critical & Chronic Care Solutions products.

Nexiva is a trademark of Becton, Dickinson and Company.

Tego is a registered trademark of ICU Medical.

3M, Blenderm, Cavilon, Coban, Curos, Curos Jet, Curos Tips, Durapore, Ioban, Medipore, Microfoam, Micropore, Multipore, Reston, Steri-Strip, Tegaderm, and Transpore are trademarks of 3M Company. Used under license in Canada.

Please recycle. Printed in U.S.A. © 3M 2005, 6/2016, 11/2016, 2/2017, 4/2017, 6/2017, 11/2017. All rights reserved. 70-2008-9592-1



Critical & Chronic Care Solutions Division 3M Health Care 2510 Conway Avenue St. Paul, MN 55144-1000 USA 1-800-228-3957 3M.com/C3SD 3M Canada P.O. Box 5757 London, Ontario N6A4T1 Canada 1-800-364-3577 3M.com/ca/healthcare