



■ **OVERLOAD INDICATION**

Scale overload. (max. weight capacity is indicated on the scale).
Please step off to avoid damage.



■ **LOW BATTERY INDICATION**

Battery power is low. Please install new battery.



■ **RE-TEST**

Display "L" when you step off the scale, means this weight reading with error. Please re-test.

⚠ **ADVISE FOR USE & CARE**


- 1.The glass platform will be slippery when it is wet. Keep it dry!
- 2.Keep standing still during the course of weighing.
- 3.DO NOT strike, shock or drop the scale.
- 4.Treat the scale with care as it is a precise instrument.
- 5.Clean the scale with a damp cloth and avoid water getting inside the scale.
DO NOT use chemical/abrasive cleaning agents.
- 6.Keep the scale in cool place with dry air.
- 7.Always keep your scale in horizontal position.
- 8.If failed to turn on the scale, check whether battery is installed, or battery power is low. Insert or replace new battery.
- 9.If there is error on display or can not turn off the scale for a long time, please take off the battery for about 3 seconds, then install it again to remove soft-fault.
If you can not resolve the problem, please contact your dealer for consultation.
- 10.Do not use it for commercial purpose.

doran[®]

INSTRUCTIONS FOR USE


Model: DS500

QUICK INSTALL VIDEO




Doran Scales, Inc.
883 Enterprise Ct., St. Charles, IL
www.doranmedical.com

■ BATTERY




Type 1. 1x3V lithium battery (CR2032). Please remove the isolation sheet from the battery contact before use.




Type 2. 2x1.5V AAA batteries (excluded)

■ TO REPLACE BATTERY




Condition 1: Open battery case cover on the back of scale, if battery case is the type shown in picture 1,

- A. Take out the used battery with the aid of a cuspidal object, as shown in picture 1.
- B. Install new battery by putting one side of the battery beneath the battery baffle and then pressing down the other side. Please take note to the polarity.




picture 1



picture 2

Condition 2: Open battery case cover on the back of scale, if battery case is the type shown in picture 2,


- A. Pull the black tab outwards and the battery will come out.
- B. Install new battery by putting one side of the battery beneath the contact and then pressing down the other side. Please take note to the polarity.



picture 3

Condition 3: Open battery case cover on the back of scale, if battery case is the type shown in picture 3,

- A. Press battery gently, the battery will pop up automatically.
- B. Install new battery by connecting one side of battery to the positive plate first, and then pressing down the other side. Please observe the polarity.



picture 4

Condition 4: Open battery case cover on the back of scale, if battery case is the type shown in picture 4,


- A. Take out the used batteries (with the aid of a cuspidal object, if needed)
- B. Install new battery by putting one side of the battery and then pressing down the other side. Please take note to the polarity.

■ OPERATION




Step 1: To make sure accuracy, place the scale on a hard, flat floor and avoid carpet or soft surface.

Remark: If the scale is one of our "slim" series (indicated on package), make sure to put it on hard surface such as marble, floor tile etc., and make sure no foreign bodies beneath the scale before weighing.



Step 2. Gently step on the scale, then the scale will be automatically turned on. Stand evenly on the scale without moving and wait until your weight shown on display is stable and locked.


■ AUTOMATIC SWITCH OFF




When you step off the scale, it will automatically switch off. Auto shut-off occurs if display shows the same weight reading for approximate 8 seconds.

■ TO CONVERT WEIGHT UNIT


If the scale is with both measuring system of Metric(kilograms) and Imperial (pounds, stones), you can convert weight unit as follow:



- Condition 1:** if the unit switch is inside battery case,
- A. Open battery case cover on the back of scale.
 - B. Pull up and down the unit switch to convert scale unit between kg-lb-st.



- Condition 2:** if the unit switch is on the back of the scale,
- A. Find unit switch on the back of scale.
 - B. Pull up and down the unit switch to convert scale unit between kg-lb-st.



- Condition 3:** if the unit switch is on the back of the scale,
- A. Find unit switch on the back of scale.
 - B. Press the unit conversion button when scale is power on, LCD shows current weight unit. Press the button again to convert weight unit.