



Task & Examination Light

Super Bright Spot®

Pre-focused spot available for OB/GYNs, urologists, family practitioners, hospital clinics and LDRs!

Using a 20-watt halogen bulb and a special optics system, Burton's Super Bright Spot® is virtually heat-free. Plus, the Super Bright Spot® is superior to fiber optic units in value, durable operation, large 4" - 5" (10 cm - 13 cm) spot size and a long 2000-hour bulb life. Due to its proven reliability, Burton offers an extraordinary five-year warranty on the Super Bright Spot®. The Super Bright Spot® is available with a sturdy, sag-resistant gooseneck and a floorstand or a universal wall mounting system for tighter spaces. The floor model's compact caster base provides exceptional utility and reliability.




The Right Light

PHILIPS
burton



Features

- 4" - 5" (10 cm -13 cm) spot size (much larger than fiber optic lights)
- Dichroic reflector filters out infrared to keep the beam cool
- High-quality, space-saving 4-caster base system – safe and flexible portable movement with locking feature in 2 of 4 casters



Summary of technical data	
Illuminance:	56,000 lux (5185 fc) at 18" (46 cm)
Color temperature:	3400 K (natural coloring)
CRI (Color Rendering Index):	98
Type of bulb	20-watt halogen bulb; 2000-hour bulb life
Power requirements:	120V model standard; 230 / 240V model available
Certifications/Approvals:	IEC/UL 60601-1 / IEC 60601-2-41 / IEC/EN 60601-1-2; CAN/CSA C22.2 601-1 M90 certified CE marked
Product warranty:	5-year limited warranty
Origin:	Assembled in USA

Note: The optical data are nominal values based on measurements calculated according to UL/IEC performance standards at 120V



Accessories
#0007000PK Super Bright Spot® Replacement Bulbs, 4/Box



Burton Medical Products
21100 Lassen Street Chatsworth, CA 91311
Phone: 818-701-8700 Fax: 818-701-8725
www.burtonmedical.com
© 2011 Burton Medical. All rights reserved. Product designs protected by copyright.
We reserve the right to change details of design, materials and finishes.

LIT-0002, Rev. 2