

Elemental Analysis Hair

Genova Diagnostics® Europe

Patient: **PETRA**

VAN DER VELDEN

DOB: January 10, 1975

Sex: F

MRN: 0001731439

Order Number: E5040734

Completed: January 06, 2012 Received: January 04, 2012 Collected: December 21, 2011 Route Number: A143007 Parkgate House 356 West Barnes Lane New Malden, Surrey KT3 6NB

63 Zillicoa Street Asheville, NC 28801 USA

Equilibrium Vital Health Centre Yatra W M Da Silveira Barbosa Amstelveenseweg 27

1st Floor

1054 MC, Amsterdam

Netherlands

Toxic Elements				
Element Re	eference R	ange	Reference Range in μg/g	
Aluminum	4.2		<= 17.3	
Antimony	0.007		<= 0.016	
Arsenic	0.0	73	<= 0.080	
Barium	0.31		<= 1.70	
Bismuth (⟨dl⟩		<= 0.178	
Cadmium	0.005		<= 0.022	
Gadolinium	0.0	005	<= 0.0005	
Lead	0.185		<= 0.700	
Mercury	0.70		<= 1.32	
Nickel	0.42		<= 0.55	
Rhodium (<dl< td=""><td></td><td><= 0.0005</td></dl<>		<= 0.0005	
Rubidium (0.002		<= 0.040	
Thallium (<dl< td=""><td></td><td><= 0.0004</td></dl<>		<= 0.0004	
Tin	0.064		<= 0.149	
Uranium	0.0	057	<= 0.0057	

		Ratios	
	Inside Range	Outside Range	Reference Range
Ca/Mg	22		5-29
Ca/P	7		1-9

	Nutrient Elemen	its
Element	Reference Range	Reference Range in µg/g
Calcium	832	192-1,588
Chromium	0.17	0.01-1.58
Cobalt	0.005	0.001-0.129
Copper	11	8-136
Iron	8.6	5.2-24.4
Magnesium	38	11-122
Manganese	0.17	0.04-1.93
Molybdenum	0.04	0.01-1.24
Phosphorous	111	104-206
Selenium	1.07	0.58-1.13
Sodium	4	14-426
Strontium	1.79	0.01-4.40
Sulfur	49,592	41,781-60,894
Vanadium	0.028	0.003-0.108
Zinc	188	119-245
	Reference Range	
Lithium (<dl>dl</dl>	<= 0.302
Potassium	5	<= 174


Commentary

This test has been developed and its performance characteristics determined by Genova Diagnostics, Inc. It has not been cleared or approved by the U.S. Food and Drug Administration.

Reference ranges are derived from a healthy adult population without hair treatments such as perms, dyes or bleach.

NOTE: Commentary is provided to the practitioner for educational purposes, and should not be interpreted as diagnostic or treatment recommendations. Comments regarding clinical significance for the various elements are based on endogenous concentrations. Hair Analysis is always a reflection of both endogenous levels and external contamination (elements on the hair surface), thus is considered a screen rather than a definitive diagnostic assessment of body burden.

The **Reference Range** is a statistical interval representing 95% or 2 Standard Deviations (2 S.D.) of the reference population. One Standard Deviation (1 S.D.) is a statistical interval representing 68% of the reference range population. Values between 1 and 2 S.D. are not necessarily abnormal. Clinical correlation is suggested. (See example below)



NOTE: The following comments regarding clinical significance for the elements tested in this profile are based on *endogenous* concentrations. It should be noted that Hair Analysis is a reflection of both endogenous levels *and* external contamination (elements on the hair surface), thus is considered a screen rather than a definitive diagnostic assessment of tissue levels. Confirmation of toxicity may be accomplished via blood or urine testing. Provocative challenge urine testing (with the use of a chelating agent) can reflect tissue stores from previous exposure, whereas non-provoked urine or blood tests will reflect current exposure.

NOTE: Hair iron, phosphorus, sodium, and potassium are generally not thought to reflect dietary intake or body stores of these elements; however, abnormal hair levels may be associated with certain drugs and clinical conditions. Elevated hair iron may be found in smokers, x- ray technicians and individuals with certain forms of cancer. Notably low or high hair phosphorus is consistent with abnormal calcium and/or magnesium metabolism. Hair phosphorus also is typically elevated with kidney dialysis, and may be depressed in chronic hepatitis. Regular swimming in pools can elevate hair sodium. Although hair levels of sodium and potassium may be clinically significant in the presence of cystic fibrosis, celiac disease, and hyperparathyroidism, hair levels do not generally reflect tissue concentrations of these elements.

Calcium (Ca) level is within the reference range. Hair Ca correlates with long term dietary intake, absorption from the GI tract and retention. The hair Ca level does not necessarily reflect current serum calcium or calcium ion concentrations and may not have a linear or direct relationship with tissue deposition or bone density.

Cobalt (Co) level is within the reference range.

Chromium (Cr) is within the reference range.

Iron (Fe) is within the reference range. Please refer to note at begining of commentary section.

Magnesium (Mg) is within the reference range.

Manganese (Mn) is within the reference range.

Molybdenum (Mo) is within the reference range.

Commentary

Phosphorus (P) is within the reference range. Please refer to note at begining of commentary section.

Potassium (K) is within the reference range. Please refer to note at beginning of commentary section.

Selenium (Se) is within the reference range.

Sodium (Na) is below the reference range. Please refer to note at beginning of commentary section.

Strontium (Sr) is within the reference range.

Sulfur (S) is within the reference range.

Vanadium (V) is within the reference range.

Zinc (Zn) is within the reference range.