



PROFESSIONAL USE ONLY

# Dermamelan Intimate

Anti-aging depigmentation method that provides a corrective, regulating action, achieving an affective result in the short and long term to correct hyperpigmentation of genital -perineal area, perianal area, mons pubis, inner thighs, and groins.

Intimate peeling	4ml / 0.34 fl. oz.
Intimate mask	7ml / 0.35 oz.
Intimate gel	50 g / 1.69 oz.
Crystal fiber mask	10ml / 0.34 oz.
Depigmenting gel cream	4ml /
Neutralizing spray	50ml /
Intimate Occlusive film	

HIGHLIGHTS:

- Acts in all phases of the melanogenesis process to remove the existing hyperpigmentation and prevent its recurrence (corrective, re pulating action).
- Acts on the inflammatory process
- Acts stimulating the renewal of the outermost skin layers, in addition to stimulating the ribroblasts, resoonsible for the formation of collagen and elastin

# Phase 1 - at clinic treatment

- 1 **Clean the area** with a gauze and lukewarm water.
- 2 **Apply mesoestetic mesolips protector** to protect the mucous membrane, labia minora and its outer area to avoid migration of the solution.
- 3 **Apply Dermamelan intimate peeling** (4 mL) over the area to be treated and spread evenly using a swab or a fan brush. It is recommended to apply several layers until the product is finished to maximise the results. Recommended exposure time: 7 min. Recommended order of application: inner thighs, mons pubis, groins, labia majora, and perianal area. Remove the product in the reverse order of application.
- 4 **Apply post-peeling neutralizing spray.**  
In case of residues, remove with a wet gauze and dry gently.
- 5 **Apply a large layer of 3-4 mm of Dermamelan intimate mask** (7 mL) over the area to be treated, using a spatula. All product should be applied. If necessary, apply again mesolips protector.
- 6 **Place Dermamelan intimate occlusive film** over the area treated to facilitate the action of the active ingredients. Its application generates an occlusive effect and avoids product migration out of the treated areas. The use of the disposable panties included in the pack prevents the product from staining and/or migrating.
- 7 **Once the film is applied**, the patient may return home. Leave on for 2 hours.

# Phase 2 - homecare application regimen

- 1 Remove **Dermamelan intimate occlusive film and Dermamelan intimate mask** after two hours following application at the clinic. Remove the mask with plenty of lukewarm water and using an intimate cleansing gel with an adequate pH.
- 2 Apply **crystal fiber intimate mask** over the area treated. It is recommended to apply it stretched out over a surface previously protected with a towel. Leave on for 10-15 minutes.
- 3 Apply at night, 48 hours after the end of the protocol at the clinic, one or two pulses of **dermamelan intimate home depigmenting gel cream**. Cover the area to be treated evenly. It is recommended to protect the intimate area using a panty-liner.

## > DEPIGMENTING ACTION



Reduction of pigmentation

## > BARRIER FUNCTION



Transepidermal water loss (TEWL\*)

# Mesoestetic® products

## PROFESSIONAL

- Dermamelan intimate pack (dermamelan intimate peeling, post-peel neutralizing spray, dermamelan intimate mask, dermamelan intimate occlusive film, post-procedure crystal fiber mask, and Dermamelan intimate gel.
- mesolips protector

## HOME CARE

- dermamelean intimate gel cream

## FITZPATRICK

- All

## INDICATIONS

- Anti-aging
- Intimate hyperpigmentation

## TREATMENTS

If patient wants to repeat protocol, it can be performed once every 3-4 months.

- Corrects and regulates Genital hyperpigmentation
- Strengthens and increases The elasticity of the area
- Protects and moisturises The vulvar epithelium
- Improves the barrier Function

## 1 Frequently asked questions

- **When will results be seen?** 70% - 80% of results are observed 45 days after office treatment, along with daily homecare treatment.
- **Depilation?** Hair removal or trim is recommended so the dermamelan intimate can reach the skin directly.
- **Shaving?** It is recommended that the hair is removed 2 days or at least 24 hours before dermamelan intimate.
- **Laser before treatment?** Total sessions must be completed 1 week prior to dermamelan intimate.
- **Waxing?** Should be done a minimum of 1 week before dermamelan intimate.
- **Laser or waxing after treatment?** Is recommended 3 weeks after dermamelan intimate. Note that external factors may trigger hyperpigmentation reappearance.
- **Sexual intercourse before?** 24 hours before dermamelan intimate.
- **Sexual intercourse after?** 1 week after dermamelan intimate.
- **Exercise?** May continue 24 hours after dermamelan intimate.
- **Active Herpes?** Treatment is not recommended/ has had herpes but not active- should use prophylactic treatment as it could reappear.
- **Hydroquinone?** Stop using 2 weeks before the procedure on the area to be treated.


## 2 Results




BEFORE



AFTER



BEFORE



AFTER

XTETIC™

EXCLUSIVE  
DISTRIBUTION



[xtetic.com/professional](http://xtetic.com/professional)