

VersaCap®, VersaBarb®, and Spigot Technology foxxlifesciences.com



- VersaCap® technology provides the flexibility of interchangeable top-connectors
- VersaCap® technology is offered in 38-430mm, 53B, 83B, and 120mm industry standard sizes
- Quick-connect adapters available for easy port changes
- · Leak-proof cap with replaceable gasket
- VersaCap® design enables stacking
- Available in a variety of configurations
- VersaCap[®], VersaBarb[®], and Spigots are autoclavable
- VersaBarb® offers a convenient solution for bottom-connections and can fit a variety of hose sizes
- Spigot offers two flow rates

Foxx Life Sciences has enhanced the features and benefits of the **EZ**grip[™] carboys and bottles by offering the VersaCap[®], VersaBarb[®], and state-of-the-art spigot technology. These three components expand the wide array of applications supported by the **EZ**grip[™] carboys and bottles.

Patented VersaCap® is leak-proof, has replaceable platinum-cured silicone gaskets, and provides the ultimate in top-connection flexibility. Open VersaCap® is compatible with a variety of adapter inserts, enabling users to quickly change the top connections of each carboy or bottle to match their application needs. VersaCap® offers large handles with finger grips that allow for easy tightening and opening. They are also stackable and are offered in 38-430mm, 53B, 83B (compatible with most carboys), and 120mm wide-mouth versions that fit exclusively on Foxx Life Sciences' 20L, 40L, and 75L EZFil® carboys.

Quick-connect hose barb options include quick-connect port combinations of two, three, and four, with 1/4" and 3/8" hose barb sizes, as well as molded-in hose barb options, available with $~1/\!\!\!/_8$, $1/\!\!\!/_4$, $1/\!\!\!/_6$, and $1/\!\!\!/_2$ sizes. The Clearview adapter is also available for users who need a crystal-clear window into the carboy for visualizing solution homogenization.

For bottom tubulation options, VersaBarb® provides flexibility in drainage, pump connection, filling bell, and automated equipment. VersaBarb® is available in 1/4", 3/8", 1/2", and 3/4" hose barb sizes. A 3/4" sanitary fitting **Versa**Barb® is also available to enable the EZgrip™ carboy to function as a supply reservoir to a larger system.

Foxx Life Sciences' **EZ**grip[™] carboy spigots have large levers that control two flow rates, one for continuous. locked flow and the other for a faster, manual flow. The spigot spout features 5/8" and 3/4" hose barbs, and a standard internal luer tape to fit a male barb adapter. The spigot body has internal threads with a hard stop to prevent over-tightening which may damage the seal.

All VersaCap®, adapters, VersaBarb®, and spigots are made from polypropylene, which may be autoclaved at 15 PSI and 121°C (250°F) for 20 minutes.



VersaCap® Technology

foxxlifesciences.com



VersaCap® 38-430mm

1,000	205-012	3-RLS			
	Cap, Close	d			
	Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk	
	38-430mm	n/a	n/a	4	

205-0124-RLS			
Cap, Open with closed adapter			
Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk
38-430mm	n/a	n/a	4

(i) (ii)	205-0129	9-RLS		
	Cap, Open	top with adap	ter, 1/4" HB x 2	
	Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk
	38-430mm	1/4"	n/a	4

04.01.48	205-012	8-RLS		
	Cap, Open	top with adap	ter, 1/8" HB x 3	
	Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk
	38-430mm	1/8"	n/a	4

HB = Hose Barb

	205-016	5-RLS			
	Cap, Vented top with 0.2 µm PTFE Membrane				
814.81.81.81.81	Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk	
	38-430mm	n/a	n/a	4	

(1) (1)	205-012	7-RLS		
	Cap, Open	top with adap	ter, 1/8" HB x 2	
	Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk
	38-430mm	1/8"	n/a	4

(%_{64}	205-015	2-RLS		
	Cap, Open top with adapter, ¼" HB x 2 and ½" HB x 1			
	Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk
	38-430mm	1/4" and 1/8"	n/a	4





VersaCap® Technology

foxxlifesciences.com



VersaCap® 53B



205-0313-RLS				
Cap, Close	ed			
Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk	
53B	n/a	n/a	2	



205-031	4-RLS			
Cap, Open with closed adapter				
Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk	
53B	n/a	n/a	2	



205-0317-RLS				
Cap, Open top with adapter, 1/8" HB x 2 and vent				
Cap Size	Hose Barb	No. of Quick	Qty/pk	
	Size	Connects		
53B	1/8"	n/a	1	



205-0318-RLS			
Cap, Open	top with adap	ter, 1/4" HB x 2 an	d vent
Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk
53B	1/4"	n/a	1



205-0319-RLS					
Cap, Open top with adapter, 5/16" HB x 2 and vent					
Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk		
53B	⁵ / ₁₆ "	n/a	1		



	205-034	5-RLS			
	Cap, Vente	d top with 0.2	µm Hydrophobic	Membrane	
)	Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk	
	53B	n/a	n/a	1	

205-33
Adapter, Cap Size
53B

205-333	1-KLS			
Adapter, C	losed			
Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk	
53B	n/a	n/a	1	



205-533	1-RLS		
Adapter, ¹	8" HB x 2 and	vent	
Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk
53B	1/8"	n/a	1



205-533	2-RLS			
Adapter, ¹ /	4" HB x 2 and	vent		
Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk	
53B	1/4"	n/a	1	



205-533	3-RLS		
Adapter, 5	/ ₁₆ " HB x 2 and	vent	
Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk
53B	5/ ₁₆ "	n/a	1

HB = Hose Barb



VersaCap® Technology foxxlifesciences.com



VersaCap® 83B



205-100	3-RLS			
Cap, Clos	sed			
Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk	
83B	n/a	n/a	2	



205-1007-RLS			
Cap, Open	Cap, Open top with adapter, 1/4" HB x 2 and Vent		
Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk
83B	1/4"	n/a	1



205-300	1-RLS		
Adapter, C	losed		
Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk
83B	n/a	n/a	1



205-300	3-RLS		
Adapter, 3/2 Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk
83B	3/8"	2	1



205-300	5-RLS		
Adapter, 3/4	%" HB x 3		
Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk
83B	3/8"	3	1

1515	205-300	6-RLS		
	Adapter, 1/2	" HB x 4		
	Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk
	83B	1/4"	4	1

205-300	7-RLS			
Adapter, 3/8" HB x 4				
Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk	
83B	3/8"	4	1	

205-500	1-RLS			
Adapter, 1/4	"HB x 2 and V	ent		
Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk	
83B	1/4"	n/a	1	

	205-5002-RLS					
	Adapter, 1/2" HB x 2 and Vent					
1	Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk		
	83B	1/2"	n/a	1		
		1015	4	9"	_	

208-300	1-RLS			
Adapter, Closed Clearview®				
Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk	
83B	n/a	n/a	1	



VersaCap® Technology

foxxlifesciences.com




VersaCap® 120mm




205-2003-RLS					
Cap, Closed					
Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk		
120mm	n/a	n/a	2		











	205-400	5-RLS		
i i	Adapter, 3/8" HB x 3			
	Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk
	120mm	3/8"	3	1

205-400	6-RLS		
Adapter, 1/2	" HB x 4		
Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk
120mm	1/4"	4	1

205-400	7-RLS		
Adapter, 3/4" HB x 4			
Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk
120mm	3/8"	4	1

205-400	8-RLS		
Adapter, EZ Top® adapter			
Cap Size	Hose Barb Size	No. of Quick Connects	Qty/pk
120mm	n/a	n/a	1

HB = Hose Barb



VersaBarb® and Spigot Technology

foxxlifesciences.com



VersaBarb® and Spigot Technology



A	225-4002	-RLS		
	VersaBarb [®] ,	Spigot fitting, w	∕ith ¼" HB	
	Hose Barb Size	Thread Diameter	Qty/pk	
	1/4"	1 1/8"	1	

8	225-4003	-RLS		
	VersaBarb®	, Spigot fitting,	with 3/8" HB	
	Hose Barb Size	Thread Diameter	Qty/pk	
	3/8"	1 1/8"	1	

225-4004	-RLS		
VersaBarb [®] ,	Spigot fitting,	with ½" HB	
Hose Barb Size	Thread Diameter	Qty/pk	
1/2"	1 1/8"	1	

HB = Hose Barb

225-4005	-RLS		
VersaBarb [®] , Spigot fitting, with ³ / ₄ " HB			
Hose Barb Size	Thread Diameter	Qty/pk	
3/4"	1 1/8"	1	

225-4006	-RLS			
VersaBarb [®] ,	VersaBarb®, Spigot fitting, with ¾" Sanitary Connector			
Hose Barb Size	Thread Diameter	Qty/pk		
n/a	1 1/8"	1		

halakah	225-1001-RLS Spigot, 2 Pack			
	n/a	1 1/8"	2	

We recommend testing for your specific application before use.





