


82.14 mm

Bluetooth Speaker



Instruction Manual

Bluetooth speaker SPORT

Thank you for choosing keychain bluetooth speaker, here's specific user manual for your reference in order to let you easily experience this product. It contains relevant product information and operation methods etc.. Please read the user manual carefully before use and keep for future reference.

Attentions

- In order to ensure proper use and good performance of the speaker, please read carefully and obey below points:
- Do not impact the speaker seriously.
 - Do not contact with benzene, thinner and other chemicals.
 - Please avoid direct light or heating appliance.
 - Do not open, repair it by yourself.
 - Do not listen with largest volume, in order to protect your ears.
 - Please classify with waste packaging, battery and used electronic products properly.


Technical parameter

- Bluetooth version: V2.1 + EDR
- Stereo audio sound
- output power: 2 w + 2 w
- bluetooth transmission distance : > 10m
- Distortion: < 10%
- SNR: > 75 db
- Frequency scope: 80Hz - 12KHz
- Power supply mode: built-in battery 1350mAh 3.7 V
- Audio input: bluetooth
- Net weight: 185g
- Unit size: Φ43mm*160mm
- Charging interface: Micro USB

1

Bluetooth speaker STEREO

Operation guide



- Turn speaker on/off (long press).
- Under bluetooth mode, press once to answer the phone, press twice to reject /hang up the phone call.
- Under bluetooth mode, press twice to dial back the latest phone call.
- Play/pause music (short press)
- Connect/disconnect bluetooth device (long press)

2

Bluetooth speaker PORTABLE

	<ul style="list-style-type: none"> • Volume up (short press) • Next song (long press)
	<ul style="list-style-type: none"> • Volume down (short press) • Previous song (long press)

Charging and low power indication

- When power is low, the red light flashes until shutdown.
- Charging indicator (use DC5V charging) : red light is on when charging; red light is off when full charge.

Operating environment

Bluetooth wireless signal transmission is greatly affected by the surrounding environment, such as metal, tree, the human body, wall and other obstacles that will absorb signals. So that will make some impact on transmission distance when in practical application.

FC CE RoHS

3

50.00 mm