



SAFETY DATA SHEET

1. Identification

Product Identifier	Red Action
Other means of identification	TMF-3420
Product code	
Recommended use	Red stain remover.
Recommended restrictions	Professional use only. Use as directed
Manufacturer information	
Company name	Truck Mount Forums
Address	1728 South Park Ct. Chesapeake VA 23320 USA
Telephone	(800) 949-7726
Emergency phone number	PERS (800) 633-8253 24-hour Emergency (800) 633-8253

2. Hazard(s) Identification

Physical hazards	Flammable Liquids	Category 3
Health hazards	Acute toxicity, oral	Category 4
	Skin irritation	Category 2
	Serious eye damage	Category 1
	Aspiration hazard.	Category 1
Environmental hazards	Not classified.	
OSHA defined hazards	None.	
Label elements		



Signal word	DANGER
Hazard statement	Flammable liquid and vapor. May be harmful if swallowed. Causes skin irritation. Causes eye irritation. May be fatal if swallowed and enters airways.

Precautionary statement	
Prevention	Keep away from heat/sparks/open flames/ hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/eye protection/face protection. Wash hands and exposed skin thoroughly after handling.
Response	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Wash with plenty soap and water. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction. Call a POISON CENTER/doctor/medical professional if you feel unwell. Specific treatment: See section 4 on the Safety Data Sheet). If skin irritation occurs, get medical advice/attention. Take off contaminated clothing and wash it before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. IF SWALLOWED: Immediately call a POISON CENTER/doctor/medical professional. Do NOT Induce vomiting.



SAFETY DATA SHEET

Storage	Store in a well-ventilated place. Keep cool. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None.
Supplemental information	None.

3. Composition/information on ingredients

Mixture Component(s)		
Chemical name	CAS number	%
2-propanol	67-63-0	15-25
Sodium metabisulfite	7681-57-4	1-10
Aqua ammonia	1336-21-6	1-10
Other components below reportable levels		65-85

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.
Eye contact	Rinse with water for at least 15 minutes. Remove contact lenses if present and easy to do so. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur. Only induce vomiting at the instruction of medical personnel.
Most important symptoms/effects, acute and delayed	Dermatitis. Rash. May cause an allergic skin reaction.
Indication of immediate medical attention and special treatment needed	Provide general support measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to the hospital. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Carbon dioxide (CO ₂). Dry chemical powder, sand, or earth may be used for small fires only.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source or ignition and flash back. This product is a poor conductor of electricity and can become electrostatically charged. If sufficient charge is accumulated, ignition of flammable mixtures can occur. To reduce potential for static discharge, use proper bonding and grounding procedures. During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protecting clothing must be worn in case of fire.
Fire-fighting equipment/instructions	In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	Flammable liquid and vapor.



SAFETY DATA SHEET

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapors or mists. Ensure adequate ventilation. Remove all sources of ignition. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources. Use only non-sparking tools. Take precautionary measures against static discharge. Keep combustibles away from spilled material.

Large spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.

Small spills: Absorb with earth, sand, or other non-combustible material and transfer to container for later disposal. Clean surface thoroughly to remove residual contamination.

Never return spills to original container for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the open environment. Avoid discharge into surface waterways and other areas not consistent with package labeling.

7. Handling and storage

Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Do not smoke. Use explosion proof equipment and non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Ground/bond container and equipment. Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
2-propanol	STEL	500 ppm 1,225 mg/m ³
	TWA	400 ppm 980 mg/m ³

US ACGIH Threshold Limit Values

Components	Type	Value
2-propanol	STEL	400 ppm
	TWA	200 ppm

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Determinant	Species	Sampling Time
2-propanol	40 mg/L	Acetone	Urine	End of shift at end of workweek.



SAFETY DATA SHEET

Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.
Individual protection measures, such as personal protective equipment	
Eye/face protection	Avoid contact with eyes. Wear safety glasses with side shields (or goggles).
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves. Nitrile and PVC rubber are recommended barrier materials
Other	Wear appropriate chemical resistant clothing. Use of a chemically-impervious apron is recommended.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	When using do not smoke or use chewing tobacco. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

9. Physical and chemical properties

Appearance	
Physical State	Liquid
Color	Colorless
Odor	Citrus
Odor threshold	Not available.
pH	7-9.
Melting/freezing point	22.5°F (-5.5°C) estimated.
Initial boiling point and boiling range	210°F (99°C) estimated.
Flash point	83.7°F (28.7 °C) (Literature-based estimation)
Evaporation rate	Not available.
Flammability	Not available.
Flammability Limits	
Upper	Not available.
Lower	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Specific gravity (water=1)	1.0
Solubility in water	Complete.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and reactivity

Reactivity	This product is stable and non-reactive under normal conditions of use.
Chemical stability	Material is stable under normal conditions. Store in a cool dark place.
Possibility of hazardous reactions	Hazardous polymerization does not occur.



SAFETY DATA SHEET

Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials.
Incompatible materials	Oxidizing agents, acids.
Hazardous decomposition products	Carbon dioxide, carbon monoxide.

11. Toxicological information

Information on likely routes of exposure

Ingestion	Do not ingest. May be harmful if swallowed.
Inhalation	Do not breathe vapors. May cause dizziness.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye damage. See Section 8 for personal protection.
Symptoms related to the physical, chemical and toxicological characteristics	Dermatitis. Rash.
Acute toxicity	May be harmful if swallowed.

Product Red Action (CAS mixture)		
	Route and Species	LD ₅₀ /LC ₅₀
Acute	Oral, rat	3,525 mg/kg (estimated)
Acute	Dermal, rabbit	>2,800 mg/kg (estimated)

*Estimates for product may be based on additional component data not shown

Skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory sensitization	Not available.
Skin sensitization	Not available.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not expected to be carcinogenic.
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)	Not Listed.
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity – single exposure	Not classified.
Specific target organ toxicity – repeated exposure	Not classified.
Aspiration hazard	May be fatal if swallowed and is aspirated (enters) airways.

12. Ecological information

Ecotoxicity		
Product Red Action (CAS mixture)		
Aquatic	Species	Test Thresholds
Crustacea	Daphnia magna	EC ₅₀ (48 hr): 265 estimated
Fish	Oncorhynchus mykiss	LC ₅₀ (96 hr): 35 estimated

*Estimates for product may be based on additional component data not shown

Persistence and degradability	No data available. Chemicals of the described classes are not expected to accumulate in an open, oxic environmental compartment
Bio-accumulative potential	Potential to bioaccumulation is expected to be low.



SAFETY DATA SHEET

Mobility in soil No data available. Moderate mobility expected in semi-saturated soils
Other adverse effects May be harmful to aquatic life under high-concentration or repeated exposure

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations Dispose in accordance with all applicable regulations
Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues/unused product Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner. (see: Disposal instructions).
Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may contain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

UN number UN1993
UN proper shipping name Flammable liquids, n.o.s. (Contains: Isopropanol)
Transport hazard class(es)
Class 3
Subsidiary risk -
Packaging group III
Special precautions for user Read safety instructions, SDS, and emergency procedures before handling.
Marine pollutant No
Special precautions for user
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code This product is not intended to be transported in bulk.
DOT Label/Placard



15. Regulatory information

US federal regulations
SARA 302 Extremely hazardous substance Not listed.
SARA 304 Emergency release notification Not listed.
SARA 311/312 Hazard Categories



SAFETY DATA SHEET

Immediate Hazard - Yes
Delayed Hazard – No
Fire Hazard – Yes
Pressure Hazard – No
Reactivity Hazard – No

SARA 313 (TRI reporting)

Not listed.

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986

This product is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to threshold determination and Safe Harbor notification (1/2019)

16. Other information, including date of preparation or last revision

Issue date 5/29/2019
Revision date
Version # 1
HMIS® ratings Health: 2
Flammability: 2
Physical hazard: 0



NFPA ratings Health: 2
Flammability: 2
Instability: 0



Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, and have been obtained from resources believed to be reliable. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal, and release and is not to be considered a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified by the text.

Revision information

First Issue