

TALAMEX

Aqualine







TALAMEX AQUALINE: Affordable quality

You are looking for an affordable boat, suitable for young and old and with a nice standard equipment? Then the Talamex Aqualine is the boat for you!

Talamex Aqualine inflatable boats are complete boats with a basic equipment. In the standard package of the Aqualine inflatable boats you will find: repair kit, sliding seat, paddles, stainless steel towing eyes, mooring line, stowbag, fender on the boats for extra protection and a hand pump. The boats are available with a slatted or air floor, in length ranging from 200 cm till 350 cm. On all boats is a 2 year warranty and all Talamex boats are CE certified by the Dutch Marine Inspection making them meet all European requirements!

A smart range

There are 3 different models available. All of high quality, but distinctive in the floor of the boat.

QLS Slatted floor:

Conveniently small packed and ready to go quickly.

QLA Air floor:

The inflatable floor and keel create a V-shape floor, which give the boat good sailing qualities.

QLX Aluminium floor:

The aluminium floor provides great strength and stability and is virtually maintenance-free.

Fully equipped



- ① Stainless Steel towing rings
- ② Rubbing strake
- ③ Long holding line for extra security
- ④ Aluminium paddles
- ⑤ Adjustable sliding seat
- ⑥ Minimum of 3 air chambers
- ⑦ Luxurious drainplug
- ⑧ 1100 decitex fabric
- ⑨ Solid endcones



Three chamber system

All Talamex Aqualine models have a minimum of 3 air-chambers for maximum security.



Luxurious drainplug

From the inside controlled sliding drainplug.



Adjustable seat

On severable positions adjustable sliding seat.



Rubbing strake

Rubbing strake around the boat which protects the floaters.



SS towing rings

Strong SS towing rings.



Aluminium paddles

Standard equipped with strong aluminium paddles.



Handpump

Boat comes with a double action handpump which brings the boat to the right pressure.



Safety line

Long safety line for extra security.

QLS-Slatted floor

QLS 200 230 250

The ideal tenderboat

The Talamex Aqualine QLS with slatted floor is a boat without an inflatable keel. The boat is quickly ready to go and can be packed conveniently. Thanks to the slatted floor, the boat is easy to roll up and light in weight. This makes launching very easy. The QLS-Slatted floor is very suited for shorter sailing trips or as tenderboat.



Boat type	Max. load weight (kg)	Max. engine in kW/HP	Max. persons (+1=child)	Number of air chambers	Length (cm)	Width (cm)	Tube diameter (cm)	Weight incl. paddles (kg)
QLS200	300	1,8/2,5	2	3	200	134	36	16,8
QLS230	325	2,9/4	2+1	3	230	134	36	18,8
QLS250	350	3,7/5	2+1	3	250	152	41	23,4

Comfortable and convenient

The Talamex Aqualine QLA with air floor is a boat with a keel. This creates a v-bottom that benefits the sailing characteristics. Thanks to the v-bottom it is possible to have the boat planing. In addition the inflatable bottom increases the sitting comfort and preparing the boat is easy. The ideal tender boat with excellent sailing characteristics.



Boat type	Max. load weight (kg)	Max. engine in kW/HP	Max. persons (+1=child)	Number of air chambers	Length (cm)	Width (cm)	Tube diameter (cm)	Weight incl. paddles (kg)
QLA230	350	2,9/4	2+1	3+1+1	230	134	36	23,8
QLA250	400	4,4/6	2+1	3+1+1	250	152	41	25,2
QLA270	410	4,4/6	3	3+1+1	270	152	41	27,8
QLA300	425	7,4/10	4	3+1+1	300	152	41	29,0
QLA350	490	11,0/15	5	3+1+1	350	180	45	40,0

QLX-Aluminium floor

QLX 250 270 300 350

Robust and comfort

The Talamex Aqualine QLX boat with aluminium floor is also equipped with an inflatable keel. Because of the keel, the boat has a V-shape bottom, that gives the boat excellent sailing and rowing characteristics. The aluminium floor ensures great firmness and stability and is maintenance-free. This boat is well suited to hang in the davits and as holiday boat. The aluminium floor takes more time to built then an air floor boat.



Boat typ	Max. load weight (kg)	Max. engine in kW/HP	Max. persons (+1=child)	Number of air chambers	Length (cm)	Width (cm)	Tube diameter (cm)	Weight incl. paddles (kg)
QLX250	400	4,4/6	2+1	3+1	250	134	42	32,0
QLX270	410	4,4/6	3	3+1	270	152	42	40,0
QLX300	425	7,4/10	4	3+1	300	152	42	46,0
QLX350	490	11,0/15	5	3+1	350	182	45	56,0

Electric outboard engines

TM 30 40 48 58 66

Combine your Talamex Aqualine with a Talamex electric outboard engine!

- Telescopic tiller with 5 forward and 3 reverse gears
- Suitable for fresh, brackish and salt water
- Immersion depth and infinitely adjustable steering pressure
- Battery charging control display
- Battery clamps



Article number	Description	Max. boatweight (kg)	Shaft length (mm)	Tiller	Weight (kg)
85.804.030	Talamex electric outboard engine TM30 12V	850	760	Telescopic	7,2
85.804.031	Talamex electric outboard engine TM40 12V	1.200	910	Telescopic	8,8
85.804.032	Talamex electric outboard engine TM48 12V	1.450	910	Telescopic	8,8
85.804.033	Talamex electric outboard engine TM58 12V	1.850	910	Telescopic	10,0
85.804.034	Talamex electric outboard engine TM66 12V	2.200	910	Telescopic	11,5
14.641.105	Talamex Battery Box with Quickfit connection 2x12V and battery tester for TM30/TM40				
14.641.106	Talamex Battery Box with Quickfit connection 2x12V and battery tester for TM48/TM58/TM66				
14.661.100	Talamex automatic battery charger 10A, 12/24V				



SPECIFICATIONS

Boat type	Floor	Max. load weight (kg)	Max. engine in kW/HP	Package size (cm)	Package size floor (cm)	Max. persons (+1=child)	Number of air chambers	Length (cm)	Width (cm)	Tube diameter (cm)	Weight incl. paddles (kg)
QLS200	Slatted	300	1,8/2,5	96 x 40 x 30		2	3	200	134	36	16,8
QLS230	Slatted	325	2,9/4	96 x 50 x 30		2+1	3	230	134	36	18,8
QLS250	Slatted	350	3,7/5	100 x 50 x 30		2+1	3	250	152	41	23,4
QLA230	Air	350	2,9/4	96 x 50 x 30		2+1	3+1+1	230	134	36	23,8
QLA250	Air	400	4,4/6	100 x 50 x 30		2+1	3+1+1	250	152	41	25,2
QLA270	Air	410	4,4/6	100 x 55 x 35		3	3+1+1	270	152	41	27,8
QLA300	Air	425	7,4/10	105 x 55 x 40		4	3+1+1	300	152	41	29,0
QLA350	Air	490	11,0/15	115 x 60 x 40		5	3+1+1	350	180	45	40,0
QLX250	Aluminium	400	4,4/6	100 x 50 x 25	80 x 65 x 6	2+1	3+1	250	134	42	32,0
QLX270	Aluminium	410	4,4/6	100 x 55 x 30	80 x 65 x 10	3	3+1	270	152	42	40,0
QLX300	Aluminium	425	7,4/10	105 x 55 x 35	85 x 65 x 10	4	3+1	300	152	42	46,0
QLX350	Aluminium	490	11,0/15	115 x 60 x 35	100 x 65 x 10	5	3+1	350	182	45	56,0

The complete range of Inflatable boats Talamex consists of the following models.
Ask your dealer for more information or visit www.talamexinflatables.com



Talamex Marine Products by Lankhorst Taselaar - P.O. Box 502 - 8200 AM Lelystad - The Netherlands
Tel: +31 (0)320 27 46 11 - E-mail: sales@lankhorst-taselaar.nl - www.talamexinflatables.com