

TALAMEX

Comfortline







TALAMEX COMFORTLINE: quality is the base

You are looking for a well equipped boat with excellent sailing characteristics for an honest price? Then the Talamex Comfortline is thé boat for you!

In the standard package of the Talamex Comfortline boats is amongst others: repair kit, aluminum seatbench, oars, towing D-rings, lifting eyes, landing line and a pressure relief valve. The boats are available with a slatted-, air- and aluminium floor and as a RIB, varying in length from 200 up to 350 cm. On all boats is a 2 year warranty and all Talamex boats are CE certified by the Dutch Marine Inspection making them meet all European requirements!

A varied selection

There are 4 different models available. All high quality but distinctive in the floor and bottom of the boat.

- | | |
|----------------------|---|
| TLS Slatted floor: | Boat with slatted floor and without inflatable keel. Easy to stow and ready to sail quickly. |
| TLA Air floor: | Air floor and inflatable keel provide sharp V-shape. A true allrounder. |
| TLX Aluminium floor: | The aluminium floor provides large firmness and stability and is virtually maintenance free. |
| TLRA Aluminium RIB: | Boat with a fixed aluminium floor. Very strong, light-weight, stable and highly manoeuvrable. |

Fully equipped



- ① SS towing D-rings
- ② Rubbing strake
- ③ Handles
- ④ High shear
- ⑤ Aluminium oars
- ⑥ Safety line for extra security
- ⑦ Pressure relief valve
- ⑧ Adjustable aluminium seatbench
- ⑨ Plastic handle with cleat
- ⑩ Anti spray flaps
- ⑪ Extra handle on end cones
- ⑫ Solid end cones



Three chamber system

All Talamex Comfortline models have a minimum of 3 air chamber for maximum security.



Luxurious sliding drainvalve

From the inside controlled sliding drainvalve.



Massive rubbing strake

Strong massive rubbing strake



Handgrip

High quality double functional handles thanks to the built in cleats.



SS towing D-rings

Strong SS towing D-rings.



Pressure relief valve

Your boat is protected against damage from excess pressure thanks to the smart pressure relief valve.



Aluminium oars

Standard equipped with strong aluminium oars.



Aluminium seatbench

The aluminium seatbench is adjustable, light weight and maintenance free.

The tenderboat

The Talamex Comfortline TLS boat with slatted floor is a boat without inflatable keel. This boat is quickly made ready to sail and can be packed quick and small so that the boat can be easily stowed away on board. Thanks to the slatted floor, the boat is easy to roll up and light weight. This makes launching very easy and without much effort. Due to the lack of a V-bottom this boat is less suitable for longer distances motorized trips.



Boat type	Max. load weight (kg)	Max. engine in kW	Max. engine in PK	Max. engine weight (kg)	Max. Passengers (+1=Child)	Number of air chambers	Length x Width (cm)	Tube diameter (cm)	Weight incl. oars (kg)	Transom height
85.912.020 TLS200	300	1,8	2,5	20	2	3	200 x 134	36	21	short
85.912.030 TLS230	325	2,9	4,0	25	2 + 1	3	230 x 134	36	23	short

Excellent dinghy

The Talamex Comfortline TLA boat with air floor is a boat with inflatable keel and bottom. Because of this, the boat is light weight, has small package dimensions and has excellent sailing and rowing characteristics. In addition, the air floor increases the sitting-comfort and makes the building of the boat very easy. The Talamex Comfortline TLA boat with air floor is excellent to use as a dinghy or cruiser yacht



Boat type	Max. load weight (kg)	Max. engine in kW	Max. engine in PK	Max. engine weight (kg)	Max. Passengers (+1=Child)	Number of air chambers	Length x Width (cm)	Tube diameter (cm)	Weight incl. oars (kg)	Transom height
85.912.230 TLA230	372	3,7	5	30	2+1	3+1+1	230 x 134	36	25	short
85.912.250 TLA250	400	4,4	6	30	2+1	3+1+1	250 x 152	42	28	short
85.912.300 TLA300	465	11,0	15	50	4	3+1+1	300 x 152	42	37	short
85.912.350 TLA350	696	14,7	20	60	5	3+1+1	350 x 172	45	46	short

Robust and comfort

The Talamex Comfortline TLX boat with aluminium floor is also equipped with an inflatable keel. Because of the keel, the boat has a V-shape bottom, that gives the boat excellent sailing and rowing characteristics. The aluminium floor ensures great firmness and stability and is maintenance-free. This boat is well suited to hang in the davits and as holiday boat. The aluminium floor takes more time to built then an air floor boat.



Boat type	Max. load weight (kg)	Max. engine in kW	Max. engine in PK	Max. engine weight (kg)	Max. Passengers (+1=Child)	Number of air chambers	Length x Width (cm)	Tube diameter (cm)	Weight incl. oars (kg)	Transom height
85.912.450 TLX250	400	4,4	6	30	2+1	3+1	250 x 152	42	35	short
85.912.500 TLX300	465	11,0	15	50	4	3+1	300 x 152	42	49	short
85.912.550 TLX350	696	14,7	20	60	5	3+1	350 x 172	45	59	short

Best of both worlds

The Talamex Comfortline TLRA RIB has a fixed aluminium hull. This makes the boat very fast and manoeuvrable, strong and stable. An ideal boat for the davits. The Talamex Comfortline TLRA RIB is the boat for everyone who wants to sail fast and comfortable.



Boat type	Max. load weight (kg)	Max. engine in kW	Max. engine in PK	Max. engine weight (kg)	Max. Passengers (+1=Child)	Number of air chambers	Length x Width (cm)	Tube diameter (cm)	Weight incl. oars (kg)	Transom height
85.912.771 TLRA270	370	7.4	10	45	3+1	3	270 x 163	42	38	short

SPECIFICATIONS

Boat type	Floor	Max. load weight (kg)	Max. engine in kW/HP	Package size (cm) without accessories	Package size floor (cm)	Max. persons (+1=child)	Number of air chambers	Length (cm)	Width (cm)	Tube diameter (cm)	Weight incl. oars (kg)
85.912.020 TLS200	Slatted	300	1,8/2,5	95 x 47 x 22		2	3	200	134	36	21
85.912.030 TLS230	Slatted	325	2,9/4,0	95 x 53 x 22		2+1	3	230	134	36	23
85.912.230 TLA230	Air	372	3,7/5,0	97 x 58 x 24		2+1	3+1+1	230	134	36	25
85.912.250 TLA250	Air	400	4,4/6,0	100 x 54 x 25		2+1	3+1+1	250	152	42	28
85.912.300 TLA300	Air	465	11,0/15,0	102 x 55 x 24		4	3+1+1	300	152	42	37
85.912.350 TLA350	Air	696	14,7/20,0	116 x 60 x 30		5	3+1+1	350	172	45	46
85.912.450 TLX250	Aluminium	400	4,4/6,0	100 x 54 x 25	80 x 65 x 6	2+1	3+1	250	152	42	35
85.912.500 TLX300	Aluminium	465	11,0/15,0	102 x 55 x 24	85 x 55 x 10	4	3+1	300	152	42	49
85.912.550 TLX350	Aluminium	696	14,7/20,0	116 x 60 x 30	100 x 65 x 10	5	3+1	350	172	45	59
85.912.771 TLRA270	Aluminium	370	7,4/10,0	220 x 100 x 50		3+1	3	270	163	42	38

Electric Outboard Engines

TM 30 40 48 58 66 86

Combine your Talamex Aqualine with a Talamex electric outboard engine!

- Telescopic tiller with 5 forward and 3 reverse gears
- Suitable for fresh, brackish and salt water
- Immersion depth and infinitely adjustable steering pressure
- Battery charging control display
- Battery clamps



Article number	Description	Max. boatweight (kg)	Shaft length (mm)	Tiller	Weight (kg)
85.804.030	Talamex electric outboard engine TM30 12V	850	760	Telescopic	7,2
85.804.031	Talamex electric outboard engine TM40 12V	1.200	910	Telescopic	8,8
85.804.032	Talamex electric outboard engine TM48 12V	1.450	910	Telescopic	8,8
85.804.033	Talamex electric outboard engine TM58 12V	1.850	910	Telescopic	10,0
85.804.034	Talamex electric outboard engine TM66 12V	2.200	910	Telescopic	11,5
85.804.035	Talamex electric outboard engine TM86 24V	2.500	910	Telescopic	12,5
85.804.026	Eyeterminal wire kit (optional)				
85.922.215	Bracket for electric outboard engine				
14.641.105	Talamex Battery Box with Quickfit connection 2x12V and battery tester, 30A				
14.641.106	Talamex Battery Box with Quickfit connection 2x12V and battery tester, 50A				
14.661.100	Talamex automatic battery charger 10A, 12/24V				

Mariner Outboard Engines

F2.5M F3.5M F4M F5M F6M F8M F9.9M

Mariner has a great reputation with its outboard engines. As reliable as the engines of Mariner there are few other brands. Just carefree years sailing pleasure.

The Mariner range at LankhorstTaselaar starts at the light 2,5HP engines for smaller boats to the heavier four stroke engines for larger boats! So there is always a model that fits your use and type of boat.

Article number	Description	Engine power in kW	Engine power in PS
98.000.120	Mariner F 2.5 M	1,9	2,5
98.000.121	Mariner F 3.5 M	2,6	3,5
98.000.123	Mariner F 4 M	2,9	4,0
98.000.126	Mariner F 5 M	3,7	5,0
98.000.128	Mariner F 6 M	4,4	6,0
98.000.130	Mariner F 8 M	5,9	8,0
98.000.131	Mariner F 9.9 M	7,3	9,9



Accessories Mariner Outboard Engines

Article number	Description
81.211.105	Jerrycan fuel black 5l (264 x 140 x 246mm)
81.211.110	Jerrycan fuel black 10l (325 x 165 x 318mm)
81.211.120	Jerrycan fuel black 20l (389 x 213 x 388mm)
18.702.012	Carry can fuel 12l (260 x 460 x 220mm)
18.702.000	Carry can fuel 22l (320 x 540 x 235mm) with indicator
18.702.023	Carry can fuel 22l (320 x 540 x 235mm)
18.702.030	Carry can fuel 30l (360 x 500 x 230)
91.101.810	Outboard Cover XXS for 2,5-5HP (LxWxH: 40 x 25 x 30cm)
91.101.811	Outboard Cover XS for 2,5-15HP (LxWxH: 48 x 27 x 33cm)
18.701.001	Fuel hose with pump ball - 2m, Ø 9,5mm (3/8")
75.460.100	Tiller extension for outboards 60-120cm, Ø 25-30mm
42.130.100	Outboard motor lock with stainless steel AISI 316 cylinder lock. Dim.: 300 x 40 x 35mm



Accessories

Article number	Description
85.922.108	Seatbag with cushion grey - 120x20cm
85.922.109	Seatbag with cushion grey - 105x20cm
85.922.110	Seatbag with cushion grey - 100x20cm
85.922.111	Seatbag with cushion grey - 90x20cm
85.922.112	Seatbag with cushion grey - 85x20cm
85.922.113	Seatbag with cushion grey - 80x20cm
94.100.020	Drybag 5L
94.100.021	Drybag 10L
94.100.022	Drybag 15L
85.922.123	Pressure gauge for handpump
85.922.040	Handpump standard valve Talamex
85.922.214	Anchor line holder for inflatable boat




Accessories

Article number	Description
77.203.001	Folding anchor 1,5kg
77.203.002	Folding anchor 2,5kg
77.203.003	Folding anchor 3,2kg
77.203.004	Folding anchor 4kg
77.203.006	Folding anchor 6kg
79.625.102	Boarding ladder for inflatables aluminium 2 steps
79.625.103	Boarding ladder for inflatables aluminium 3 steps
85.540.174	Transporträder Spiegelmontage
81.101.829	Boatcover Maxi Tender (300-360cm)
81.101.830	Boatcover Tender (240-300cm)
81.101.831	Boatcover XXS (420-480cm). (Boatwidth max. 180cm)
81.101.832	Boatcover XS (420-480cm). (Boatwidth max 229cm)
85.930.200	Aluminium pole for boat covers 60-100cm



The complete range of Inflatable boats Talamex consists of the following models.
Ask your dealer for more information or visit www.talamexinflatables.com



Talamex Marine Products by Lankhorst Taselaar - Komeet 13 - 8448 CG Heerenveen - The Netherlands
Tel: +31 (0)320 27 46 11 - E-mail: sales@lankhorst-taselaar.nl - www.talamexinflatables.com