



LCOS - Lincat Lynx 400 Slim Convection Oven - W 405 mm - D 570 mm - 2.5 kW

Lynx 400 Series Slim Convection Oven
2.5kW accommodates 4 x 1/2
gastronorms.

- ✔ Powerful fan assisted cooking for uniform heat, and consistent cooking results
- ✔ Powerful 2.5kW oven allows rapid heat up time
- ✔ Accommodates 4 x 1/2 gastronorms placed directly on shelf runners
- ✔ Easy plug and play operation - 13A plug
- ✔ Temperature range 50 - 250°C
- ✔ Simple dial controls with 60 minute timer enabling accurate cooking time
- ✔ Side opening door with double glazed glass viewing panel, for energy efficiency, and cool touch door
- ✔ Two removable chromed rod shelves
- ✔ User-replaceable inner door glass, light bulb and door seal

Specifications

Summary		Power and Performance	
Brand	Lincat	Total Power kW	2.5
Range	Lynx 400	Temperature Range °C	50-250
Power Type	Electric	IP Rating	IP24
Unit Type	Counter-top	Controls Position	Lower front
Available in UK Only	No	Temperature Control	Mechanical
UK Warranty	2 Years Parts and Labour Warranty	Timer Range mins	60
Export Warranty	Contact your local dealer		
GTIN	5056105118688		

Key Specifications		Capacity	
Stackable	No	Gastronorm Capacity	4 x GN1/2
Feet Height/Type	14mm/Rubber	Shelf Spacing mm	80
Continuous Plug-In Door Seal	No	Capacity Litres	40.23
Removable Inner Door Glass	Yes		
Handle Type	Grab		
Vented Door	Yes		
Reversible Door	No		
Door Type	Left Hinged		
Phased Cooking	No		
Shelf Timer(s) (Number)	No		
Grill Element/Mode	No		
Core Temp Probe	No		
Steam Injection	No		
Fan(s) Speed	1		
Fan(s) Type	Single direction		
Number of Fan(s)	1		
Removeable Shelf Guides	Yes		
Manual Mode	Yes		
Programmable	No		
Timer Type	Mechanical		
Number of Shelves included	2		
Number of Shelf Positions	4		
Type of Lighting	Filament Bulb		
Construction/Finish	Stainless Steel		
GN Compatible	Yes		




Weights and Dimensions		Supply Connections	
Unit Height (External) mm	520	Requires Installation	No
Unit Width (External) mm	405	Requires Electrical Supply	Yes
Unit Depth (External) mm	570	UK 3 Pin Plug	Yes
Height (Internal) mm	362	Requires Hardwiring	No
Width (Internal) mm	285	Electrical Supply Rating Watts	2,500
Depth (Internal) mm	390	Single Phase Amps	10.9
Shelf Dimensions Width mm	288	Single Phase Voltage	230
Shelf Dimensions Depth mm	326	USB Port	No
Net Weight Kg	28.4		

Shipping	
Packed Weight Kg	31.24
Packed Height cm	60
Packed Width cm	53
Packed Depth cm	71

Available Accessories

SH140 Shelf for LCOS ovens 288mm x 330mm

Technical Picture



Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm