



modul◀on

-  modul◀on cappuccino
Table top module for fresh milk
-  modul◀on cups
Table top module cups, lids, drawers
-  modul◀on dispenser
Table top module teabag and infusion bag dispenser
-  modul◀on water
Table top module water tanks, cups, drawers, lids
-  modul◀on change giver
Table top module change giver

side◀

-  side◀lids
Free standing lid dispenser
-  side◀dispenser
Free standing teabag and infusion bag dispenser



black colour

silver colour

black colour


silver colour

please contact our sales department to verify compatibility with specific models

An easy and flexible system which allows to create desired modul_<on configuration.

Each modul_<on can be identified thanks to a nomenclature system based on the single elements which compose the module itself. This solution ensures an easy way to recognize the set up of the selected module in every phase of the process, from the order to its production and shipment, from installation to maintenance.

Thanks to our configuration system, it is also possible to identify the coffee machine models which can be paired with our modules and where to place them.



A range of modular solutions with specific functions, ideal for coping with every need. 5 module families designed to combine with rheavendors table top machines.

From different size cups to drawers, from water tanks to fresh milk machines, from lid and teabag dispensers to change givers...

No matter what you or your customers need, our modul^{on} systems and machines ensure that the end user enjoys an exclusive, high performance product range.

Available in black and silver colour.



 modul◀on cappuccino
Table top module for fresh milk

Refrigerated unit with 4-liter tank for the conservation of fresh milk and the preparation of fresh milk based drinks. To be placed at the right side of the machine only.





modul^{on} cups

Table top module cups, drawers, lids

Modular configuration for lids and cups of 57mm, 70mm and 80mm in diameter, with drawers for sugar packets and stirrers. Option of placing the module either on the right or left side of the machine.





modul^{on} dispenser

Table top module teabag and infusions bag dispenser

Spiral modules for the dispensing of teabags and infusion bags. The 2 lower areas are fixed, while the 2 upper ones can be configured either for lids, cups, drawers or both for teabags. It can be placed on the right or left side of the coffee machine.





modul^{on} water

Table top module water tanks, cups, drawers, lids

Water tank modules with a maximum capacity of 7 liters (2 tanks of 3.5 liters each). It can also be configured with a 3.5-liter tank (always placed in the lower area), and with 2 configurable upper areas either for lids, cups or drawers. It can be placed on the right or left side of the coffee machine.



 modul^{on} change giver
Table top module change giver

Module with change giving functions. To be placed on the right side of the coffee machine only.



modul_{on}

The modul_{on} system is designed to optimize internal cabinet space.



side

Free standing modules

A range of modules for perfectly combining free standing machines for the best possible customer experience. Two families are available: lid dispensers and teabag/infusion bag dispensers.



side < lids + luce x2



side < lids + luce x2 touchTV



side < dispenser + luce X2 touchTV

 side  lids
Free standing lid dispenser

Module for the dispensing of 80mm cup lids. Available in black and silver colour. To be placed on the left side of the hot beverage machine only.



LD80 - 9005 - L



LD80 - 9006 - L



side  dispenser

Free standing teabag and infusion bag dispenser

Free standing modules for the dispensing of teabags and infusion bags, with 14 spirals. Available in black and silver colour. To be placed on the left side of the hot beverage machine only.



T7 - 14 - 9005 - L



T7 - 14 - 9006 - L



modul^{on} cappuccino

Technical Data	
Height (mm)	525
Depth (mm)	440
Width (mm)	237
Weight (kg)	26,2
Electrical supply	230V-50/60Hz - 120V-60Hz
Total power (W)	1300
Fridge power (W)	80
Refrigerant gas	R 134 A

Capacity	
Max milk capacity (l)	4l

Colour	
Front	black or silver

It can be combined with iEC anti-guarde.



modul^{on} water

Technical Data	
Height (mm)	525
Depth (mm)	410
Width (mm)	150
Weight (kg)	12
Electrical supply	24VDC

Capacity	
Water (l)	2 tanks x 3,5 l

Colour	
Front	black or silver

Configuration
Modular with drawers, cups and lids for coffee to-go.



modul^{on} cups

Technical Data	
Height (mm)	525
Depth (mm)	400
Width (mm)	150
Weight (kg)	12

Capacity	
Cups ø 57 mm - paper	50
Cups ø 57 mm - plastic	90
Cups ø 70 mm - paper	40
Cups ø 70 mm - plastic	60
Cups ø 80 mm - paper	from 28 to 48
Capacity can vary according to the pitch of the cups.	

Colour	
Front	black or silver

Configuration
4 modular spaces with drawers, cups and lids for coffee to-go at your choice.



modul^{on} dispenser

Technical Data	
Height (mm)	525
Depth (mm)	419
Width (mm)	150
Weight (kg)	15
Electrical supply	24VDC

Capacity	
1" drawer - tea bags	15
2" drawer - tea bags	15
3" drawer - tea bags	15

Colour	
Front	black or silver

Configuration
Modular with drawers, cups and lids for coffee to-go.



modul^{on} change giver

Technical Data	
Height (mm)	525
Depth (mm)	400
Width (mm)	150
Weight (kg)	12,5
Electrical supply	24VDC

Capacity	

Colour	
Front	black or silver

Arranged for coin mechanisms in executive or M&B protocols

Last update 01/2019



side  lids

Technical Data	
Height (mm)	1850
Depth (mm)	640
Width (mm)	225
Weight (kg)	30
Electrical supply	24VDC
Power (W)	20

Capacity	
Lids	200

Colour	
Front	black or silver

To be placed on the left of the hot beverages machine.



side  dispenser

Technical Data	
Height (mm)	1850
Depth (mm)	750
Width (mm)	268
Weight (kg)	88
Electrical supply	24VDC
Power (W)	55

Capacity	
No. of drawers	7
No. of spirals per drawer	2
Max no. of selections	14
Max no. bags per spiral	33

Colour	
Front	black or silver

To be placed on the left of the hot beverages machine.

Last update 01/2019



rheavendors group

via Trieste, 49 - 21042 Caronno Pertusella (VA) Italy
tel: +39 02 966551 fax: +39 02 9655086
e-mail: rheavendors@rheavendors.com
www.rheavendors.com