


Project: W4S_TopJob_Lighting_Distribution
Configuration: 18 Plugs
Path: /W4S_TopJob_Lighting_Distribution
Link: https://configurator.wago.com/index.html?function=loadproject&projectid=425956&date=20240325130127
Version: A [25.03.2024 - 07:01:27 (CET 25.03.2024 - 13:01:27)]

WAGO Item number: 8001-0099/Z002-8599

Comments: Slots open & centered
Cut to needed length use 16 AWG on all the wire jumpers below p/n 80399009
See "Word Document" to show how to do the wiring on this assembly.

Preview:



Please note: The illustrations are simplified and may not be strictly true to reality, so that there may be display inaccuracies such as overlays. The same applies to technical data, e.g. dimensions, color or weight, for which we cannot vouch.


Product Data:

Dimensions (L x W x H)	389.1 x 88.7 x 83.1
Weight	618.9 g
Length	389.1 mm
Guide dimension	Start projection
Item number	210-112
Start projection	0 mm
End projection	0 mm


Configuration data:


Created by	Caleb Page
Creation date	3-25-2024
Customer material number	18 - Plugs
Revision number (1)	A


WAGO Item number: 8001-0099/Z002-8599Link: <https://configurator.wago.com/index.html?function=loadproject&projectid=425956&date=20240325130127> (Version: A [25.03.2024 - 07:01:27 (CET 25.03.2024 - 13:01:**Parts list 18 Plugs (Path: /W4S_TopJob_Lighting_Distribution)**

Item quantity	Order quantity	Item Number	Description	Item image
19	1	2009-110	Marking strips; for Smart Printer; on reel; not stretchable; plain; snap-on type white 493.1 mm	
18	18	2020-105/143-000	1-conductor female connector; Push-in CAGE CLAMP®; 1.5 mm²; Pin spacing 3.5 mm; 5-pole; Centered locking levers; Strain relief plate gray	
45	45	2020-1401	2-conductor/2-pin carrier terminal block; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP® gray	
9	9	2020-1492	End and intermediate plate; 1 mm thick orange	
1	1	210-112	Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm" silver-colored 389.1 mm	
2	2	249-116	Screwless end stop; 6 mm wide; for DIN-rail 35 x 15 and 35 x 7.5 gray	
40	40	individual jumper		

Note: The required order quantity may differ from the amount for some articles due to the form of delivery.







Comments:

Slots open & centered

Cut to needed length use 16 AWG on all the wire jumpers below p/n 60399009

See "Word Documnet" to show how to do the wiring on this assembly.

WAGO Smart Designer

<https://configurator.wago.com/index.html?function=loadproject&projectId=425956&date=20240325130127> (Version: A [25.03.2024 - 07:01:27 (CET 25.03.2024 - 13:01:27)])

Confidential! The reproduction, distribution and utilization of this document as well as the communication of its contents to others without express authorization is prohibited. An offence is punishable and offenders will be held liable for the payment of damages. All rights reserved in the event of the grant of a patent, utility model or design.

Use:				618.9 g				Letter							
A															
				Origin				Repl. f.:				Repl. by:			
								Output							
								Date							
Index				Revision no.				Date				Name			
				Created by				3-25-2024				Caleb Page			
				Checked								Configuration			
				Released by											
				Date				Name				18 Plugs			
				en											
				ID				8001-0099/Z002-8599				A			
												7 / 7			