


GROOVE14 EF/TY

BASIC ALUMINIUM RECESSED PROFILE

- used mainly in furniture
- maximum LED strip width: 14 mm



SIMILAR IN THE OFFER



E E slide cover




F F click cover

E7 E7 click cover

Y¹ Y flexible mounting plate

Y² coneY flexible mounting plate

T T mounting plate



Length 2000 mm

white painted

LED-A3020001



Silver anodized

LED-A3020020



black anodized

LED-A3020021



raw aluminium

LED-A3020000



max 14 mm



recessed


Available lengths: 1000 mm, 2000 mm, 3000 mm, 4000 mm.
 The standard profile length tolerance is +20 mm.

* Parameters tolerance +/- 7%


E slide cover
 colours: transparent, frosted, opal
 material: PC, PP, PP




Note! Dimensions of the space to install LED source



dimensions in millimeters



F click cover
 colours: transparent, opal
 material: PMMA



Sold in lengths of 2m (6.56ft)

E Slide transparent
LED-A2040016

E Slide frosted /
LED-A2040039


E Slide opal
LED-A2040038

F transparent
LED-A2060016

F opal
LED-A2060038



E7 click cover
 colour: opal
 material: PMMA




reel, length 20 m

F Click opal
LED-A2210038S

Sold in lengths of 2m (6.56ft)

E7 Click opal
LED-C1080038

The standard cover length tolerance is +20 mm.



dimensions in millimeters





Sold in pairs of two endcaps

E7 opal ending
LED-C1840038

MOUNTINGS



Y flexible mounting plate
 colour: inox
 material: stainless steel



Sold in pairs of two

inox
LED-A2090019

coneY flexible mounting plate
 colour: inox
 material: stainless steel



inox
LED-A2130019


dimensions in millimeters

* Parameters tolerance +/- 7%

ACCESSORIES

MOUNTINGS


T mounting plate
 colour: raw aluminium
 material: aluminium




Sold in sets of two
 raw aluminium
LED-C6960000

ENDINGS

GROOVE14 ending gen2 with hole
 colours: white, silver, black, grey
 material: ABS




GROOVE14 ending gen2 SQ with hole
 colours: white, silver, black, grey
 material: ABS




Sold in pairs of two
 White
LED-A3970001
 Silver
LED-A3970040
 Black
LED-A3970002
 Gray
LED-A3970022
 White
LED-A3980001
 Silver
LED-A3980040
 Black
LED-A3980002
 Gray
LED-A3980022

CONNECTORS

T connector 180 deg
 colour: raw aluminium
 material: aluminium



GROOVE14 connector 90 deg
 colours: white, anodized, black
 material: aluminium



Sold as one set
 raw aluminium
LED-C6990000
 white painted
LED-A3990001
 Silver anodized
LED-A3990020
 black anodized
LED-A3990021



Wired 4 Signs USA +1 (865) 339 4956
 info@w4susa.com www.w4susa.com
 7669 Clinton Highway, Powell,
 Tennessee, 37849