

Extrusion POLI

Ref. A07176

Ref. arch B7176



- Illumination of niches and coves with a low height
- Continuous lighting angle adjustment
- Two lighting options

APPLICATION

- decorative lighting recessed in architectural niches


MOUNTING

- to the surface, using dedicated accessories
- easy assembly and disassembly by snapping in and out

ADDITIONAL INFORMATION

- standard lengths of KLUŠ profiles and covers: 1000 mm (tolerance ± 1.5 mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŠ

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

Material	aluminum
Color	■ silver anodized
Possible fixture IP	20
Possible fixture shapes	linear
Width	1.03"
Height	0.28"
LED gluing width A	0.44"
Number of LED strips A (8 mm wide)	1
Lighting angle adjustment up to	90
Building type	Residential, Entertainment/ Arts, Hotel / Restaurant
Facility zone	wall lighting, niche/cove, conference room
Easy assembly and disassembly by snapping in and out	yes
The cover is cut to the length of the profile	yes
Wire out end cap	yes
Wire out back of extrusion	yes

Length	Ref
39.37"	A07176A_1 B7176ANODA_1
78.94"	A07176A_2 B7176ANODA_2
9'11"	A07176A_3 B7176ANODA_3

DISTRIBUTED BY



Wired 4 Signs USA
+1 (865) 339 4956
info@w4susa.com
7669 Clinton
Highway, Powell,
Tennessee, 37849

Extrusion POLI






Ref. A07176

Ref. arch B7176


SAMPLE PROJECTS



RELATED ACCESSORIES > COVERS

NAME	MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
LIGER		PC	70 % <input type="checkbox"/> frosted	B17037M 17037
			32 % <input checked="" type="checkbox"/> black	B17037C 17040
KA-COM		PVC	70 % <input type="checkbox"/> frosted	B17179M 17179
			93 % <input checked="" type="checkbox"/> clear	B17179T 17180
HS		PC	73 % <input type="checkbox"/> frosted	B17208M 1369
			94 % <input checked="" type="checkbox"/> clear	B17208T 1370
KA-PRO		PC	67 % <input type="checkbox"/> frosted	B17064M 17064
			94 % <input checked="" type="checkbox"/> clear	B17064T 17065
KA		PC	63 % <input type="checkbox"/> frosted	B17035M 17035
			91 % <input checked="" type="checkbox"/> clear	B17035T 17036

RELATED ACCESSORIES > END CAPS

NAME	MATERIAL	COLOR	REF.
POLI	 ABS	<input checked="" type="checkbox"/> gray	C24128C02 24128

DISTRIBUTED BY



Wired 4 Signs USA
+1 (865) 339 4956
info@w4susa.com
7669 Clinton
Highway, Powell,
Tennessee, 37849

Extrusion POLI

Ref. A07176

Ref. arch B7176

RELATED ACCESSORIES > OTHER ACCESSORIES > MOUNTING BRACKETS



MOUNTING BRACKET

POLI

C24112C10

Ref. arch 24112

RELATED ACCESSORIES > OTHER ACCESSORIES > OTHER



GLAND

6x1,2

C24517C07

Ref. arch 00802

DISTRIBUTED BY



Wired 4 Signs USA
+1 (865) 339 4956
info@w4susa.com
7669 Clinton
Highway, Powell,
Tennessee, 37849