

VARIO30-07



max 30 mm



recessed



architectural



lighting

- part of a larger system for luminaire construction
- multiple installation methods
- continuous line of light in angled connections
- unlimited possibilities for light creation



Distributed Wired 4 Signs USA



* Parameters tolerance +/- 7%

+1 (865) 339 4956 info@w4susa.com www.w4susa.com 7669 Clinton Highway, Powell, Tennessee, 37849



Ostrowska 354, 61-312 Poznań, POLAND www.topmet.pl

VARIO30-07
U9/ACDE-9



- U9**
mounting plate U9
- U9**
mounting plate U9 cone
- U9**
mounting plate U9 spring

A9
di user A9 slide

C9
di user C9 click

D9
di user D9 click

E9
di user E9 click

2*
End cap D9


3* 199
end cap E9

4*
LED clamp VARIO30


Clip de fixation LED VARIO30

5*
LED clamp VARIO30-1


6*
LED mounting VARIO30




white painted



anodized




black anodized



raw aluminium

1000 mm	V3250001	V3250020	V3250021	V3250000
2000 mm	V3260001	V3260020	V3260021	V3260000
3000 mm	V3270001	V3270020	V3270021	V3270000
4050 mm	V3280001	V3280020	V3280021	V3280000

end cap VARIO30-07




white LED-V4930001	silver LED-V4930040	black LED-V4930002	grey LED-V4930022
------------------------------	-------------------------------	------------------------------	-----------------------------

CONNECTORS


material: aluminium, polycarbonate

connector VARIO30-07 60 deg
 † cznik VARIO30-07 60 st
 Verbinder VARIO30-07 60 Grad
 connecteur VARIO30-07 60 degrés




white painted **LED-V4780001S** anodized **LED-V4780020S** Black anodized **LED-V4780021S**

connector VARIO30-07 90 deg
 † cznik VARIO30-07 90 st
 Verbinder VARIO30-07 90 Grad
 connecteur VARIO30-07 90 degrés




white painted **LED-V4790001S** anodized **LED-V4790020S** black anodized **LED-V4790021S**

connector VARIO30-07 90 deg bent
 † cznik VARIO30-07 90 st gi ty
 Verbinder VARIO30-07 90 Grad gebogen
 connecteur VARIO30-07 90 degrés plié




white painted **LED-V4800001S** anodized **LED-V4800020S** black anodized **LED-V4800021S**

connector VARIO30-07 120 deg
 † cznik VARIO30-07 120 st
 Verbinder VARIO30-07 120 Grad
 connecteur VARIO30-07 120 degrés




white painted **LED-V4810001S** anodized **LED-V4810020S** black anodized **LED-V4810021S**

connector VARIO30-07 135 deg
 † cznik VARIO30-07 135 st
 Verbinder VARIO30-07 135 Grad
 connecteur VARIO30-07 135 degrés




white painted **LED-V4820001S** anodized **LED-V4820020S** black anodized **LED-V4820021S**

connector VARIO30-07 180 deg
 † cznik VARIO30-07 180 st
 Verbinder VARIO30-07 180 Grad
 connecteur VARIO30-07 180 degrés



LED-V4610000S

connector VARIO30-07 270 deg bent
 † cznik VARIO30-07 270 st gi ty
 Verbinder VARIO30-07 270 Grad gebogen
 connecteur VARIO30-07 270 degrés plié



white painted **LED-V4830001S** anodized **LED-V4830020S** black anodized **LED-V4830021S**