

**Safety Data Sheet (1907/2006/EC)**

Material: 60006603

ELASTOSIL® R 401/60  
S

Version: 2.1 (GB)

Date of print: 27.04.2013

Date of last alteration: 07.12.2012

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**Commercial product name: ELASTOSIL® R 401/60  
S**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Industrial.

Use of substance / preparation:

Raw material for: elastomer products .

**1.3 Details of the supplier of the safety data sheet**

Manufacturer/distributor:

Street/POB-No.:

State/postal code/city:

Telephone:

Telefax:

Wacker Chemie AG

Hanns-Seidel-Platz 4

D 81737 München

+49 89 6279-0

+49 89 6279-1770

Information about the Safety Data Sheet:

Telephone

Telefax

eMail

+49 8677 83-4888

+49 8677 886-9722

WLCP-MSDS@wacker.com

**1.4 Emergency telephone number**

Emergency Information:

Emergency Information (internat.):

Plant fire brigade

National Response Center

+49 8677 83-2222

+49 621 60-43333

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture**

Classification (GHS):

Class	Category	Route of exposure
-	-	-

Classification (67/548/EEC, 1999/45/EC):

R-Phrase	Description
R-	-

This product is not a dangerous preparation within the meaning of Directive 1999/45/EC.

**2.2 Label elements**

Labelling (GHS):

H-Code	Hazard Statements
-	-

P-Code	Precautionary Statements
-	-

Labelling (67/548/EEC, 1999/45/EC):

R-Phrase	Description
R-	-

S-Phrase	Description
S-	-

**2.3 Other hazards**

No data are available.

**Safety Data Sheet (1907/2006/EC)**

Material: 60006603

ELASTOSIL® R 401/60  
S

Version: 2.1 (GB)

Date of print: 27.04.2013

Date of last alteration: 07.12.2012

**SECTION 3: Composition/information on ingredients****3.1 Substances**

not applicable

**3.2 Mixtures****3.2.1 Chemical characterization (preparation)**

Polydimethylsiloxane with vinyl groups and auxiliary

**SECTION 4: First aid measures****4.1 Description of first aid measures****General information:**

In case of accident or if you feel unwell seek medical advice (show label or SDS where possible).

**After inhalation:**

Material cannot be inhaled under normal conditions.

**After contact with the skin:**

Wipe off excess material with cloth or paper. Wash with plenty of water or water and soap. In the event of a visible skin change or other complaints, seek medical advice (show label or SDS where possible).

**After contact with the eyes:**

Rinse immediately with plenty of water. Seek medical advice in case of continuous irritation.

**After swallowing:**

Give several small portions of water to drink. Do not induce vomiting.

**4.2 Most important symptoms and effects, both acute and delayed**

Any relevant information can be found in other parts of this section.

**4.3 Indication of any immediate medical attention and special treatment needed**

No data are available.

**SECTION 5: Firefighting measures****5.1 Extinguishing media****Suitable extinguishing media:**

water spray , extinguishing powder , alcohol-resistant foam , carbon dioxide , sand .

**Extinguishing media which must not be used for safety reasons:**

water jet .

**5.2 Special hazards arising from the substance or mixture**

-

**5.3 Advice for firefighters****Special protective equipment for fire fighting:**

Use respiratory protection independent of recirculated air.

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

No special measures required.

**6.2 Environmental precautions**

Prevent material from entering sewers or surface waters.

**Safety Data Sheet (1907/2006/EC)**

Material: 60006603

ELASTOSIL® R 401/60  
S

Version: 2.1 (GB)

Date of print: 27.04.2013

Date of last alteration: 07.12.2012

**6.3 Methods and material for containment and cleaning up**

Scoop up large quantities after dusting surfaces with sand or Fuller's earth to prevent sticking. Sweep or scrape up the spilled material and place in an appropriate chemical waste container. Clean any slippery coating that remains using a detergent / soap solution or another biodegradable cleaner. Apply sand or other inert granular material to improve traction.

**6.4 Reference to other sections**

Relevant information in other sections have to be considered. This applies in particular for information given on personal protective equipment (section 8) and on disposal (section 13).

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Precautions for safe handling:**

No special protective measures required.

**Precautions against fire and explosion:**

No special precautions against fire and explosion required.

**7.2 Conditions for safe storage, including any incompatibilities****Conditions for storage rooms and vessels:**

none known

**Advice for storage of incompatible materials:**

not applicable

**Further information for storage:**

Keep container tightly closed. Store in a dry and cool place.

**7.3 Specific end use(s)**

No data are available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Maximum airborne concentrations at the workplace:**

not applicable

**8.2 Exposure controls****8.2.1 Exposure in the work place limited and controlled****General protection and hygiene measures:**

Observe standard industrial hygiene practices for the handling of chemical substances. Do not eat or drink when handling.

**Personal protection equipment:****Respiratory protection**

not required .

**Hand protection**

Recommendation: Protective gloves made of butyl rubber . Gloves suitable for up to 60 minutes' use. The selection of appropriate gloves not only depends on the material, but also on other quality characteristics, and may vary depending on the manufacturer. Please observe information from your glove supplier in terms of permeability and breakthrough time.

**Eye protection**

Recommendation: protective goggles .

**8.2.2 Exposure to the environment limited and controlled**

Prevent material from entering surface waters and soil.

**Safety Data Sheet (1907/2006/EC)**

Material: 60006603

ELASTOSIL® R 401/60  
S

Version: 2.1 (GB)

Date of print: 27.04.2013

Date of last alteration: 07.12.2012

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties****General information:**Physical state / form .....: paste  
Colour .....: transparent  
Odour .....: slight**Important information about the protection of health, safety and the environment:**

Property:	Value:	Method:
Melting point / melting range .....	not applicable	
Boiling point / boiling range .....	not applicable	
Flash point.....	> 200 °C	(DIN 51376)
Ignition temperature .....	> 400 °C	(DIN 51794)
Lower explosion limit (LEL) .....	not applicable	
Upper explosion limit (UEL).....	not applicable	
Vapour pressure.....	not applicable	
Density .....	approx. 1,15 g/cm <sup>3</sup> at 20 °C	(ISO 1183-1 A)
Water solubility / miscibility.....	virtually insoluble	
pH-Value .....	not applicable	
Viscosity (dynamic) .....	> 1000000 mPa.s	

**9.2 Other information**

Thermal decomposition.....: &gt; 250 °C

**SECTION 10: Stability and reactivity****10.1 – 10.3 Reactivity; Chemical stability; Possibility of hazardous reactions**

If stored and handled in accordance with standard industrial practices no hazardous reactions are known.

Relevant information can possibly be found in other parts of this section.

**10.4 Conditions to avoid**

none known

**10.5 Incompatible materials**

none known

**10.6 Hazardous decomposition products**

If stored and handled properly: none known . Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C (302 °F) through oxidation.

**SECTION 11: Toxicological information****11.1 Information on toxicological effects****11.1.1 Acute toxicity****Assessment:**

Based on the available data acute toxic effects are not expected after single oral exposure. Based on the available data acute toxic effects are not expected after single dermal exposure.

**Product details:**

Route of exposure	Result/Effect	Species/Test system	Source
oral	LD <sub>50</sub> : > 2000 mg/kg	rat	Conclusion by analogy
dermal	LD <sub>50</sub> : > 2000 mg/kg	rat	Conclusion by analogy

**Safety Data Sheet (1907/2006/EC)**

Material: 60006603

ELASTOSIL® R 401/60  
S

Version: 2.1 (GB)

Date of print: 27.04.2013

Date of last alteration: 07.12.2012

**11.1.2 Skin corrosion/irritation****Assessment:**

Based on the available data a clinically relevant skin irritation hazard is not expected.

**Product details:**

Result/Effect	Species/Test system	Source
not irritating	rabbit	Conclusion by analogy

**11.1.3 Serious eye damage / eye irritation****Assessment:**

Based on the available data a clinically relevant eye irritation hazard is not expected.

**Product details:**

Result/Effect	Species/Test system	Source
not irritating	rabbit	Conclusion by analogy

**11.1.4 Respiratory or skin sensitization****Assessment:**

Based on the available data a sensitization reaction is not expected from this product.

**Product details:**

Route of exposure	Result/Effect	Species/Test system	Source
dermal	not sensitizing	guinea-pig; Bühler	Conclusion by analogy

**11.1.5 Germ cell mutagenicity****Assessment:**

Based on known data a significant mutagenic potential may be excluded.

**Product details:**

Result/Effect	Species/Test system	Source
negative	mutation assay (in vitro) bacterial cells	Conclusion by analogy OECD 471

**11.1.6 Carcinogenicity****Assessment:**

For this endpoint no toxicological test data is available for the whole product.

**11.1.7 Reproductive toxicity****Assessment:**

For this endpoint no toxicological test data is available for the whole product.

**11.1.8 Specific target organ toxicity (single exposure)****Assessment:**

For this endpoint no toxicological test data is available for the whole product.

**11.1.9 Specific target organ toxicity (repeated exposure)****Assessment:**

For this endpoint no toxicological test data is available for the whole product.

**Safety Data Sheet (1907/2006/EC)**

Material: 60006603

ELASTOSIL® R 401/60  
S

Version: 2.1 (GB)

Date of print: 27.04.2013

Date of last alteration: 07.12.2012

**11.1.10 Aspiration hazard****Assessment:**

Based on the physical-chemical properties of the product no aspiration hazard must be expected.

**SECTION 12: Ecological information****12.1 Toxicity****Assessment:**

Evaluation in analogy to similar product. No expected damaging effects to aquatic organisms. According to current knowledge adverse effects on water purification plants are not expected.

**12.2 Persistence and degradability****Assessment:**

Biologically not degradable. Separation by sedimentation.

**12.3 Bioaccumulative potential****Assessment:**

Polymer component: No adverse effects expected.

**12.4 Mobility in soil****Assessment:**

Insoluble in water. No adverse effects expected.

**12.5 Results of PBT and vPvB assessment**

No data are available.

**12.6 Other adverse effects**

none known

**12.7 Additional information**

Easily separable from water by filtration.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****13.1.1 Material****Recommendation:**

Material that cannot be used or chemically reprocessed should be disposed of at an approved facility in accordance with any applicable governmental regulations.

**13.1.2 Uncleaned packaging****Recommendation:**

Containers should be completely emptied before recycling as specified in government regulations. Empty containers should be sent to an approved recycling facility.

**13.1.3 Waste Disposal Legislation Ref.No.(EC)**

It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

**Safety Data Sheet (1907/2006/EC)**

Material: 60006603

ELASTOSIL® R 401/60  
S

Version: 2.1 (GB)

Date of print: 27.04.2013

Date of last alteration: 07.12.2012

**SECTION 14: Transport information****14.1 – 14.4 UN number; UN proper shipping name; Transport hazard class(es); Packing group****Road ADR:**

Valuation .....: Not regulated for transport

**Railway RID:**

Valuation .....: Not regulated for transport

**Transport by sea IMDG-Code:**

Valuation .....: Not regulated for transport

**Air transport ICAO-TI/IATA-DGR:**

Valuation .....: Not regulated for transport

**14.5 Environmental hazards**

Hazardous to the environment: no

**14.6 Special precautions for user**

Relevant information in other sections have to be considered.

**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Bulk transport in tankers is not intended.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

National and local regulations must be observed.

For information on labelling please refer to section 2 of this document.

**Relevant regulations:**

SI 2002/1689: CHIP Regulations 2002

SI 2002/2677: COSHH Regulations 2002

SI 1999/3242: Management of Health &amp; Safety at Work Regulations 1999

Health &amp; Safety at Work Act 1974

SI 1993/1643: Environmental Protection Act 1993 &amp; Subsidiary Regulations.

Other national and local measures relating to the workplace, pollution control, environmental protection and waste control.

**15.2 Chemical safety assessment**

A chemical safety assessment according to (EC) regulation 1907/2006 (REACH) has not been carried out for this product.

**15.3 Other international regulations****Details of international registration status:**

Listed on or in accordance with the following inventories:

EINECS - Europe

ECL - Korea

ENCS - Japan

AICS - Australia

IECSC - China

DSL - Canada

PICCS - Philippines

TSCA - USA

**Safety Data Sheet (1907/2006/EC)**

---

Material: 60006603

ELASTOSIL® R 401/60  
S

Version: 2.1 (GB)

Date of print: 27.04.2013

Date of last alteration: 07.12.2012

---

**SECTION 16: Other information****16.1 Material**

The details in this document are based on the state of our knowledge at the time of revision. They do not constitute an assurance of the described product properties in terms of statutory warranty requirements.

The providing of this document to a recipient does not relieve the recipient of his or her responsibility toward compliance with all laws and stipulations applicable to the product. This applies in particular to the further sale or distribution of the product or substances or items containing the product, in other jurisdictions and with regard to the protection of third-party intellectual property rights. If the described product is processed or mixed with other substances or materials, the details stated in this document cannot be conferred to the resultant new product unless this has been expressly mentioned. If the product is repackaged, the recipient is obligated to additionally provide the required safety-related information.

All deliveries are subject to the WACKER SILICONES Health Care Policy, which is available at [www.wacker.com](http://www.wacker.com).

**16.2 Further information:**

Commas appearing in numerical data denote a decimal point. Vertical lines in the left-hand margin indicate changes compared with the previous version. This version supersedes all previous versions.

**- End of Safety Data Sheet -**