MATERIAL SAFETY DATA SHEET

According to EC directive 91/155/EEC and subsequent amendments Version 1.2 Issue Date: 8-06-2009

1. IDENTIFICATION OF THE PRODUCT AND OF THE COMPANY

Product Name: Solid Silicone

Company : Tym Seals and Gaskets Ltd

Unit A beacon business centre

Hopton park devizes wiltshire SN10 2EY

TEL:01380 734150 Fax:01380 734511

2. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Characterization : Solid Silicone Elastomer

Ingredients :

 Name
 CAS No.
 %

 Ground Quartz (SiO2)
 14808-60-7
 <3</td>

Di-(2,4-dichlorobenzoyl)peroxide 133-14-2 #<1

3. HAZARDS IDENTIFICATION

Not hazardous according to Council Directive 88/379/EEC and its subsequent amendments.

4. FIRST-AID MEASURES

If inhaled:No first aid should be needed.On contact with eyes:No first aid should be needed.On skin contact:No first aid should be needed.On ingestion:No first aid should be needed.

[#]Peroxide cross linker, this is used up during production process and is not present in finished product.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Carbon dioxide, foam, dry powder or fine

water spray.

Unsuitable extinguishing media None known.

Special protective equipment/procedures A self-contained respirator and protective

clothing should be worn. Keep containers cool with water spray until well after the fire is out. Determine the need to evacuate or isolate the area according to your local emergency plan.

Hazards during fire fighting None known.

Hazardous combustion products Silica. Carbon oxides and traces of

incompletely burned carbon compounds. When burnt, product may emit formaldehyde vapours. Gases given off when burnt do not

contain more than 0.05% chlorine.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear proper protective equipment.

Precautions to protect the environmentDo not allow large quantities to enter drains or

surface waters.

Methods for cleaning up Collect and place in appropriate container.

7. HANDLING AND STORAGE

Advice on storage Store at ambient temperature and atmospheric

pressure in a dry environment. The product should be kept out of direct sunlight

(preferably in the dark). The product should be

retained in its original packaging.

Unsuitable packaging materialsNone known.

8. ENGINEERING CONTROLS / PERSONAL PROTECTION

Exposure controls: Refer to Section 7

Personal protection equipment

Respiratory protection Respiratory protection is not normally

required.

Hand protection Gloves are not normally required

Skin protection Protective equipment is not normally

necessary

Eye protection Safety Glasses should be worn

Hygiene measures Exercise good industrial practice. Wash after

handling, especially before eating, drinking or

smoking

Additional information None known

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form Solid Sheet

Colour See product name.

Physical State Fully cross-linked solid rubber

Density Approx 1200 kg/m3

Explosive properties None.

10. STABILITY AND REACTIVITY

Stability Stable under normal usage conditions

Conditions to avoid Prolonged contact with organic fluids

Hazardous decomposition products See section 11

11. TOXICOLOGICAL INFORMATION

On contact with eyes3 No hazard known.

On skin contact3 No hazard known.

If inhaled3 No hazard known.

On ingestion3 Small amounts should not injure.

Swallowing large amounts may cause

digestive discomfort.

Other Health Hazard Information3 Product may emit formaldehyde vapours

at temperatures above 150C in presence of air. Formaldehyde vapour is harmful by inhalation and irritating to eyes and respiratory system at breathing concentrations less than one part per

million (1 ppm).

¹Based on product test data ²Based on assessments from related products ³This information is based either on test data, extrapolation from tests on similar materials, review of component data, or a combination of these sources.

12. ECOLOGICAL INFORMATION

Environmental fate and distribution

Sponge material, insoluble in water. No adverse effects are predicted.

Ecotoxicity effects

No adverse effects on aquatic organisms are predicted.

Bioaccumulation : No bioaccumulation potential

Fate and effects in waste water treatment plants

No adverse effects on bacteria are predicted.

13. DISPOSAL CONSIDERATION

Product disposal When disposing of silicone rubber

products, local authority bylaws should be respected. If incineration is used, the incinerator should be designed to effect complete combustion of the gases and

fumes produced.

Packaging disposal Dispose of in accordance with local

regulations.

14. TRANSPORT INFORMATION

Road / Rail (ADR/RID)
Not subject to ADR/RID.
Sea transport (IMDG)
Not subject to IMDG code.
Air transport (ICAO)
Not subject to ICAO regulations.

15. REGULATORY INFORMATION

Labelling according to EEC Directive

No special labelling is required.