



**SUN MING Enterprises Limited**  
Add: #150-6651 Elmbridge Way Richmond, B.C. V7C 5C2 Canada  
Tel: (604)233-0360 Fax: (604)304-3032  
[www.sunming.ca](http://www.sunming.ca) E-mail: [info@sunming.com](mailto:info@sunming.com)



# NEWTOP

## Natural Gas Wok Ranges

### Table of Contents

- 1. Chinses Gas Wok Ranges Combination**
- 2. Chinses Gas Wok Ranges Common Features**
- 3. Chinses Gas Wok Range Spread Sheet**
- 4. Chinses Gas Stock Pot Stove Spread Sheet**
- 5. Chinses Gas Wok Range Accessories**

Please Order by:

E-mail: [info@sunming.ca](mailto:info@sunming.ca)

Call: [\(604\) 233 0360](tel:6042330360)

WeChat: Scan the picture 



SUN MING ENTERPRISES LTD.

#150-6651 Elmbridge Way. Richmond, B.C. V7C 5C2 Canada

Tel: (604) 233-0360 E-mail: [info@sunming.ca](mailto:info@sunming.ca) [www.sunming.ca](http://www.sunming.ca)

# 1. Chinses Gas Wok Ranges Combination



NEWTOP Gas Wok Ranges have multiple combinations to fit your kitchen space and cooking requirements. All gas woks are ETL & NSF approved. You may choose different Burner type, Range style and Burner cast iron size to have your own NEWTOP Gas Wok Range.



- A. 3 Burner type: Blower Burner, #23 Jet Burner, #10 Jet Burner
- B. 4 Range size style: Standard, Compact/Choy suey, Open kitchen, Stock Pot.
- C. 3 Burner cast iron size: 12.5inch, 14inch, 22inch.

## A. NEWTOP Gas Wok Range 3 Burner type



Blower Burner

Blower Burner: **Natural Gas =100,000 BTU/HR (29.30KW)**



#23 jet burner

#23 Jet Burner: **Natural Gas= 110,000 BTU/HR (32.2kw)**



#10 Jet Burner - for Wok



#10 Jet Burner - for Soup Pot

#10 Jet Burner: **Natural Gas= 42000 BTU/HR (12.30kw)**

## B. NEWTOP Gas Wok Range 4 size style

1. Standard Style--**B Series 49" depth (1250mm)** -traditional models
2. Compact / Chop Suey Style--**C Series 41" depth (1050mm)** -save space in kitchen
3. Open Kitchen Style--**D Series 41" depth (1050mm)** -with backsplash and deck mounted faucet
4. Stock Pot Style--**CT Series 26" (660mm)**-Cooking more convenient & safety



SUN MING ENTERPRISES LTD.

#150-6651 Elmbridge Way. Richmond, B.C. V7C 5C2 Canada

Tel: (604) 233-0360 E-mail: [info@sunming.ca](mailto:info@sunming.ca) [www.sunming.ca](http://www.sunming.ca)

**C. NEWTOP Gas Wok Range 3 Burner cast iron size/style**

*Blower Burner cast iron size: 12.5inch (choy suey style), 14inch*



**12.5" Blower Bruner**



**14" Blower Bruner**



*#23 Jet Burner cast iron size: 12.5inch (choy suey style), 14inch, 22inch*



**12.5" #23 Jet Bruner**



**14" #23 Jet Bruner**




**22" #23 Jet Bruner**

*#10 Jet Burner style: Wok, Soup Pot*



**#10 Jet Burner - for Wok**



**#10 Jet Burner - for Soup Pot**



## 2. Chinses Gas Wok Range Common Features



Blower burner and durable fire brick



Energy saving & durable fire brick




From left to right: Pilot flame valve(black), flame failure device(safety valve, red), main gas open valve (silver)




Adjustable bullet feet and stove back



Durable Table Top



Removable garbage container



Leak-proof stove top



NSF approved stainless steel swivel hot & cold faucet



**SUN MING ENTERPRISES LTD.**

#150-6651 Elmbridge Way. Richmond, B.C. V7C 5C2 Canada

Tel: (604) 233-0360 E-mail: [info@sunming.ca](mailto:info@sunming.ca) [www.sunming.ca](http://www.sunming.ca)

### 3. Chinses Gas Wok Range Spread Sheet

No.	Description	Model	Burner	Cast Iron Ring Size(inch)	Style	Burner Rating (BTU/KW)	Blower	Dimension-inch/cm L*D*(H1+H2)	Water Inlet/Drainage	Gas Inlet	Net/Gross Weight (KG)
1	Single Gas Wok Range 單頭炒爐	SML-1000B5	Blower Burner: 1	12.5/14	Standard Compact Choy Suey	100000/30	110V 60Hz 130W	1000*1250*(810+440)	DN15/DN40	DN40	298/338
2		SML-1000D5		12.5/14	Open Kitchen	100000/30	110V 60Hz 130W	1000*1250*810	DN15/DN40	DN40	248/288
3		SML-0100B5	#23 Jet Burner: 1	12.5 / 14	Standard Compact Choy Suey	110000/32	NO	1000*1250*(810+440)	DN15/DN40	DN40	298/338
4		SML-0100D5		12.5 / 14	Open Kitchen	110000/32	NO	1000*1250*810	DN15/DN40	DN40	298/338
5	Single Unit Wok & Rear Wok and rear pot 單炒連砲台尾鐸	SML-1011B5	Blower burner: 1 #10 Jet Burner: 1 Rear Pot: 1	14	Standard	100000/30 42000/12	110V 60Hz 130W	1200*1050*(810+440)	DN15/DN40	DN40	398/338
6	Double Unit Wok 雙頭炒爐	SML-2000B5	Blower Burner: 2	14	Standard	200000/60	110V 60Hz 130W	1400*1250*(810+440)	DN15/DN40	DN40	658/698
7	Double Unit Wok 雙頭炒爐	SML-0200B5	#23 Jet Burner: 2	14	Standard	220000/64	110V 60Hz 130W	1400*1250*(810+440)	DN15/DN40	DN40	658/698
8	Double Unit Wok & Single Soup Wok 雙頭炒爐連水鍋	SML-2100B5	Blower Burner: 2 #23 Jet Burner: 1	14 & 22	Standard	200000/58 110000/32	110V 60Hz 130W	2100*1250*(810+440)	DN15/DN40	DN40	707/747



Standard/Compact/Choy Suey Style  
SML-1000B5 / SML-0100B5



Standard/Compact Style  
SML-1011B5



Open Kitchen Style  
SML-1000D5 / SML-0100D5



Standard/Compact Style  
SML-2002B5



Standard/Compact Style  
SML-2100B5

# 4. Chinses Gas Stock Pot Stove Spread Sheet

No.	Description	Model	Burner Style	Style	Burner Rating (BTU/KW)	Blower	Dimension-inch/mm L*D*(H1+H2)	Gas Inlet	Net/Gross Weight(kg)
1	Single Unit Stock Pot Stove 單頭溝風地湯爐	SML-1000B5	4" Blower	Standard	100000/30	110V,60Hz,130W	22*26*(20+8) 550*650*(500+200)	DN40	185/225
2	Single Unit Stock Pot Stove 單頭23粒打交炉头地湯爐	SML-0100CT	#23 Jet Burner	Standard	110000/32	NO	30*26*(22+8) 750*650*(550+200)	DN40	87/127
3	Double Unit Stock Pot Stove 雙頭23粒打交炉头地湯爐	SML-0200CT	#23 Jet Burner	Standard	220000/64	NO	47*26*(22+8) 1200*650*(550+200)	DN40	146/186
4	Single Unit Stock Pot Stove 單頭简易地湯爐	SML-0100CT	#23 Jet Burner	Economy	110000/32	NO	460*460*500	DN40	55/95
5	Double Unit Stock Pot Stove 雙頭简易地湯爐	SML-0200CT	#23 Jet Burner	Economy	220000/64	NO	460*940*500	DN40	85/125

## Standard Style




SML-0200CT (Standard)




SML-0100CT (Standard)



## Economy Style



SML-0200CT (Economy)



SML-0100CT(Economy)

## 5. Chinese Gas Wok Range Accessories



3" wok stand for wok holding



Cold water pan



5" basket holder for strainers



Ingredient pan and rear pot



4-6" Gas regulator



8" center wall mounted  
w/24" Double Joint Faucet  
Back 12" (305mm) \* Front 12" (305mm)