



COMMERCIAL KITCHEN EQUIPMENTS

2018



Contents

Bottom Mount Reach In Refrigerator/Freezer

Glass Door Refrigerator/Freezer

Undercounter Refrigerator/Freezer

Mega Top Refrigerator

Salad Prep Table- Refrigerator



Sun Ming Enterprises Limited
#150-6651 Elmbridge Way.
Richmond, B.C. V7C 5C2
(604) 233-0360
www.sunming.ca



Bottom Mount Reach In Freezer

One Door Freezer (Right Hand Open)

Model: SMF1-28-RH

Dimension (W*D*H): 685 x 800 x 2135mm (27*31.5*84inch)

Capacity: 597L/21 Cu. Ft

Temperature: -25 °C~-17°C

Doors: 1

Shelves: 3

Refrigerant: R-404a

Refrigerant Charge: 13.4oz

Compressor: 1/2HP

Cooling Type: Ventilated

Insulation: Polyurethane

Controller: Dixell / Carel

Amps: 7.5A

Voltage: 115V/60HZ

Power: 650W

Net Weight: 264LBS/120KG



Two Door Reach In Freezer – Small Size

Model: SMF2-39

Dimension (W*D*H): 1003 x 800 x 2135mm (39.5*31.5*84inch)

Capacity: 917L/32.4 Cu. Ft

Temperature: -25 °C~-17°C

Doors: 2

Shelves: 6

Refrigerant: R-404a

Refrigerant Charge: 19.4oz

Compressor: 3/4HP

Cooling Type: Ventilated

Insulation: Polyurethane

Controller: Dixell / Carel

Amps: 12A

Voltage: 115V/60HZ

Power: 1170W

Net Weight: 353LBS/160KG



Two Door Reach In Freezer – Large Size

Model: SMF2-54

Dimension (W*D*H): 1382 x 800 x 2135mm (54.4*31.5*84inch)

Capacity: 1305L/46 Cu. Ft

Temperature: -25 °C~-17°C

Doors: 2

Shelves: 6

Refrigerant: R-404a

Refrigerant Charge: 19.4oz

Compressor: 3/4HP

Cooling Type: Ventilated

Insulation: Polyurethane

Controller: Dixell / Carel

Amps: 12A

Voltage: 115V/60HZ

Power: 1170W

Net Weight: 408LBS/185KG



Bottom Mount Reach In Refrigerator

Single Big Door Refrigerator (Right Hand Open)

Model: SMC1-28-RH

Dimension (W*D*H): 685 x 800 x 2135mm (27*31.5*84 inch)

Capacity: 597L/ 21 Cu. Ft

Temperature: 1°C~8°C

Doors: 1

Shelves: 3

Refrigerant: R-134a

Refrigerant Charge: 9.2oz

Compressor: 1/6HP

Cooling Type: Ventilated

Insulation: Polyurethane

Controller: Dixell/Carel

Amps: 3.2A

Voltage: 115V/60HZ

Power: 365W

Net Weight: 264LBS/120KGS



Two Door Refrigerator - Small Size

Model: SMC2-39

Dimension (W*D*H): 1003 x 800 x 2135mm (39.5*31.5*84 inch)

Capacity: 917L/ 32.4 Cu. Ft

Temperature: 1°C~8°C

Doors: 2

Shelves: 6

Refrigerant: R-134a

Refrigerant Charge: 13.4oz

Compressor: 1/3HP

Cooling Type: Ventilated

Insulation: Polyurethane

Controller: Dixell/Carel

Amps: 4.3A

Voltage: 115V/60HZ

Power: 590W

Net Weight: 353LBS/160KGS



Two Door Refrigerator – Large Size

Model: SMC2-54

Dimension (W*D*H): 1382 x 800 x 2135mm (54.4*31.5*84 inch)

Capacity: 1305L/46 Cu. Ft

Temperature: 1°C~8°C

Doors: 2

Shelves: 6

Refrigerant: R-134a

Refrigerant Charge: 13.4oz

Compressor: 1/3HP

Cooling Type: Ventilated

Insulation: Polyurethane

Controller: Dixell/Carel

Amps: 4.3A

Voltage: 115V/60HZ

Power: 365W

Net Weight: 408LBS/185KGS



Glass Door Freezer

Single Glass Door Freezer

Model: SMF-27GD-RH (White / Black)

External Dimensions : 685x800x2120mm (27*31.5*84 inch)

Material: Outside and inside with color coated steel, inside bottom with 304 stainless steel.

Capacity : 650 L/ 22 Cu.Ft.

Door: 1

Shelves: 4

Compressor: ½ HP

Cooling Type: Ventilated

Installation Type: Polyurethane

Temperature: -20°C ~ -17°C

Temperature Control Type: Diexll/Carel

Refrigerant: R-404a

Refrigerant Charge: 13.4oz

Amps: 7.5A

Power Consumption : 650W

Power Supply: 110V/60Hz

Internal Light: LED light on Canopy and on each door

Net Weight: 254LBS/115KGS



Glass Door Refrigerator

Single Glass Door Refrigerator

Model: SMC1-GD27S-RH

External Dimensions : 685x800x2120mm (27*31.5*84 inch)

Material: Stainless Steel

Capacity : 600 L / 21 Cu.Ft.

Door: 1

Shelves: 4

Compressor: 1/6 HP

Cooling type: Ventilated

Installation Type: Polyurethane

Temperature: +2°C ~ +8°C

Temperature Control Type: Diexll/Carel

Refrigerant: R-134a

Refrigerant Charge: 10.6oz

Amps : 3.2A

Power Consumption : 280W

Power Supply: 110V/60Hz

Internal Light: LED light

Net Weight: 253 LBS/115KGS



Single Glass Door Refrigerator

Model: SMC1-GD22-RH (White / Black)

External Dimensions : 683x800x2120 mm (27*32*84inch)

Material: Outside and inside with color coated steel, inside bottom with 304 stainless steel

Capacity : 623 L / 22 Cu.Ft.

Door: 1

Shelves: 4

Compressor: 1/6 HP

Cooling Type: Ventilated

Installation Type: Polyurethane

Temperature: 0°C ~ +8°C

Temperature Control Type: Diexll/Carel

Refrigerant: R-134a

Refrigerant Charge: 10.6oz

Amps : 3.2A

Power Consumption : 365W

Power Supply: 110V/60Hz

Internal Light: LED light on Canopy and on each door

Net Weight: 254 LBS/115KGS



Single Glass Door Refrigerator

Model: SMC1-24GD-RH (White / Black)

External Dimensions : 615*610*1930mm (W24.21*D24*H76.18 inch)

Material: Outside and inside with color coated steel, inside bottom with 304 stainless steel.

Capacity : 600 L/21 Cu.Ft.

Door: 1

Shelves: 4

Compressor: 1/6 HP

Cooling Type: Ventilated

Installation Type: Polyurethane

Temperature: 0°C ~ +8°C

Temperature Control Type: Diexll/Carel

Refrigerant: R-134a

Refrigerant Charge: 10.6oz

Amps: 3.2A

Power Consumption: 280W

Power Supply: 110V/60Hz

Internal Light: LED light on Canopy and on each door

Net Weight: 205 LBS/93KGS



Two Sliding Glass Door Refrigerator

Model: SMC2-GD45 (White / Black)

External Dimensions : 1382*760*2120 mm (54.4*29.7*84 inch)

Material: Outside and inside with color coated steel, inside bottom with 304 stainless steel.

Capacity: 1330L/47 Cu. Ft

Door: 2

Shelves: 8

Compressor: 1/3HP

Cooling Type: Ventilated

Installation Type: Polyurethane

Temperature: 0°C ~ +8°C

Temperature Control type: Diexll/Carel

Refrigerant: R-134a

Refrigerant Charge: 11.3oz

Amps: 4.3A

Power : 400W

Power Supply: 110V/60Hz

Internal Light: LED light

Net Weight: 750LBS/340KGS



Two Sliding Glass Door Freezer

Model: SMF2-54GD (White / Black)

External Dimensions :1382*800*2120mm (54.4*31.5*84 inch)

Material: Outside and inside with color coated steel, inside bottom with 304 stainless steel.

Capacity : 1330L/47Cu. Ft

Door: 2

Shelves: 8

Compressor: 1/3HP

Cooling Type: Ventilated

Installation Type: Polyurethane

Temperature: -20°C ~ -17°C

Temperature Control type: Diexll/Carel

Refrigerant: R-404a

Refrigerant Charge:19.4oz

Amps: 12A

Power Consumption: 1200W

Power Supply: 110V/60Hz

Internal Light: LED light

Net Weight: 397LBS/180KGS

SMF2-54GD



SMF2-54GD



Undercounter Refrigerator

One Door Undercounter-**Refrigerator** (Right Hand Open)

Model: SMC1-UD27-RH

Dimension(W*D*H): 698*762*929 mm (27.5*30*36.6 inch)

Capacity: 184 L/6.5 Cu.Ft.

Temperature: 1°C ~ 8°C

Doors: 1

Shelves: 2

Refrigerant: R-134a

Refrigerant Charge: 9.2oz

Compressor: 1/6HP

Cooling Type: Ventilated

Insulation: Polyurethane

Controller: Thermostat

Amps: 3.2A

Voltage: 115V/60Hz

Power: 260W

Net Weight: 85 KGS /187.4 LBS



Two Door Undercounter Refrigerator

Model: SMC2-UD48

Dimension(W*D*H): 1225*762*929 mm (48.2*30*36.6inch)

Capacity: 340 L/12 Cu.Ft.

Temperature: 1°C ~ 8°C

Doors: 2

Shelves: 4

Refrigerant: R-134a

Refrigerant Charge: 9.2oz

Compressor : 1/6HP

Cooling Type: Ventilated

Insulation: Polyurethane

Controller: Thermostat

Amps: 4.2A

Voltage: 115V/60Hz

Power: 390W

Net Weight: 105 KGS /231.5 LBS



Two Big Door Undercounter Refrigerator

Model: SMC2-UD60

Dimension(W*D*H): 1530*762*929mm (60.2*30*36.6 inch)

Capacity: 506 L / 17.9 Cu.Ft.

Temperature: 1°C ~ 8°C

Doors: 2

Shelves: 4

Refrigerant: R-134a

Refrigerant Charge: 11.6oz

Compressor: 1/4HP

Cooling Type: Ventilated

Insulation: Polyurethane

Controller: Thermostat

Amps: 4.2A

Voltage: 115V/60Hz

Power: 390W

Net Weight: 130 KGS /286.6 LBS



Three Door Undercounter-Refrigerator

Model: SMC3-UD72

Dimension(W*D*H): 1846*762*929 mm (72.7*30*36.6 inch)

Capacity: 538 L / 32.8 Cu.Ft.

Temperature: 1°C ~ 8°C

Doors: 3

Shelves: 6

Refrigerant: R-134a

Refrigerant Charge: 11.6oz

Compressor: 1/4HP

Cooling Type: Ventilated

Insulation: Polyurethane

Controller: Thermostat

Amps: 4.2A

Voltage: 115V/60Hz

Power: 390W

Net Weight: 160 KGS /353 LBS



Undercounter Freezer

One Door Undercounter-**Freezer** (Right Hand Open)

Model: SMF1-UD27-RH

Dimension(W*D*H): 698*762*929 mm (27.5*30*36.6 inch)

Capacity: 184 L/6.5 Cu.Ft.

Temperature: -25°C ~ -17°C

Doors: 1

Shelves: 2

Refrigerant: R-404a

Refrigerant Charge: 12.3oz

Compressor: 1/3HP

Cooling Type: Ventilated

Insulation: Polyurethane

Controller: Thermostat

Amps: 4.1A

Voltage: 115V/60Hz

Power: 350W

Net Weight: 85 KGS /187.4 LBS



Two Door Undercounter- Freezer

Model: SMF2-UD48

Dimension(W*D*H): 1225*762*929 mm (48.2*30*36.6 inch)

Capacity: 340 L/12 Cu.Ft.

Temperature: -25°C ~ -17°C

Doors: 2

Shelves: 4

Refrigerant: R-404a

Refrigerant Charge: 19.4oz

Compressor: 1/2HP

Cooling Type: Ventilated

Insulation: Polyurethane

Controller: Thermostat

Amps: 7.2A

Voltage: 115V/60Hz

Power: 600W

Net Weight: 105 KGS /231LBS



Two Big Door Undercounter-**Freezer**

Model: SMF2-UD60

Dimension(W*D*H): 1530*762*929 mm (60.2*30*36.6 inch)

Capacity: 506 L / 17.9 Cu.Ft.

Temperature: -25°C ~ -17°C

Doors: 2

Shelves: 4

Refrigerant: R-404a

Refrigerant Charge: 19.4oz

Compressor: 1/2HP

Cooling Type: Ventilated

Insulation: Polyurethane

Controller: Thermostat

Amps: 7.2A

Voltage: 115V/60Hz

Power: 600W

Net Weight: 130 KGS /286.6 LBS



Mega Top Refrigerator

One Door Mega Top Refrigerator (27")

Model: SMC1-S27M

Dimension(W*D*H): 698×934×1182mm (27.48*36.77*46.53 inch)

Capacity: 224 L/7.9 Cu. Ft

Temperature: 1°C ~ 8°C

Doors: 1

Shelves: 2

Refrigerant: R-134a

Refrigerant Charge: 9.2oz

Compressor: 1/4HP

Cooling Type: Ventilated

Insulation: Polyurethane


Controller: Thermostat

Amps: 4.2A

Voltage: 115V/60HZ

Power: 390W

Net Weight: 220LBS/100KGS



SMC1-S27M



Two Door Mega Top Refrigerator (48")

Model: SMC2-S48M

Dimension(W*D*H): 1225×934×1182mm (48.23*36.77*46.53 inch)

Capacity: 416L/14.7 Cu. Ft

Temperature: 1°C ~ 8°C

Doors: 2

Shelves: 4

Refrigerant: R-134a

Refrigerant Charge: 12.3oz

Compressor: 1/3HP

Cooling Type: Ventilated

Insulation: Polyurethane

Controller: Thermostat

Amps: 6.5A

Voltage: 115V/60HZ

Power: 560W

Net Weight: 267LBS/121KGS



SMC2-S48M



Two Big Door Mega Top Refrigerator (60")

Model: SMC2-S60M

Dimension(W*D*H): 1530×934×1182mm (60.24*36.77*46.53 inch)

Capacity: 586L/20.7 Cu. Ft

Temperature: 1°C ~ 8°C

Doors: 2

Shelves: 4

Refrigerant: R-134a

Refrigerant Charge: 12.3oz

Compressor: 1/3HP

Cooling Type: Ventilated

Insulation: Polyurethane


Controller: Thermostat

Amps: 6.5A

Voltage: 115V/60HZ

Power: 560W

Net Weight: 353LBS/160KGS



SMC2-S60M



Three Door Mega Top Refrigerator (72")

Model: SMC3-S72M

Dimension(W*D*H): 1846×934×1182mm (72.68*36.77*46.53 inch)

Capacity: 714L/25.2 Cu. Ft

Temperature: 1°C ~ 8°C

Doors: 3

Shelves: 6

Refrigerant: R-134a

Refrigerant Charge: 17.6oz

Compressor: 1/3HP

Cooling Type: Ventilated

Insulation: Polyurethane


Controller: Thermostat

Amps: 7.5A

Voltage: 115V/60HZ

Power: 630W

Net Weight: 397LBS/180KGS



SMC3-S72M



Salad Prep Table- Refrigerator

One Door Salad Prep Table- Refrigerator (27")

Model: SMC1-S27-RH-6

Dimension(W*D*H): 698×762×1109mm (27.5*30*43.7inch)

Capacity: 184L/6.5 Cu. Ft

Temperature: 1°C ~ 8°C

Doors: 1

Shelves: 2

Refrigerant: R-134a

Refrigerant Charge: 9.2oz

Compressor: 1/4HP

Cooling Type: Ventilated

Insulation: Polyurethane

Controller: Thermostat

Amps: 4.2A

Voltage: 115V/60HZ

Power: 390W

Net Weight: 198LBS/90KGS



Two Door Salad Prep Table- Refrigerator (48")

Model: **SMC2-S48-12**

Dimension(W*D*H): 1225×762×1109mm (48.2*30*43.7inch)

Capacity: 340L/12 Cu. Ft

Temperature: 1°C ~ 8°C

Doors: 2

Shelves: 4

Refrigerant: R-134a

Refrigerant Charge: 12.3oz

Compressor: 1/3HP

Cooling Type: Ventilated

Insulation: Polyurethane

Controller: Thermostat

Amps: 6.5A

Voltage: 115V/60HZ

Power: 560W

Net Weight: 242LBS/110KGS



Two Door Salad Prep Table- Refrigerator (60")

Model: SMC2-S60-16

Dimension(W*D*H): 1530×762×1109mm (48.2*30*43.7inch)

Capacity: 566L/20 Cu. Ft

Temperature: 1°C ~ 8°C

Doors: 2

Shelves: 4

Refrigerant: R-134a

Refrigerant Charge: 12.3oz

Compressor: 1/3HP

Cooling Type: Ventilated

Insulation: Polyurethane

Controller: Thermostat

Amps: 6.5A

Voltage: 115V/60HZ

Power: 560W

Net Weight: 331LBS/150KGS



Three Door Salad Prep Table- Refrigerator (72")

Model: **SMC3-S72-18**

Dimension(W*D*H): 1846×762×1109mm (72.7*30*43.7inch)

Capacity: 623 L/22 Cu. Ft

Temperature: 1°C ~ 8°C

Doors: 3

Shelves: 6

Refrigerant: R-134a

Refrigerant Charge: 17.6oz

Compressor: 1/3HP

Cooling Type: Ventilated

Insulation: Polyurethane

Controller: Thermostat

Amps: 7.5A

Voltage: 115V/60HZ

Power: 630W

Net Weight: 375LBS/170KGS



SunMing Model No.	Description	Interior Dimension (inch)			Exterior Dimension (Packing Dimension) (inch)		
		l"	w"	h"	l"	w"	h"
SMF1-28-RH	Bottom Mount Reach In Freezer - 1 Door	22.24	25.20	60.04	28.74	33.07	85.04
SMF2-39	Bottom Mount Reach In Freezer - 2 Door Smaller Size	34.76	25.20	60.04	41.14	33.07	85.04
SMF2-54	Bottom Mount Reach In Freezer - 2 Door	49.69	25.20	60.04	56.10	33.07	85.04
SMC1-28-RH	Bottom Mount Reach In Refrigerator - 1 Door	22.24	25.20	60.04	28.74	33.07	85.04
SMC2-39	Bottom Mount Reach In Refrigerator - 2 Door Smaller Size	34.76	25.20	60.04	41.14	33.07	85.04
SMC2-54	Bottom Mount Reach In Refrigerator - 2 Door Size	49.69	25.20	60.04	56.10	33.07	85.04
SMF1-GD27S	Bottom Mount Glass Door Reach In Freezer - 1 Door	22.24	25.20	60.04	28.74	33.00	85.83
SMF2-GD54S	Bottom Mount Glass Door Reach In Freezer - 2 Door	49.69	25.20	60.04	56.10	33.00	85.83
SMC1-GD27S-RH Stainless Steel	Bottom Mount Glass Door Reach In Refrigerator - 1 Door	22.24	25.20	60.04	28.74	33.00	85.83
SMC2-GD54S	Bottom Mount Glass Door Reach In Refrigerator - 2 Door	49.69	25.20	60.04	56.10	33.00	85.83
SMC2-GD45-W	Glass Door Merchandiser Cooler - 2 Sliding Doors - White	50.47	24.21	60.04	56.10	31.22	85.83
SMF-27GD	Single glass door freezer Merchandiser-white	22.24	25.20	60.04	28.74	33.00	85.83
SMF2-54GD	Double glass door freezer Merchandiser-white	49.69	25.20	60.04	56.10	33.00	85.83
SMC1-GD22-RH-W	Glass Door Merchandiser Cooler - 1 Door - White	22.24	25.20	60.04	28.74	33.00	85.83
SMC2-GD47	Glass Door Merchandiser Cooler - 2 swing door - White	49.69	25.20	60.04	56.10	33.00	85.83
SMC1-24GD-RH	Glass Door Merchandiser Cooler - 1 Door - White	20.28	17.91	55.04	25.79	33.00	85.04
SMC1-GD10-RH	Glass Door Merchandiser Cooler - 1 Door - White	20.28	17.91	42.05	25.79	33.00	72.05
SMF2-GD47	Double glass door freezer -2 swing door merchandiser-blk	49.69	25.20	60.04	56.10	33.00	85.83
SMC1-GD22-RH-B	Glass Door Merchandiser Cooler - 1 Door - Black	22.24	25.20	60.04	28.74	33.00	85.83
SMC2-GD47	Glass Door Merchandiser Cooler - 2 swing door - Black	49.69	25.20	60.04	56.10	33.00	85.83
SMC2-GD45-B	Glass Door Merchandiser Cooler - 2 Sliding Doors - Black	50.47	24.21	60.04	56.10	31.22	85.83



SunMing Model No.	Description	Interior Dimension (inch)			Exterior Dimension (Packing Dimension) (inch)		
		l"	h"	w"	l"	h"	w"
SMC1-UD27-RH	Undercounter Refrigerator - 1 Door 27"	23.94	23.57	26.67	30.24	32.70	37.72
SMC2-UD48	Undercounter Refrigerator - 2 Door 48"	44.69	23.57	26.67	50.98	32.70	37.72
SMC2-UD60	Undercounter Refrigerator - 2 Door 60"	56.69	23.57	26.67	62.99	32.70	37.72
SMC3-UD72	Undercounter Refrigerator - 3 Door 72"	69.13	23.57	26.67	75.43	32.70	37.72
SMF1-UD27-RH	Undercounter Freezer - 1 Door 27"	23.94	23.57	26.67	30.24	32.70	37.72
SMF2-UD48	Undercounter Freezer - 2 Door 48"	44.69	23.57	26.67	50.98	32.70	37.72
SMF2-UD60	Undercounter Freezer - 2 Door 60"	56.69	23.57	26.67	62.99	32.70	37.72
SMC1-S27-RH-6	Salad Table Refrigerator - 1 Door 27"	23.94	23.57	26.67	30.24	32.70	45.83
SMC2-S48-12	Salad Table Refrigerator - 2 Door 48"	44.69	23.57	26.67	50.98	32.70	45.83
SMC2-S60-16	Salad Table Refrigerator - 2 Door 60"	56.69	23.57	26.67	62.99	32.70	45.83
SMC3-S72-18	Salad Table Refrigerator - 3 Door 72"	68.90	23.57	26.67	75.43	32.70	45.83
SMC1-S27M	Mega Top Salad Table Refrigerator - 1 Door 27"	23.94	23.58	27.55	30.24	37.50	48.19
SMC2-S48M	Mega Top Salad Table Refrigerator - 2 Door 48"	44.69	23.58	26.37	50.98	37.50	48.19
SMC2-S60M	Mega Top Salad Table Refrigerator - 2 Door 60"	56.69	23.58	26.37	62.99	37.50	48.19
SMC3-S72M	Mega Top Salad Table Refrigerator - 3 Door 72"	69.13	23.58	26.37	75.43	37.50	48.19

