Project Name:			. AIA#:
Model #:	Location:		
	Item #·	Quantity:	



Cilobe 20 Quart Planetary Bench **Mixer**

The Perfect Mix of Value. Performance & Durability

Features front mounted touch pad control panel with 60-minute digital timer!









Model

□ SPC20

Standard Features

- Powerful 1/2 HP custom built motor
- Gear-driven, high-torque transmission
- Heat-treated hardened steel alloy gears & shafts
- Three fixed speeds
- Permanently lubricated transmission
- Thermal overload protection
- Front-mounted touch pad controls with 60minute digital timer and last-batch recall
- Removable stainless steel, interlocking bowl guard with built-in fully welded ingredient chute
- Interlocked bowl lift
- Rigid cast iron body
- Industry standard #12 attachment hub
- NSF approved enamel gray paint
- 6-foot cord and ground plug

Standard Accessories/Attachments

- 20 qt stainless steel bowl (#304 series)
- Aluminum flat beater
- Stainless steel wire whip
- Aluminum spiral dough hook
- Non-slip rubber feet

Warranty


Two year parts and labor


Optional Accessories/Attachments


- Slicer/shredder/grater for #12 hub
- Meat grinder for #12 hub
- Stainless steel flat beater
- Stainless steel spiral dough hook
- 10 qt adapter kit
- 12 gt adapter kit
- Mixer table with undershelf
- Extended warranty

To select options, see complete list on back

Approved by:	Date:
• • •	







UNIT: INCHES (CM)

Drawings available through KCL at www.kclcad.com.

SPECIFICATIONS												
Model	odel Motor Volts	Volte	Amno	Transmission	fransmission Consoits	Controls	Agitator Speeds (RPMs)		Attachment Speeds (RPMs)			
Wodei		VOILS I		Туре	Capacity		1st	2nd	3rd	1st	2nd	3rd
SPC20	1/2 HP	115/60/1	6	Gear	20 qt 19 liter	Front-mounted digital controls & timer	104	194	353	59	110	201

Cord & Plug: Attached 6-foot flexible 3-wire cord with molded plug fits a grounded receptacle. NEMA 5-15P (!!)

DIMENSIO	DIMENSIONS SHIPPING INFORMATION								
	Carton reinforced for shipping. The weight and dimensions of this reinforced carton are included below and may vary from shipment to shipment. This product ships on a pallet. Freight class 85.								
Model	Base Foot Print	Overall Dimensions	Net Wt	Shipping Dimensions	Shippping Wt				
SPC20	16" w x17" d (41 cm x 43 cm)	18.25" w x 19.5" d x 34.5" h (46 cm x 50 cm x 88 cm)	199 lbs (80 kg)	32" w x 40" d x 48" h (81 cm x 102 cm x 122 cm)	270 lbs (122 kg)				

Mixer is constructed of a rigid cast iron body with front-mounted controls and a digital 60-minute timer with last-batch recall. Mixer has a 1/2 HP custom built motor with overload protection and gear-driven, high torque permanently lubricated transmission consisting of heat-treated hardened steel alloy gears and shafts. Mixer comes with 20 qt. stainless steel bowl, aluminum flat beater, stainless steel wire whip, aluminum dough hook and non-slip rubber feet. Interlocked, removable stainless steel bowl guard with fully welded on ingredient chute. Mixer has #12 attachment hub and interlocked bowl lift. Mixer is NSF and ETL listed. Two year parts labor warranty.

OPTIONAL MIXER ACCESSORIES AND HUB ATTACHMENTS							
MIXER: XXBOWL-20 20 qt. stainless steel (S/S)bowl XXBEAT-20 Alum. flat beater XXBEAT-20SS S/S flat beater XXHOOK-20 Alum. dough hook XXHOOK-20SS S/S dough hook	 □ XXPASTRY-20 Alum. pastry knife □ XTable S/S countertop mixer table with under shelf (30" W x 24" D x 24" H) HUB: □ XVSGH 9" Slicer/Shredder/Grater 	□ XGP* Grating plate □ XMCA-SS Meat grinder assembly (Polished stainless steel cylinder, worm gear, ring, and s/s pan. Includes knife, 3/16" plate, and pusher.) □ XXCK Chopper knife for XMCA-SS	☐ CP16-12 5/8" (16 mm) ☐ CP18-12 11/16" (18 mm) ☐ CP00-12 Stuffing plate ☐ XST12 1/2" Stuffing tube (mutton) ☐ XST34 3/4" Stuffing tube (pork)				
☐ XXJHOOK-20 Alum. J dough hook ☐ XXWHIP-20 S/S wire whip ☐ XXHDWHIP20-4 Heavy-duty 2.8 mm _ S/S wire whip	housing only (no plates included-must select from plates listed on this sheet) XASP Adjustable slicing plate (for vegetables only) XPH Plate holder -*only 1 required	Chopper Plate Sizes Available: ☐ CP02-12 1/16" (2 mm) ☐ CP04-12 5/32" (4 mm)	☐ FACTORY INSTALLED OPTION: XXCORR-20 Correctional package, includes tamper resistant external fasteners.				
 ☐ XXAWHIP-20 S/S Aileron (wing) whip ☐ XXSCRP-20 scraper with mounting kit ☐ XXACC10-20 Adapter kit - 10 qt bowl, hook, beater and whip ☐ XXACC12-20 Adapter kit - 12 qt bowl, 	Shredding Plates: ☐ XSP332* 3/32" (2.3 mm) ☐ XSP316* 3/16" (4.7 mm) ☐ XSP14* 1/4" (6.3 mm) ☐ XSP516* 5/16" (7.9 mm)	☐ CP05-12 3/16" (5 mm) ☐ CP06-12 1/4" (6 mm) ☐ CP08-12 5/16" (8 mm) ☐ CP10-12 3/8" (10 mm) ☐ CP12-12 1/2" (12 mm)	SP-XD1020 Extended warranty for SP20 mixer, extends factory warranty to 3 years. Available only at time of purchase.				

hook, beater and whip

☐ XSP516* 5/16"

☐ XSP12* 1/2"

(14 mm)

of purchase.

(7.9 mm)

(12.7 mm)

☐ CP14-12 9/16"