

Shop & Safety Essentials Catalog



Shop & Safety Essentials

Contents



Elgin and Vactor are proud to announce a new addition to our aftermarket product offering:

Introducing the Elgin/Vactor Shop & Safety Essentials.

We partnered with some of the best and most respected companies in the industry in order to offer you traditional and best-in-industry technologies in products for all of your shop and safety essential needs. These products have all been selected for their quality and will help provide your customers with the right tools for most any job.

> Just like our equipment, each of these products are satisfaction guaranteed and backed by a full warranty.

The most attractive feature of the Shop and Safety Essentials is the affordable price. The combination of excellent pricing and professional quality makes all of these products truly an outstanding value.

YOUR BEST SOURCE FOR **Essential Shop & Safety Products**

ELGIN VACTOR

Shop Products

Gloves								2-	-7
Flashlights									8
Portable Heaters									9
Hand Cleaners								. :	10
Shop Towels								• -	11
Spill Containment .							12	2-2	14
Sorbents								• -	15
Shop Creepers								. :	16
Fuel Cans								. :	17

Safety Products

First Aid Kits & Eye Flush
Respirators
Safety Storage
Safety Eye Wear
Fire Extinguishers
Safety Apparel
Safety Accessories
Hearing Protection

Welding

Welding	Apparel.						. 34–35

Lubrication Equipment

Grease Guns
Lubrication Accessories
Grease Fittings
Filter Wrenches
Fuel & Oil Transfer
Fuel Meters & Nozzles
Fuel Pump Parts
Funnels & Drip Pans



Vehicle Solutions

	Vehicle & Trailer	Maiı	nte	en	an	ICE	¢	•			48	-49
	Wiper Blades .											. 50
	Power Supply .											. 51
	Battery Solutions	; .									51	-53
	Tie Downs										54	-55
Lift Eq	uipment											
	Lift Equipment.										56	-59
Chemi	icals											
	Shop Aerosols.											. 60
	Tire Sealants .											. 61
	Fluid Film & J-B	Weld	k									. 62
	WD-40 [®]											. 63
Hand	Tools & Stora	ge										
	Striking Tools .	-										. 64
	Alignment & Pry											
	Tool Storage.											

Gloves

Gloves



Company Branded Mechanics Gloves

- Durable synthetic leather palm
- Breathable form-fitting spandex back
- · Flare cuff

Item No.	Size	Logo	Color
ESGBLKE78-L	Large	Elgin	Black
ESGBLKE78-XL	X-Large	Elgin	Black
ESGBLKV78-L	Large	Vactor	Black
ESGBLKV78-XL	X-Large	Vactor	Black
ESGBLKG78-L	Large	Guzzler	Black
ESGBLKG78-XL	X-Large	Guzzler	Black

Mechanics Gloves

- Velcro attachment
- Machine wash, air dry
- Durable synthetic leather palm





X-Large



ESGBLUE70

ESGRED71-XL

Item No.	Size	Logo	Color
ESGBLUE70-L	Large	-	Blue
ESGBLUE70-XL	X-Large	-	Blue
ESGRED71-L	Large	-	Red

ESGRED71



- Cuff is color coded by size, knit wrist
 - Single dipped mach finish nitrile • Outstanding wet oil grip
 - Fantastic dexterity, fit & feel
 - Dark colors hide dirt
 - Applications include electronic assembly, food processing, automotive, construction work and general all purpose light duty material handling use

Item No.	Size
ESG500GM	Medium
ESG500GL	Large
ESG500GXL	X-Large
ESG500G2XL	XX-Large



Tsunami Grip® Air Injected Nitrile


- Purple 13 gauge nylon with a knit wrist
- Outstanding wet oil grip
- Fantastic dexterity, fit & feel
- Air injected Nitrile "breathes" for less hand fatique and sweat
- Applications include electronic assembly, automotive, construction work, sheet rocking, and general all purpose material handling

Item No.	Size
ESG500M	Medium
ESG500L	Large
ESG500XL	X-Large

Tsunami Grip® New Foam Technology Nitrile

• 15 gauge nylon shell gives silky feel

- Outstanding wet oil grip
- Fantastic dexterity, fit & feel



Item No.	Size
ESG500NFTM	Medium
ESG500NFTL	Large
ESG500NFTXL	X-Large
ESG500NFT2XL	XX-Large



- Tsunami Grip[®] Black Mach **Finish Nitrile**
 - Red 13 gauge nylon shell
 - Unique double dipped mach finish nitrile coating provides the grip comparable to true foam/air
 - injected nitrile and has more abrasion qualities
 - It also will not saturate through the coating like foam/air injected nitrile
 - ANSI level 1 cut resistance
- Outstanding wet oil grip
- Fantastic dexterity, fit & feel
- Applications include electronic assembly, food processing, automotive, construction work, general purpose use and jobs requiring light cut resistance

Item No.	Size
ESG500MFM	Medium
ESG500MFL	Large
ESG500MFXL	X-Large
ESG500MF2XL	XX-Large

Tsunami Grip[®] New Foam **Technology Nitrile with Nitrile Dots**

- 15 gauge nylon shell gives silky feel
- Outstanding wet oil grip
- Fantastic dexterity, fit & feel
- Applications include electronic assembly, food processing, automotive, construction work and general all purpose use

Item No.	Size
ESG500NFTDM	Medium
ESG500NFTDL	Large
ESG500NFTDXL	X-Large
ESG500NFTD2XL	XX-Large

Palm Dipped Gloves Cut, puncture and abrasion-resistant palm Breathable knit back • Ergonomic, form-fitting design Great grip on wet surfaces Size Item No. ESG300-L Large ESG300-XL X-Large

Red

Atlas Fit Latex Palm Gloves



- The ergonomic design and flexible coating make the Atlas Fit latex palm coated gloves the most comfortable and versatile work aloves in the world
- These gloves outperform leather and cotton gloves by providing superior durability, dexterity and fit
- Latex palm coating
- Seamless liner
- · Strong tear, abrasion and puncture resistance
- Rough, textured grip

Item No.	Size
ESGHW4400-S	Small
ESGHW4400-M	Medium
ESGHW4400-L	Large
ESGHW4400-XL	X-Large



Atlas Therma-Fit Lined Gloves

- Atlas Therma Fit Gloves are the warm cousin of the most popular and widely recognized work gloves on the market, the Atlas Fit Latex series glove
- The latex is textured for superior grip and the extra liner is ideal for cold weather/environment conditions

• It also gives added cushioning

Item No.	Size
ESGHW4450-M	Medium
ESGHW4450-L	Large
ESGHW4450-XL	X-Large



Large Leather Palm Gloves

Item No. ESG472-L

- Durable suede leather palm
- Cotton flannel and shirred elastic back
- · Heavy duty rubberized safety cuff

Gloves

Gloves



Suede Palm Mechanics Gloves

- Premium suede deerskin palm is water repellent
- Spandex back for breathability and Lycra finger panels for strength
- Hook & loop wrist closure
- Genuine leather palm outwears synthetic leather by 50%

Size

Medium

Large

X-Large

Machine wash, air dry

Item No.	Size
ESGHW1065-M	Medium
ESGHW1065-L	Large
ESGHW1065-XL	X-Large



Flannel Lined Grain Pigskin

- Premium Pigskin leather work gloves
- Flannel lining
- · Great for winter warmth

Item No.	Size
ESGHW2600-M	Medium
ESGHW2600-L	Large
ESGHW2600-XL	X-Large

Large Suede Cowhide Palm

- Item No. ESGHW3400-L • Durable suede leather palm
- Full leather index finger
- Wing thumb
- · Leather finger tips
- Knuckle strap
- Shirred elastic back
- 100% cotton flannel back

Reversible Kevlar Blend

- Kevlar brand fiber for high tensile strength relative to its weight-up to five times stronger than steel
- Will not melt, ignite or conduct electricity
- 18% greater cut resistance than standard Kevlar brand fiber for maximum protection



Item No.	Desc.	Size
ESG1KK2200-S	String Knit	Small
ESG1KK2200-M	String Knit	Medium
ESG1KK2200-L	String Knit	Large
ESG1KK2200-XL	String Knit	X-Large
ESG1KK2202-S	Dotted Palm & Back	Small
ESG1KK2202-M	Dotted Palm & Back	Medium
ESG1KK2202-L	Dotted Palm & Back	Large
ESG1KK2202-XL	Dotted Palm & Back	X-Large
ESG1KK2202-2XL	Dotted Palm & Back	XX-Large

PVC Chemical Gloves

Item No. ESGHW2441PR

- PVC gloves provide good resistance to anhydrous ammonia, pesticides and acids
- 14" cuff length
- Complies with EN 388:1994 & EN 374-1:1994
- It's our # 1 selling sewer glove

Nitrile-Solve Nitrile Gloves

- 100% Nitrile, 15 mil thickness and a 13" cuff for protection against most pesticides, acids, solvents and caustic chemicals
- Unlined for easy cleaning
- Resistant to abrasion, puncture, cuts and snags

Item No.	Size
ESGHW2400-S	Small
ESGHW2400-M	Medium
ESGHW2400-L	Large
ESGHW2400-XL	X-Large
ESGHW2400-2X	XX-Large





Item No. ESGHW2800-M

ESGHW2800-L

ESGHW2800-XL

- Tailored keystone thumb
- Shirred elastic back 0 - 16 1- ----

	 Self hem 	
B	Item No.	Size
	ESGHW2750-M	Medium
	ESGHW2750-L	Large
	ESGHW2750-XL	X-Large



Large Quilted Heavy Duty **Yellow Chore Gloves**

Item No. ESGHW3475-L

- Medium weight chore gloves are constructed from 14 ounce 100% cotton flannel, quilted to a moisture wicking polypropylene lining
- Double thickness, full cut design and matching knit wrist to keep out debris
- Great everyday glove—strong and comfortable







- 2-1/2" rubberized safety cuff



Latex Rubber Grip Gloves

Item No. ESGHW2480PR

- Formulated from natural latex rubber with 14" cuffs for added protection
- Unlined for easy cleanup and freshness

Shop Products

5

Abrasion and cut resistant



Flock-Lined Nitrile-Solve Nitrile Gloves

- Flock-lined for additional comfort, these 15 mil,13" cuff gloves have the same chemical, abrasion and cut resistance as the unlined version
- . Lining absorbs perspiration making them cooler to wear and easier to put on and remove
- · Non-slip grip finish

Item No.	Size
ESGHW2375-S	Small
ESGHW2375-M	Medium
ESGHW2375-L	Large
ESGHW2375-XL	X-Large
ESGHW2375-2XL	XX-Large

Gloves

Gloves



Powder-Free 6 mil Nitrile Gloves

- Breakthrough pH5.5 technology made to match healthy skins natural pH5.5 levels to ensure the most comfortable fit yet
- Quadruple washed—no excess chemicals lingering on glove
- Fully textured grip
- Latex-free

Item No.	Description
ESGBL-M	Black Lightning - Medium
ESGBL-L	Black Lightning - Large
ESGBL-XL	Black Lightning - X-Large
ESGBL-XXL	Black Lightning - 2X-Large
ESGOR-M	Orange Lightning - Medium
ESGOR-L	Orange Lightning - Large
ESGOR-XL	Orange Lightning - X-Large
ESGOR-2XL	Orange Lightning - 2X-Large



Heavy Duty Blue Nitrile Lightning Glove

- Powder-free 12" Extended Cuff Latex Gloves
- Ultra thick 15 mil is 4x thicker than standard exam gloves, provides the ultimate barrier protection

• 50 gloves per box

Item No.	Size
ESGBLUE-M	Medium
ESGBLUE-L	Large
ESGBLUE-XL	X-Large
ESGBLUE-XXL	XX-Large



Nitrile Lightning Storm Extended Cuff

- Extended 12" cuff for added protection where you need it most, powder-free
- 9 mil thickness
- Textured fingertips
- 50 gloves per box

Item No.	Size
ESGLS-S	Small
ESGLS-M	Medium
ESGLS-L	Large
ESGLS-XL	X-Large

Latex Lightning Glove White

- Powder-free reduced latex
- Extra thick 8 mil latex glove provides superior protection against chemicals and hazards
- Approved for Medical use
- 100 gloves per box

Size
Medium
Large
X-Large



- With it's proprietary Freeze-Dried Technology, Aloe Power powder-free nitrile gloves gradually bathe hands in aloe to help soothe dry, chapped and cracked hands
- Fully textured for maximum grip in both wet and dry conditions
- 5.5 mil thickness
- 9 " length

• 100 gloves per box

Item No.	Size
ESGAPN-M	Medium
ESGAPN-L	Large
ESGAPN-XL	X-Large
ESGAPN-XXL	XX-Large



Item No.	Size
ESGB311-S	Small
ESGB311-M	Medium
ESGB311-L	Large
ESGB311-XL	X-Large
ESGB311-XXL	XX-Large



ELGIN VACTOR



InTouch Blue Nitrile

• Made of 100% Quality Nitrile, the InTouch Series provides the superior combination of durability and protection against dayto-day hazards at a cost effective price

• 5 mil thickness

• 9 " length • 100 gloves per box

Size
Small
Medium
Large
X-Large

InTouch White Nitrile

- 6.5 mil glove provides excellent protection against chemicals and hazards
- Powder-free
- 9 " length
- 100 gloves per box

Item No.	Size
ESGK321-S	Small
ESGK321-M	Medium
ESGK321-L	Large
ESGK321-XL	X-Large

InTouch Vinyl Powdered and Powder Free

- DEHP free
- Strong and heavy
- Cost effective
- Not made from natural rubber latex
- Smooth grip
- Not intended for medical use
- 100 gloves per box

Item No.	Desc.	Size
ESGN331-S	Powder-Free	Small
ESGN331-M	Powder-Free	Medium
ESGN331-L	Powder-Free	Large
ESGN331-XL	Powder-Free	X-Large
ESGP332-S	Powdered	Small
ESGP332-M	Powdered	Medium
ESGP332-L	Powdered	Large
ESGP332-XL	Powdered	X-Large

Flashlights

Portable Heaters



Septor Flashlight

Item No. ESGER61008 All LED Technology

> • A combination of seven three-way adjustable brilliant white LED bulbs in this flashlight give you hands-free flexibility and long run time

• Adjustable fabric head strap, 90° tilt movement, water-resistant thermoplastic yellow body, rubber-shielded bezel and unbreakable polycarbonate lens

• 3 AAA alkaline batteries included



Trident Flashlight Item No. ESGER61063

• Xenon Bulb plus LED Technology • Includes an adjustable fabric head strap, 90° tilting head, spot-to-flood

focus, and three levels of lighting for short, medium and long distances Rubber-shielded bezel and unbreakable

polycarbonate lens

3 AAA alkaline batteries included

3C Xenon Flashlight

Item No. ESGER33001

- High intensity Xenon bulb generates up to 12,000 peak beam candlepower
- Five hour continuous runtime on 3 C alkaline batteries (not included)
- Spring loaded clip, sealed switch, shock resistant polymer case, unbreakable polycarbonate lens
- Waterproof, non-conductive, corrosion-proof

4AA Xenon Flashlight

Item No. ESGER68002

• High intensity Xenon bulb generates up to 6,000 peak beam candlepower

• Four hour continuous runtime on 4 AA alkaline batteries (included)

- · Shock resistant polymer case, sealed switch, unbreakable polycarbonate lens
- Waterproof, non-conductive, corrosion-proof

4AA LED Flashlight

- Item No. ESGER68005
- Seven high-intensity, unbreakable LED's generate up to 27 lumens
- 155 hour continuous runtime on 4 AA alkaline batteries (included)
- Shock resistant polymer case, sealed switch, unbreakable polycarbonate lens
- Waterproof, non-conductive, corrosion-proof



Stinger Rechargeable

Item No. ESGER75014 • Rechargeable 3.6 volt, 1.8 amp nick-

- el-cadmium battery can be recharged up to 1.000 times
- · Runtime is one hour continuous use between charges
- Includes two 10-hour snap-in recharger holders with AC and DC charge cords
- Black anodized aluminum housing, unbreakable polycarbonate lens



• Produces 75,000 candlepower

- The NiCad 6 volt, 1.8 amp battery is
- rechargeable up to 1,000 times
- · One hour of continuous runtime between charges Black anodized aluminum housing is corrosion proof
- inside and out
- Unbreakable, focusable polycarbonate lens
- Includes two 10-hour snap-in recharger holders with AC and DC charge cords



Clipmate Flashlight

- Item No. ESGER61100
- This compact, durable, water-resistant flashlight gives you hands-free operation in three different configurations: 1) as a clip-on light to a hat, straps

or equipment 2) clipped to the adjustable head strap 3) carried on its convenient neck lanyard

- 360° rotation projects a white light from three super-bright LED's that is visible for over a mile away!
- 120 hours continuous runtime on 3 AAA alkaline batteries (included)
- An indispensable tool for all outdoor and industrial applications

Stylus LED Penlight

Item No. ESGER65018

• This ultra-slim, powerful penlight is cased in tempered aircraft aluminum with black anodized finish

• The high-intensity 12,000 millicandelas white LED has a 100.000-hour lifetime

- Ten hours continuous runtime with 3 AAAA alkaline batteries (included)
- Water-resistant
- · Blink or constant on switch
- · Removable tip guard for focusing the beam is included

Portable Heaters

- These easy-to-assemble units are CSA-certified and multi-fuel use with no adjustments (kerosene, diesel and fuel oil)
- Units come with an auxiliary power outlet for user-friendly convenience





ESG75TDGD





VACTOR



Forced Air Heater

n No.	Description
5TDGD	80,000 BTU/h, heats up to 1,750 square feet. 5-gallon fuel tank allows approx. 9 hours of use. Model does not come with tires.

Forced Air Heaters Featuring Dual Heat Technology

No.	Description
5TDGD	135,000 BTU/h, heats up to 3,000 square feet. 10-gallon fuel tank allows for approx. 11-13 hours of use. 10" flat-free tires for easy maneuvering and dependability.
OTDGD	180,000 BTU/h, heats up to 4,000 square feet. 13-gallon fuel tank allows for approx. 10-13 hours of use. 10" flat-free tires for easy maneuvering and dependability.

Forced Air Heaters Featuring Dual Heat Technology & *Enhanced Control Panel

No.	Description
OTDGD	220,000 BTU/h, heats up to 5,000 square feet. 13-gallon fuel tank allows for approx. 8-10 hours of use. 10" flat-free tires for easy maneuvering and dependability.
OTDGD	400,000 BTU/h, heats up to 8,500 square feet. 29-gallon fuel tank allows for approx. 10 hours of use. 13" pneumatic wheels for easy maneuvering and dependability.
ed contro	I panel comes with large display area and allows precise temperature control

unition parter connes with large unsplay area and anows with four diagnostic light indicators for optimum performance

Hand Cleaners

Natural orange oils

Item No.

• Petroleum solvent-free

• NPE-free and VOC-compliant

• Five skin care ingredients

• pH-balanced and biodegradable

Shop Towels





ESGG23116 15 oz. ESGG25218 1 Gallon **Gent-L-Kleen Pumice Orange**

• Orange-based lotion hand cleaner • Natural orange oils with fine-grain, American pumice

Gent-L-Kleen Smooth Orange

Weight

• Orange-based lotion hand cleaner

- Petroleum solvent-free
- NPE-free and VOC-compliant
- pH-balanced and biodegradable
- Five skin care ingredients

Item No.	Weight
ESGG25116	15 oz.
ESGG23218	1 Gallon

Pumice Grime Grabber

- Traditional skin cleansing gel
- Water-soluble and biodegradable
- VOC-compliant and NPE-free
- Six skin care ingredients

Item No.	Weight
ESG31412	14 oz.
ESGGC34560	4.5 lb.

Scrubs Hand Cleaning Wipes

- Item No. ESGCH2401BU • Sheet Size: 10" x 12.25"
- Quantity per canister: 72
- A powerful hand and surface degreasing cleaner that's gentle on your skin
- Multi-purpose wet wipe degreaser cuts through oil, tar, grease, paint, lubricants, ink, wax, adhesives and more



1 Gallon Gent-L-Kleen Heavy Duty Citrus with Pumice

Item No. ESG121422

- Premium, citrus-based lotion hand cleaner
- Natural citrus oils and fine-grain, American pumice
- Petroleum solvent-free
- NPE-free and VOC-compliant
- pH-balanced and biodegradable
- Nine skin care ingredients



Wall Mount Bracket

- Item No. ESG10002 • Fits one gallon pump-top jugs
- Stainless steel · Pre-drilled holes
- Black finish

Wall Mount Dispenser

Item No. ESG45116 • Fits 4.5 lb cartridge


- Rugged, non-corrosive plastic
- No gear or ratchets
- One-hand operation

Gent-L-Kleen Hand Wipes 90 Count Scrubber

Item No. ESG319060C Solvent-free, VOC and NPE-free

- Towels stay moist for hours
- Textured scrubber towel for ultra cleaning power
- Six skin care ingredients
- Multi-purpose wipes for hands, tools, surfaces and more!

Lava Heavy Duty Hand Cleaner



- Contains added moisturizers to help keeps hands smooth and soft-even with repeated usage
- · Contains Pumice for powerful hand cleaning action



Shop Towels 100 Count Box

- Item No. ESG5025001 • Sheet size: 9" x 16.75"
- Quantity per box: 100
- · Packaged in a portable pop up dispenser box allows you to grab one sheet at a time

Shop Towels 200 Count Box Item No. ESG55202

- Sheet size: 9" x 13"
- Quantity per box: 200
- Packaged in a cardboard center-pull dispenser box with convenient carrying handle



Shop Towels

- Item No. ESG54416
- Sheet size: 11" x 9.4" Quantity per roll: 64
- 6 pack quantity
- · Soft on hands and face, absorbent, and won't fall apart when wet
- Ideal for all medium to heavy-duty general purpose wiping applications
- Blue shop towels help hide grease and grime better than white shop towels allowing for more use before being discarded

VACTOR







Big Grip

Item No. ESG55208

- Sheet Size: 11" x 13"
- Quantity per bucket: 200
- · Bucket Shop Towels are perfect for jobs outside or wet work sites as it is designed to keep your towels clean and dry until they are needed



Big Grip Refill

Item No. ESG55207

- Sheet Size: 11" x 13"
- Quantity per roll: 200
- Use as a refill for the Big Grip (Item No. ESG55208) or as a stand alone center-pull shop towel dispenser

Spill Containment



SENTRY Spill Response Drum

Item No. ESGSP1620EA

- 6 gallon pick-up capacity
- 10 gallon drum contains enough CHEMSORB® sorbent to absorb 6 gallons of liquid spill
- Kit includes:
 - 3 CHEMSORB® Diking Tubes 6 Small CHEMSORB® Pillows 2 HazMat disposable bags 1 pair splash goggles
- 1 pair 15 mil Nitrile gloves 2 HazMat labels 2 non-hazardous waste labels 1 parts reorder form
- 1 pair rubber HazMat boots



SENTRY Spill Response Drum

Item No. ESGSP1660EA

- 30 gallon pick-up capacity
- 55 gallon drum contains enough CHEMSORB® sorbent to absorb 30 gallons of liquid spill
- Kit includes:

15 CHEMSORB® Diking Tubes 10 CHEMSORB® Pillows 4 HazMat disposable bags 2 Tychem SL Saranex Coveralls 2 pair splash goggles 2 pair rubber HazMat boots

2 pair 15 mil Nitrile gloves 1 roll caution tape 4 HazMat labels 4 non-hazardous waste labels 1 parts reorder form



SENTRY Spill Response Drum

Item No. ESGSP1640EA

- 20 gallon pick-up capacity
- 30 gallon drum contains enough CHEMSORB® sorbent to absorb 20 gallons of liquid spill
- · Kit includes:
 - 10 CHEMSORB® Diking Tubes
 - 4 CHEMSORB® Pillows
 - 4 HazMat disposable bags
 - 2 Tychem SL Saranex Coveralls
 - 2 pair splash goggles 2 pair rubber HazMat boots
- 2 pair 15 mil Nitrile gloves 1 roll caution tape 4 HazMat labels
- 4 non-hazardous waste labels 1 parts reorder form



Portable Insulated Decontamination Kit

- Lightweight, bright yellow nylon bag is easy to identify from a distance and is insulated to ensure that enclosed liquids meet the EPA's "usable temperature" mandate
- Complies with: EPA Reg. 40 CFR 170
- Kit includes:

VACTOR

- 4 Extra large single-use towels
- 3 One-gallon portable water bottles
- 2 16-oz. bottle of sterile, buffered, isotonic eyewash
- 1 4-oz. bottle liquid soap
- 1 disposable coverall/ modesty garment
- 1 weather-resistant, insulated carrying case (14.5" x 12.5" x 12.5")
- 1 bilingual instruction sheet

Spill Containment



Commando® Spill Containment Kit

Item No. ESGKT1120EA

- Ideal for vehicles transporting liquid chemicals, chemical handlers and haulers, • Fits easily in any vehicle sprayer, nurse tank or chemical transport truck, around mixing and storage areas and can be wall hung around your plant and warehouse for visibility and easv access
- Pickup rating is 5 gallons of liquid per kit
- Packed in a highly visible yellow, chemical resistant carry bag
- Slim, mobile spill response kit fits easily in your vehicle and may be hung on the warehouse or shop wall to give you immediate response to chemical spills
- Kit includes:
 - 2 CHEMSORB® Diking Tubes (3" x 48")
 - 4 CHEMSORB® Pillows (16" x 9" x 2")
 - 2 HazMat disposable bags
 - 1 pair 15 mil Nitrile gloves
 - 1 pair safety goggles
 - 1 pair Tychem SL Saranex boot covers
 - Instruction sheet



ESG28673

Item No. ESGKT1540

- Designed for personal cleanup in the field from chemical spills





Minuteman[®] Spill Containment Kit

Item No. ESGKT1000EA

- . Keep your spill response items organized and ready for use
- Packed with the key products you need to clean up a hazardous spill
- Pickup rating is 5-6 gallons of liquid per kit
- Comes in a portable, highly visible orange nylon duffel pack
- Kit includes:
 - 2 CHEMSORB® Sorbent Pillows (26" x 16" x 2")
 - 3 CHEMSORB® 48" Diking Tubes
 - 1 pair 15 mil Nitrile gloves
 - 1 pair safety googles
 - 1 pair Tychem SL Saranex boot covers
 - 2 HazMat disposable bags with labels

Spill Containment Pallets

· Constructed of high density polyethylene (HDPE) for excellent durability and chemical resistance • Features a sump capacity of 66 gallons (ESG1645) or 132 gallons (ESG1640) and black HDPE flat top grating which removes easily for cleaning

- Low Line Pallets are made of 100% recycled polyethylene—only 9" tall
- Offers a comfortable working height during pumping or waste collection activities
 - Optional Pallet Ramp simplifies loading
 - EPA and SPCC Compliant
 - Made of recycled polyethylene, these pallets resist chemical attack from hazardous acids, caustics and solvents

 Oversized sump holds the contents of a 55-gallon (200-L) drum in the event of leak or rupture-meeting or exceeding the most stringent spill containment regulations

Item No.	Dimensions	Drum	Capacity
ESG1640	52.5" x 51" x 13.25" (Yellow)	4	132 Gallon
ESG1645	51.5" x 51.5" x 8" (Yellow)	4	66 Gallon
ESG28673	55" x 55" x 9" (Black)	4	79 Gallon
ESG28635	49" x 49" x 10.25" (Black)	4	73 Gallon
ESG28634	49" x 49" x 10.25" (Yellow)	4	73 Gallon

13

Shop Products

Spill Containment

Sorbents

CHEMSORB® Twin Pillows 26" x 16" x 2" - 12/box

Item No. ESGSP1750BX



• Keep these extra-large sorbent pillows on hand for additional emergency pick-up capacity, for kit refills and to keep around storage & mixing areas. Ideal for pesticide spills!

> • Generously sized pillows measure 26" x 16" x 2" and provide 1-1/2 to 2 gallons of pickup capacity per pillow

• Compliance OSHA 29 CFR 1910.119-120

CHEMSORB® Single Pillows



 CHEMSORB[®] has been tested with over 100 industrial chemicals including acids, alkalis, hydrocarbons, pesticides and chlorinated compounds. You can use it to stop virtually any type of spill, without guesswork, without mistakes. CHEMSORB[®] will not react with hazardous materials or add any pollution problems of its own.

Item No.	Size	Qty./Box
ESGSP1765BX	18" x 9" x 2"	20
ESGSP17351	8.5" x 8.5" x 2"	20
ESGSP17370	8.5" x 17.5" x 2"	12
ESGSP20583	17.5" x 17.5" x 2"	12
ESGSP17379	17.5" x 34" x 2"	12



CHEMSORB® Diking Tubes

• Use to surround and contain a spill—and the CHEMSORB sorbent filling immediately starts soaking up the spill fast!

• Compliance OSHA 29 CFR 1910.119-120

Item No.	Size	Skin	Qty./Box
ESGSP1790BX	3.5" dia. x 48" length	Woven	20
ESGSP20296	3.5" dia. x 48" length	Non-Woven	5
ESGSP20586	3.5" dia. x 10' length	Non-Woven	5
ESGSP21130	5" dia. x 10' length	Non-Woven	5



 Lined box contains 4 cubic feet of loose CHEMSORB sorbent and includes a scoop for easy dispensing where you need it

• Sorbent has a total pickup capacity of 16 gallons of liquid spill



CHEMSORB® Polybags

- Item No. ESGSP2105
- Keep these convenient, reclosable bags near areas of potential hazardous drips and spills
- Each dispenser bag contains 0.5 cubic feet of sorbent and absorbs 2 gallons of liquid
- Packed 4 bags per box

CHEMSORB[®] Bulk Variety



- Item No. ESGSP17390
- Convenient bulk pack contains a variety of CHEMSORB sorbent diking tubes and pillows for larger spill response and backup, refills for kits, and general maintenance and cleanup of spills, drips and leaks
- Contains: 16 Diking Tubes (3" x 43"), 10 Pillows (10" x 10"), 4 Two-Liter Pillows (18" x 18"), 2 HazMat Disposal Bags and 2 HazMat Labels



CHEMSORB[®] Spill & Leak Sorbent Trays

- Use these low profile drip pans for general spill, drip and leak maintenance, under and around equipment, drums, hydraulic lines—wherever you need it
- Suitable for aggressive chemicals, HazMat leaks, oils and general maintenance applications
- Low profile, inert black plastic drip pans come with 2 each, replaceable, CHEMSORB Universal Sorbent Pillows
- Refill Pillow Packs are available

Item No.	Pan Size	Pillow Size	# of Pans	# of Pillows
ESGSP17580	11" x 21" x 2"	11" x 21"	12	12
ESGSP17450	11" x 11" x 2.5"	10" x 10"	12	24



ELETIN VACTOR

CHEMSORB® Sorbent Pillow Refill Pack

Replacement pillows for drip pans

Item No.	Pillow Size	# of Pillows
ESGSP17485	11" x 21"	12
ESGSP17455	10" x 10"	24



Oil Only Heavy-Duty Absorbent Pads

Item No. ESG83100 • Pad Size: 15" x 19"

- Durable meltblown spunbond coverstock on top and bottom of pads (and rolls) with an absorbent core made with recycled shop towel fibers
- Made with 60% cotton

Oil Only Heavy-Duty Absorbent Rolls

Item No. ESG83150

- Roll Size: 28.5" x 125'
- Perforated every 19" across and down the center of the length of the roll

Oil Only Heavy-Duty Absorbent Split Rolls Item No. ESG83160

• Roll Size: 14.25" x 125'

• Perforated every 19" across but not down the center of the length of the rolls



General Purpose 4' Absorbent Socks

Item No. ESG22868

- Sock Size: 3" x 4'
- Made with 70% recycled cellulose fiber
- Absorbs both water and oil based fluids such as diesel fuel, transmission fluid, hydraulic fluid, coolants, grease, paint and many other fluids





General Purpose Medium-Duty Absorbent Pads

Item No. ESG23200

- Pad Size: 15" x 19"
- More absorbent and a more cost effective alternative than the leading competitor's meltblown absorbent pads/rolls

General Purpose Medium-Duty Absorbent Rolls

- Item No. ESG23250
- Roll Size: 28.5" x 125'
- Perforated every 19" across and down the center of the length of the roll



General Purpose Medium-Duty Absorbent Split Rolls

Item No. ESG23260

• Roll Size: 14.25" x 125'

• Perforated every 19" across but not down the center of the length of the rolls



Heavy-Duty Absorbent Barrel Top Pads

Item No. ESG22866

- Pad Size: 22" diameter
- Made with 70% recycled cellulose fibers



Walk-On Rag Rug

Item No. ESG27036

- Roll Size: 36" x 150'
- · Absorbent and a very durable walk-on mat
- Ideal to place in steady foot traffic areas where overspray, leaks, drips and spills can occur

Shop Creepers

Fuel Cans



Two Position Z-Creeper Item No. ESG91000

- 2 in 1 creeper that is designed to be folded in a "Z" shape for use as a mechanics seat or unfolded for use as a mechanics creeper
- Transforms with no tools in seconds
- · Professional grade rated for 450 lbs.
 - Thick padded cushions for extended comfort
 - 40" Steel frame construction
 - · Six 3" polyurethane, oil resistant, full bearing casters for easy movement
 - Size 41-1/4" x 19-5/8" x 6-1/8"



Tool Box Creeper

Item No. ESG92450

- Heavy duty creeper seat with tool storage provides a convenient storage solution for common tools used for brake jobs, detailing, and body work
- Three full suspension locking tool drawers
- Professional grade rated for 450 lbs.
- 4 full bearing 3" casters along with polyurethane wheels to give you easy, smooth and effortless maneuvering in your garage

ELTIN VACTOR

• Size 14" x 14" x 15"



Type 1 Metal Gas Cans

- · Spring-loaded, self-closing lid controls vapors, automatically closes after filling/pouring
- Comfortable rounded grip doesn't cut into hand
- Rugged 24 gauge construction is guaranteed leak-proof
- Reinforcing ribs strengthen side wall for extra protection
- Premium coated steel is chemically resistant to handle gasoline, diesel fuel, kerosene and other chemicals
- Accepted container under CARB
- Complies with OSHA 29 CFR 1910.106 and NFPA Code 30 requirements
- FM. UL. ULC certified

Item No.	Capacity
ESGSP7012EA-R	1 Gallon
ESGSP7013EA-R	2 Gallon
ESGSP7015EA-R	5 Gallon

Universal Pour Spout Funnel

- Item No. ESGSP7014EA
- Attaches quickly for leak-free, safe pouring
- FM certified
- For use with Type 1 Metal Gas Cans
- . The innovative hinged design takes up less space during storage and allows you to fill or pour from the can without removing the funnel

Plastic Fuel Containers

- Item No. ESG1200 ESG2300 ESG5600 ESG8600

ESG7600







Type II Metal Gas Cans with 5/8" Hose

- Type II fuel cans offer two openings, one to fill and one to pour, with a built-in flexible metal hose
- · Self-closing, leak-proof lid provides security from spills and leaks
- The one-gallon can features a trigger release handle, larger capacity cans have a swinging handle
- All models are equipped with an FM-tested dual-density flame arrestor that reliably dissipates heat to stop flashback ignition
- To protect against rupture or explosion, positive pressure relief mechanism automatically vents between 3 and 5 PSIG
- All cans are heavy-duty, high grade coated steel construction with special reinforcing ribs to strengthen sidewalls
- · Finished in a tough powder-coat paint
- · Meets OSHA and NFPA requirements, as well as FM, UL, ULC certification

Item No.	Capacity
ESGSP7001EA	1 Gallon
ESGSP7002EA	2 Gallon
ESGSP7005EA	5 Gallon

· Spout closes automatically with an airtight seal

. Wide base design and lower center of gravity reduce the chance of tipping over

• Easy-flow/spill-proof spout for safe fuel storage and easy pouring

• Portable fuel containers come equipped with EPA/CARB compliant spouts and ANSI standards

Capacity	Fuel Type
1 Gallon	Gasoline- Red
2 Gallon	Gasoline - Red
5 Gallon	Gasoline - Red
5 Gallon	Diesel - Yellow
5 Gallon	Kerosene - Blue

First Aid Kits & Eye Flush

Respirators



Compact First Aid Kit

Item No. ESG6082

- 94 piece kit
- Inner gasket seals out moisture so contents stay dry and ready to use

• Fits in vehicle glove box or can easily be wall-mounted

10 Person First Aid Kit

• Rust-proof, durable polypropylene case

65 piece first aid kit is packed in a weatherproof

plastic case with an inner gasket that seals out

• Kit fits in a vehicle glove box or can be mounted



LUŠ

Soft Pack Travel First Aid Kit

Item No. ESGKT7110

- 55 piece first aid kit easily fits in a vehicle glove box, travel bag or tool box
- Light-weight soft-pack has a sewn on Velcro® strip attachment that can be wall mounted or converted to a "belt" kit

Single Bottle Flush Station

Item No. ESGFE2050EA

- Install this single 32 ounce bottle wall unit wherever emergency eyewash availability is required
- Single-use bottle is dated for freshness and replacements may be ordered separately
- Unit mounts on wall with screws (not included)

25 Person First Aid Kit

Item No. ESGKT0225

50 Person First Aid Kit

· Kit can be mounted on a wall with screws

• 200 piece first aid kit is packed in a

Item No. ESGKT2050

that seals out moisture

Item No. ESGKT0210

on a wall with screws

moisture

- · 200 piece first aid kit is packed in a weatherproof plastic case with an inner gasket that seals out moisture
- Kit can be mounted on a wall with screws



ELTIN VACTOR

Portable Eyewash System

Item No. ESGFE2500EA

- This portable eyewash provides a steady water flow and first aid relief virtually anywhere
- · Easier to transport with its 9.0 gallon capacity, it delivers a full 15 minutes of flushing time with 0.4 gallons/minute and meets full compliance to ANSI Z358.1 2004
- New design allows entire contents to be utilized for 15 minute flushing requirement, allowing the unit to be made smaller and more portable
- · Eyewash is activated by pulling down lever, which protects outlet nozzles when not in use
- Hangs on bracket that easily bolts to a wall or on vehicle (bracket included)

Emergency Saline Eye Flush

· Buffered, sterile saline eye flush is sealed and dated for freshness

> • Individual plastic bottles for use as portable emergency eye flush wherever vou need it, or as replacement bottles for eve flush stations

Item No.	Capacity
ESGFE2042EA	1 oz.
ESGFE2043EA	4 oz.
ESGFE2041EA	16 oz.
ESGFE2040EA	32 oz.



2301 N95 Particulate **Respirators with Valve**

Item No. FSGRS2300PK

- Ventex[®] valve gets hot air out faster, so breathing resistance is reduced and workers stav cooler
- Convenient 5-pack personal locker has a separate compartment for the mask being used
- Perfect for hot, humid, dusty conditions
- Dura-Mesh[®] flame-retardant shell protects the filter media so it stays cleaner longer and resists collapsing

Utility Dust Mask

Item No. ESGRS2114BX

- Offers relief from non-toxic dusts, pollen, animal dander and other nuisance level dusts at exposures below the OSHA Permissible Exposure Limit (PEL)
- Weighs less than 1/3 ounce and will not collapse when it becomes wet
- Not NIOSH approved—designed for non-toxic dusts only
- · Box of 50 masks

Saf-T-Fit Plus N95 Respirator

- NIOSH approved for use with particulate aerosols free of oil
- Low breathing resistance, lightweight and latex free
- Incorporates humidity-resistant filter media and durable suspension straps
- · Color-coded facepiece in three sizes to fit a wider range of facial features

Box of 20 masks

Item No.	Size
ESGRS1105-S	Small
ESGRS1105-ML	Medium/Large
ESGRS1105-XL	X-Large

100 Person First Aid Kit Item No. ESGKT0260EA

weatherproof plastic case with an inner gasket

- 3-shelf station is designed for larger facilities and contains supplies for up to 100 employees
- 20-gauge steel case with interior door pouches and shelves



- · Constructed of FDA high-density polyethylene material.



Freedom[®] **Disposable Respirator Organic Vapor/ R95** Filters

- Pre-assembled with cartridges/prefilters and ready to use
- Features rolled edges, a broad sealing flange, chin port and forward angled nose piece for a secure. comfortable fit
- Eliminates assembly mistakes and the need for cleaning and maintenance
- Ideal for extremely dusty or dirty applications where cleaning is difficult, including paint and pesticide spraying, welding, primary metals, automotive and chemical operations

Item No.	Size
ESGRS2155EA-S	Small
ESGRS2155EA-M	Medium
ESGRS2155EA-L	Large



2200 N95 Particulate Respirators

Item No. ESGRS2120BX-ML

- · Ideal for hot, humid, dusty conditions
- . The Dura-Mesh shell resists collapsing and the Softspun lining provides added comfort and durability
- . This mask's molded nose bridge seals easily without a metal nose band
- NIOSH certified to have a filter efficiency level of 95% or greater against particulate aerosols free of oil
- Box of 20



P95 Disposable Respirator

- NIOSH-approved P95 protection for extended use with contaminant aerosols containing oil
- · Exhalation valve for ease of breathing and exceptional comfort during extended wear
- Full sealing flange for best fit and protection, and latex-free
- Suggested for use in sanding, grinding, sweeping, brazing, torch cutting, soldering, certain welding applications and for hot, dusty, dry operations
- Box of 10 respirators

Item No.	Size
ESGRSP9535-ML	Medium/Large
ESGRSP9535-XL	X-Large

Respirators

Respirators



2300 N95 Particulate **Respirators with Valve** Item No. ESGRS2130BX

 Easier to wear with a pinch-free nose bridge-comfortably fits the contour of your nose without a metal nose band

 The Dura-Mesh[®] flame-retardant shell protects the filter media so it stays cleaner longer and resists collapsing, even in heat and humidity

- The exclusive Ventex valve gets hot air out faster, so breathing resistance is reduced and workers stay cooler
- Elastic straps are securely attached so they don't break at the seal
- Available in a box of 10, or in a convenient 5-pack personal locker with a separate compartment for the mask being used

Freedom[®] Disposable Respirator. Uni-Sorb[®] **Multicontaminant/P100 Filter**

 Pre-assembled with Multi-contaminant Unisorb cartridges and P100 prefilters and ready to use

- Features rolled edges, a broad sealing flange,
 - chin port and forward angled nosepiece for a secure. comfortable fit Ideal for extremely dusty or dirty applications where cleaning after use is difficult,
 - including paint and pesticide spraying, welding, primary metals, automotive and chemical operations

Eliminates assembly mistakes and the need for cleaning and maintenance

Item No.	Size
ESGRS2158-M	Medium
ESGRS2158-L	Large



Comfo Classic Respirator

- The SoftFeel silicone facepiece of the Comfo Classic respirator is an exclusive formulation that improves the pliability and softness of the material, significantly increasing the comfort factor
- The silicone formulation is resistant to chemicals and oils and cleans easily
- Supplied as facepiece only purchase cartridges and filters separately

Item No.	Size
ESGRS1600-S	Small
ESGRS1600-M	Medium
ESGRS1600-L	Large

MSA Advantage 3000 Full Facepiece Respirator



 Wraparound lens combined with a soft, pliable silicone facepiece

- · Lens has scratch resistant coating, is optically correct, and provides superior visibility and peripheral vision with no distortion
- Meets ANSI Z87.1 2003. Includes rubber harness

• Facepiece only-order cartridges and filters separately

Item No.	Size
ESGRS1300-S	Small
ESGRS1300-M	Medium
ESGRS1300-L	Large

MSA Advantage 200LS **Respirator Facepiece**

- The AnthroCurve Sealing Surface instantly conforms to each wearer's unique facial characteristics and the patented MultiFlex system equalizes pressure on the face-seal area
- Two-piece, split neck strap
- · Facepiece only-order cartridges and filters separately

Item No.	Size
RFRS1000-S	Small
RFRS1000-M	Medium
RFRS1000-L	Large



MSA Comfo Cartridges & Filters N95 Prefilters - 816662

- Item No. ESGRS1050PK
- N95 Prefilters for MSA Comfo Classic air purifying respirators, or MSA Advantage respirators with cartridge adapter (Item No. ESGRS1175PR)
- Application: For protection against solid and liquid non-oil based particulates (95% efficiency)
- Two required per respirator



MSA Comfo Cartridges & Filters GMA-OV Vapor Ctg - 464031

Item No. ESGRS1700BX

- Organic Vapor Cartridges for MSA Comfo Classic air purifying respirators, or MSA Advantage respirators with cartridge adapter (Item No. ESGRS1175PR)
- Application: Organic vapors



MSA Comfo Cartridges & Filters - GMA- P100 **Organic Vapor Ctg with** P100 Filter - 815178

- Item No. ESGRS1100BX
- Organic Vapor Cartridges with P100 Filter for MSA Comfo Classic air purifying respirators, or MSA Advantage respirators with cartridge adapter (Item No. ESGRS1175PR)
- Application: Organic vapors and solid and liquid particulates that may contain oil (99.97% efficiency)





MSA Comfo Cartridges & Filters - GME-P100 **Multi-Contaminant Ctg** with P100 Filter - 815182

Item No. ESGRS1650BX

 Multicontaminant Cartridge with P100 Filter for MSA Comfo Classic air purifying respirators, or MSA Advantage respirators with cartridge adapter (Item No. ESGRS1175PR)

Safety Products

• Application: Organic vapors, chlorine, sulfur dioxide, chlorine dioxide, hydrogen chloride, hydrogen sulfide (escape only), ammonia, methylamine, formaldehyde, hydrogen fluoride, solid and liquid particles that may contain oil (99.97% efficiency)



• 2 required per respirator

MSA Comfo Cartridges & Filters - Snap on Prefilter Cover - 489353

Item No. ESGRS1075EA

• Prefilter cover for MSA Comfo Classic air purifying respirators, or MSA Advantage respirators with cartridge adapter (Item No. ESGRS1175PR)



MSA Advantage Cartridges & Filters - GMA Organic Vapor Ctgs - 815355

Item No. ESGRS1150PK

- Organic Vapor Cartridges for MSA Advantage air purifying respirators
- Application: Organic vapors



MSA Advantage Cartridges & Filters - N95 Prefilters - 815394

Item No. ESGRS1155PK

- N95 Prefilters for MSA Advantage air purifying respirators
- Application: For protection against solid and liquid non-oil based particulates (95% efficiency)

21

• Two required per respirator

Respirators

Safety Storage



MSA Advantage Cartridges & Filters- GME P100 Multi-Contaminant Ctg with P100 Filter - 815366 Item No. ESGRS1200PK

 Multi-contaminant cartridge with P100 Filter for MSA Advantage air purifying respirators

MSA Advantage Cartridges & Filters- Snap-On Prefilter

• Prefilter covers for MSA Advantage air purifying

 Application: Organic vapors, chlorine, sulfur dioxide, chlorine dioxide, hydrogen chloride, hydrogen sulfide (escape only), ammonia, methylamine, formaldehyde, hydrogen fluoride, solid and liquid particles that may contain oil (99.97% efficiency)

Cover - 815392

Item No. ESGRS1160PR

respirators



Respirator Smoke Fit Test Kit Replacement Smoke Tubes

Item No. ESGRS2202BX

· Replacement smoke tubes for the respirator smoke test kit



Respirator Fit Test Ampules


Item No. ESGRS2200BX

- . When activated, ampules give off a non-irritating odor of banana oil (Iso Amyl Acetate) • If banana odor is detected by wearer, respirator should
- be adjusted or replaced • Designed for interim testing with fully fit-tested respirators



Reusable Respirator Storage Bags

Item No. ESGRS2214EA





MSA Advantage Cartridges & Filters- Advantage Cartridge Adapter -809999 Item No. ESGRS1175PR

 Allows NIOSH-approved use of Comfo cartridges, which are threaded, on any Advantage air purifying respirator-providing additional flexibility



Bitrex[™] Respirator Fit Test Kit, Complete Fit Test Kit

Item No. ESGRS2041EA

- New disposable glass ampules make pouring solution into nebulizers easier and reduces the chance of contamination
- Kit includes hood with drawstring, 2 nebulizers, 6 sensitivity solution ampules and 6 test solution ampules

Bitrex[™] Sensitivity Solution Refills

Item No. ESGRS2041-01

 Sensitivity solution refills for use with Bitrex Fit Test Kits



Bitrex[™] Test Solution Refills

Item No. ESGRS2041-02 • Test solution refills for use with Bitrex Fit Test Kits



Pesticide Storage Cabinets

- Designed for pesticide users in lawn care, golf course maintenance, agriculture, pest control and commercial nurseries
- Each cabinet features sturdy galvanized steel shelves, adjustable on 4-3/4" centers that will support 350 lbs.
- Internal and external welding construction

Item No.	Des
ESGSP3230GR	30 Gal
ESGSP3245GR	45 Gallo

Chemical Storage Cabinets

- For safe storage of flammable materials
- Each cabinet features galvanized steel shelves, adjustable on 4-3/4" centers that support 350 lbs.
- Galvanized steel leveling legs
- Internal and external welded construction
- 18 gauge steel reinforced double wall panel construction with 1-1/2" air space

Item No.	Descriptio
ESGSP3230YL	30 Gallon, 1 Sł
ESGSP3245YL	45 Gallon, 2 She
ESGSP3260YL	60 Gallon, 2 She





Respirator Smoke Fit Test Kit Complete Fit Test Kit Item No. ESGRS2201EA

- For gualitative fit testing of air purifying respirators and recommended for meeting the requirements of all applications
- Meets OSHA protocol for fit testing with smoke
- · Invokes involuntary response, eliminating low sensitivity to other methods and incorrect reporting of results
- Includes irritant smoke tubes, aspirator assembly, record form and protective storage pouch





- These tough 10 mil thick poly bags feature a zipper for positive closure
- Large size (14"x16") suitable for half or full-face respirators
- Respirator cleaning instructions are printed on each bag

- 18 gauge steel reinforced double wall panel construction with 1-1/2" air space
- 2" raised leak proof sill
- 2" vent with fire baffle and cap
- Ground connection
- Baked on powder coating finish is high-gloss and lead free
- Doors have 3 point key locks

cription

llon, 1 Shelf on. 2 Shelves

- 2" raised leak proof sill
- 2" vent with fire baffle and cap
- Ground connection
- · Baked on powder coating finish is high-gloss and lead free
- Doors have 3 point key locks

• Large "FLAMMABLE" labels are included

- helf elves elves

Safety Products

Safety Eye Wear

Safety Eye Wear

Safety Eye Wear

- TPR material increases its grip as it becomes moist to keep them on your face
- Tapered lenses eliminate refraction and block 99.9% of UVA/UVB/UVC rays
- Fog and scratch resistant lenses
- Exceeds ANSI Z87.1+2010 safety standards
- Frames consists of a flexible and durable TR90/Nylon compound material and wrap around with no side shield distortion



ESGXF111 *Fits over glasses



ESGSW116CF

ESGTSKAP218

Item No.	Lens	Frame
*ESGXF111	Clear	Black
* ESGXF116	Smoke	Black
ESGDZ111	Clear	Gloss Black Nylon
ESGDZ116	Smoke	Gloss Black Nylon
ESGSW111	Clear	Gloss Black Nylon
ESGSW116	Smoke	Gloss Black Nylon
ESGSW116CF	Smoke	Camouflage Nylon
ESGTSM216	Polarized Smoke	Rubberized Matte Black Nylon
ESGSK116	Smoke	Gloss Silver Gradient Nylon
ESGTSKAP218	Polarized Aqua Precision Blue Mirror	Rubberized Matte Black Nylon

* Fits over glasses

ELGIN VACTOR

Klondike[®]Safety Eye Wear • Features safety and style at an affordable price to separate you from the pack • Whether on the slopes or in the workplace, Klondike®'s matte black or blue frame finish, adjustable temples, and soft secure TPR nose pad keeps you at the peak of comfort and style all day long

Item No.	Description
ESGFE4040-C	Matte Black Finish Frame, Clear Lens
ESGFE4040-G	Matte Black Finish Frame, Gray Lens

Law[®] 2 Safety Eye Wear

- Fashionable wrap-around lens design offers an excellent orbital seal and a higher level of protection from side impacts due to its greater coverage area
- TPR (Thermal Plastic Rubber) temple inserts that enhance grip and comfort are included on all styles

Item No.	Description
ESGFE5275-C	Orange Temple Inserts, Clear Lens
ESGFE5275-G	Black Temple Inserts, Silver Mirror Lens



Dallas® Safety Eye Wear Features a lightweight frame with flexible bayonet temples that are fully coated! • Stylish wraparound lens design for side

impact protection that comfortably fits a wide variety of users

 New metallic color frame options offer fashion and functionality combined with a sleek style that has a lightweight comfortable fit

Item No.	Description
ESGFE4200-C	Polished Black Frame, Clear Nose, Black Temples, Clear Lens
ESGFE4200-10	Polished Black Frame, Black Temples, Indoor/Outdoor AF Lens
ESGFE4200-M	Polished Black Frame, Black Temples, Silver Mirror Lens
	*

BEARKAT® Safety Eye Wear

- Super well thought-out construction combines the best in safety, comfort, and affordability!
- Your vision is unobstructed by the one-piece wraparound lens, which by its tight fit allows you maximum safety
 - Comfort is enhanced by the flexible temples and the non-slip temple sleeves are notched for a clip-on breakaway cord!

-	
Item No.	Description
ESGFE4045-C	Clear Lens
ESGFE4045-G	Grey Lens
ESGFE4045-I0	Indoor/Outdoor Clear Mirror Lens

\sim	BlackKat®Safety	Eye Wear
in		lightest glasses in the
	Weighs a rema	rkable 22 grams
F	and TPR (Th	ring includes a brow guard ermoplastic Rubber) nose- ditional protection
-	Frame and lens a polycarbonate	are constructed with virgin
Item No.	Description	
ESGFE4090PR-C	Clear Lens	

Gray Lens

ESGFE4090PR-G

24

R	Frostbite® Safety Eye Wear • One of the "Coolest" looks in eye wear protection
5	Features an oval lens design that creates a great orbital seal for superior eye protection
~	Lightweight nylon frame makes this offering a comfortable choice for all day use
Item No.	Description

	a connortable choice for an day c	~
Item No.	Description	
ESGFE1600-C	Black Frosted Frame, Clear Lens	
ESGFE1600-S	Black Frosted Frame, Gray Lens	



- Offers our exclusive Duramass® scratch-resistant lens coating and spatula temples
- This light weight option gives you a comfortable feel and each Checklite® exceeds ANSI Z87+

Item No.	Description
ESGFE5000-C	Clear Lens
ESGFE5000-G	Gray Lens
ESGFE5000-M	Blue Mirror Lens

Yukon® Safety Eye Wear • Features a contemporary wrap-around styl • Provides increased angular coverage and improved peripheral vision • Molded-in brow guard and vented side shields give additional protection			
Item No.	Description		
ESGFE5000EA-C	Clear Uncoated Lens		

Safety Eye Wear

Fire Extinguishers & Safety Apparel



Stratos[®] Safety Eve Wear

• Features a one piece polycarbonate lens and a stylish wrap-around design that offers the user a wide area of protection

 Integral side shields offer protection from particles entering the eye wear from the sides

a wide variety of faces

- · Provides an exceptional wide angle of unrestricted vision allowing you to safely
- assess your environment • The molded-in nose bridge comfortably fits

and	Standa
	Non•
Vac	Ite
-	En .
	S.

ard Safety Goggles. -Vented

em No. ESGFE2020EA

- Ventless, rubber strap, clear anti-fog lens
- Our goggles provide a wide, unobstructed field of vision and can be worn with most half-mask respirators
- The transparent protective PVC body permits a comfortable fit over prescription eye wear while protecting against impact
- Goggle straps contain no Latex

Item No. Description ESGFE4080PR Black Frame, Clear Lens ESGFE4081PR Black Frame, Gray Lens



Standard Safety Goggles. **Direct Vent**

Item No. ESGFE1903EA

- Use this great quality goggle for protection against dust and flying debris in landscaping, agricultural, harvest and general maintenance applications
- Made from soft, green PVC with a clear polycarbonate lens and elastic headband
- · Fits conveniently over most prescription eve wear
- Meets ANSI Z87.1 specifications



Face Shield— **Positive Lock Headgear**

Item No. ESGFE2000EA

- This lightweight face shield features an 8"x12"x 0.04" PETG plastic window
- Positive Lock headgear has two snap-in straps that adjust independently to ensure a tight fit
- Yellow, high-impact plastic single crown
- Compliance: EPA 40 CFR 170 for chemical splash eve protection
- Meets ANSI Z87.1-1989 and CAN/CSA-Z94.3-92



- Class A Fires Ordinary combustibles such as wood, cloth, paper, straw and stalks
- · Class B Fires Flammable liquids, gases and greases
- Class C Fires Energized electrical fires

ABC Fire Extinguishers

- Specially formulated ammonium phosphate-base dry chemical extinguishers may be effectively used to combat Class A and Class B fires as well as having a Class C listing
- Allows use in the presence of energized electrical equipment
- Designed and engineered to the highest-guality standards
- · Meets DOT, Coast Guard and OSHA requirements
- Operating temperature: -65° F to 120° F
- Operating range: 2-1/2 lb. (9 to 15 ft.), 5 lb. (12 to 18 ft.), 10 and 20 lb. (15 to 21 ft.) - minimum distance of 8 ft. is most effective and prevents spreading of burning material
- Discharge time (minimums): 2-1/2 lb. size (10 seconds). 5 lb. size (14 seconds), 10 lb. size (20 seconds) and 20 lb. size (30 seconds)



ESG549973C91

Item No.	Description
ESG549973C91	2-1/2 lb. capacity - U/L Rating 1A-10B:C, Includes Vehicle Bracket
ESG549974C91	5 lb. capacity - U/L Rating 2A-10B:C, Includes Vehicle Bracket
ESG549975C91	10 lb. capacity - U/L Rating 4A-10B:C
ESGB504765	20 lb. capacity - U/L Rating 20A-120B:C

Standard Safety Goggles. Indirect Vent

Item No. ESGFE1900EA

 Chemical splash indirect vent, rubber strap clear AF lens

 Our goggles provide a wide, unobstructed field of vision and can be worn with most half-mask respirators

- The transparent protective PVC body permits a comfortable fit over prescription eye wear while protecting against impact
- · Goggle straps contain no Latex



ELTIN VACTOR

Eve Wear Cleaning Wipes— **Box of 100 Wipes**

Item No. ESGFE0001BX

- · Keep your safety and prescription glasses, faceshields and computer screens clean with these oversized (5"x 8"), individually packed, premoistened wipes
- The anti-fog, anti-static, silicone-free formula cuts through sweat, grease, dirt and grime
- Excellent on glass or polycarbonate lenses
- Dispenser box can be wall mounted





Water Fire Extinguisher

Item No. ESG700709200

- The cooling, soaking and penetrating 30-45 foot stream and 50-second discharge time make it a very effective and inexperienced-operator-friendly extinguisher for use on Class A fires
- 2-1/2 gallon capacity U/L Rating 2A
- Stainless steel stored-pressure extinguisher
- Operating temperature: 40° F to 120° F
- Operating range: 45-55 ft.
- Operating time: 50 seconds



Mounting Brackets

Item No.	Holding Capacity
ESG549978C91	10 lb.
ESG700709201	20 lb. & 2-1/2 gallons



FlexKnee Knee Pads

Item No. ESGRG2700PR

- ·Hard surface, nonslip work surfaces and arueling deep knee work requires tough protection
- Designed with lightweight pads, capped with large abrasion-resistant rubber caps for long-lasting wear
- The wrap-around rubber cap design and Velcro® closures allow both maximum flexibility and a secure fit



Economy Hi-Vis Lift Belt

- Designed with an 8" elastic back panel, positive Velcro® front panels and 3" wide elastic V-shaped side pulls
- · Suspenders and elastic side pulls are bright green (green color goes around entire backside of belt and the green fabric is non-reflectivefor daytime visibility only)
- Item No. Size (Waist) ESGRG2500EA-S Small (26"-32") ESGRG2500EA-M Medium (32"-38") ESGRG2500EA-L Large (38"-47") ESGRG2500EA-XL X-Large (47"-56")

27

Safety Products

Safety Apparel

Safety Apparel



Schiek[®] Lift Belts

- Increase worker compliance with a comfortable lift belt they will want to wear!
- Belt has a conical shape that conforms to the natural shape of the back and the unique hip and rib contour eliminates "ride-up"
- The extra-wide front and back gives you improved back injury protection
- The stainless steel buckle and exclusive "Slide N Grip" Velcro[®] closure remains secure under the most strenuous use

Item No.	Size (Waist)	Width
ESGRG2600EA-BLK-S	Small (27"–32")	4-3/4"
ESGRG2600EA-BLK-M	Medium (31"–36")	4-3/4"
ESGRG2600EA-BLK-L	Large (35"–41")	4-3/4"
ESGRG2600EA-BLK-XL	X-Large (40"–45")	4-3/4"
ESGRG2600EA-BLK-2XL	XX-Large (44"–50")	4-3/4"
ESGRG2610EA-BLK-S	Small (27"–32")	6"
ESGRG2610EA-BLK-M	Medium (31"–36")	6"
ESGRG2610EA-BLK-L	Large (35"–41")	6"
ESGRG2610EA-BLK-XL	X-Large (40"–45")	6"
ESGRG2610EA-BLK-2XL	XX-Large (44"–50")	6"
ESGRG2610EA-BLK-3XL	XXX-Large (50"–54")	6"

Rain Suit .35mm

- Cape back Corduory collar
- 2 pockets
- 3 vents
- Detachable hood

Item No.	Size
ESGR8900-S	Small
ESGR8900-M	Medium
ESGR8900-L	Large
ESGR8900-XL	X-Large
ESGR8900-2XL	2X-Large
ESGR8900-3XL	3X-Large
ESGR8900-4XL	4X-Large
ESGR8900-5XL	5X-Large
ESGR8900-6XL	6X-Large
ESGR8900-7XL	7X-Large
ESGR8900-8XL	8X-Large

Tvvek® Coveralls

- Collar and full zipper front
- Protection against dust, powders and grease, as well as splash protection from Class III and Class IV pesticides
- EPA 40 CFR 170 compliant

Basic Tyvek® Coveralls

	Item No.	Size
-	ESGBW1920-S	Small
/	ESGBW1920-M	Medium
	ESGBW1920-L	Large
	ESGBW1920-XL	X-Large
	ESGBW1920-2X	2X-Large
	ESGBW1920-3X	3X-Large
	ESGBW1920-4X	4X-Large

Tvvek® Hooded Coveralls with Elastic Wrists & Ankles

Available with shoe covers (ESGBW1920HF)

Item No.	Size	Shoe Covers
ESGBW1920H-M	Medium	No
ESGBW1920H-L	Large	No
ESGBW1920H-XL	X-Large	No
ESGBW1920H-2X	2X-Large	No
ESGBW1920H-3X	3X-Large	No
ESGBW1920H-4X	4X-Large	No
ESGBW1920HF-M	Medium	Yes
ESGBW1920HF-L	Large	Yes
ESGBW1920HF-XL	X-Large	Yes
ESGBW1920HF-2X	2X-Large	Yes
ESGBW1920HF-3X	3X-Large	Yes
ESGBW1920HF-4X	4X-Large	Yes

Tyvek[®] Coveralls with **Elastic Wrists & Ankles**

Item No.	Size
ESGBW1925-S	Small
ESGBW1925-M	Medium
ESGBW1925-L	Large
ESGBW1925-XL	X-Large
ESGBW1925-2X	2X-Large
ESGBW1925-3X	3X-Large
ESGBW1925-4X	4X-Large

Norcross PVC Knee Boots

- 15" safety boot meets ANSI Z41-1999 Section I standards for Impact/75 and Compression/75 toe protection
- · Features Safe-Toe steel toe and steel shank, with removable, washable cushion insoles
- Deep angle cleat, anti-skid soles and heel
- Reinforced at critical stress points
- 100% waterproof

Item No.	Shoe Size
ESGFW1205-7	7
ESGFW1205-8	8
ESGFW1205-9	9
ESGFW1205-10	10
ESGFW1205-11	11
ESGFW1205-12	12
ESGFW1205-13	13

Disposable Polyproylene Shoe Covers

Item No. ESGFW1118BAG



- Provides a barrier when mixing, loading or applying hazardous pesticides, solvents or caustic chemicals
- The Tychem® SL fabric is laminated with chemical resistant Saranex® film
- Can be used with Tyvek[®], Tychem[®] QC or Tychem[®] SL coveralls to help protect feet and prevent contamination of footwear
- Disposable, 17" high, elastic top

Rubber Boot/Shoe Covers

- Provides great protection from pesticides, solvents and salts also recommended for cleaning up hazardous chemical spills as a hazmat boot
- · Designed to stretch easily over work shoes or boots • Waterproof, textured non-slip sole,
- 12" height 60 mil thick

• Compliance: EPA 40 CFR 170

Item No.	Size (Men's Shoe Size)
ESGFW2100-L	Large (10–11)
ESGFW2100-XL	X-Large (12–13)

50mil Latex Hazmat Boots

Slip resistar	nt sole
	Item No

Item No.	Size
ESGB260-M	Medium
ESGB260-L	Large
ESGB260-XL	X-Large
ESGB260-2XL	2X-Large
ESGB260-3XL	3X-Large





VACTOR

ESGBW1920F

V-Gard[®] Cap Style Hard Hat

- Third party certified by the Safety Equipment Institute (SEI)
- Stocked in standard size (fits 6-1/2 to 8)
- Features 4-point, Fas-Trac[®] ratchet suspension
- Meets or exceeds the applicable requirements for a Type 1 helmet (top impact as outlined in ANSI Z89.1 2003, Class E
- Consists of polyethylene shell and suspension that work together as a protection system

Item No.	Color
ESGFE2250S-Y	Yellow
ESGFE2250S-W	White



White Bump Cap

Item No. ESGFE2400EA

• This bump cap features a 4-point adjustable suspension system

Safety Products

- Clearance between the shell and suspension is comfort-designed for maximum air circulation over the wearer's head
- Note: Bump caps do not meet ANSI Z89.1 specifications and are not to be worn for protection from impact of falling or glancing objects

Safety Vest Class 2



- Custom imprinting available for this product
- · Constructed from non-woven material
- Breathable mesh vest features 2" 3M reflective tape, an inside pocket, 3 front snap closure and adjustable Velcro sides that accommodate changes in outerwear and for more flexible sizing
- Color: Hi-Vis Lime, Fiberweb brand
- · Wash up to 5 times

Item No.	Size
ESGBW0510-S-M	Small/Medium
ESGBW0510-L-XL	Large/X-Large
ESGBW0510-2X-3X	2X-Large/3X-Large

Orange Safety Vest

Item No. ESGBW0515

- This breathable Class 2 mesh safety vest is constructed from stretch polyester
- · Fluorescent yellow color with silver reflective strips on front and back provides high visibility

29

• Zipper front

Safety Apparel

Safety Apparel & Accessories

5X-Large

6X-Large



Winter Bomber with **Zip Out Fleece Liner** • PU coating

• 3M reflective material Removeable sleeves

Item No.	Size
ESGGLO-B1-M	Medium
ESGGL0-B1-L	Large
ESGGLO-B1-XL	X-Large
ESGGLO-B1-2XL	2X-Large
ESGGLO-B1-3XL	3X-Large
ESGGLO-B1-4XL	4X-Large
ESGGL0-B1-5XL	5X-Large

Winter Bomber **Inner Fleece Liner**

- PU coating
- 3M reflective material Removeable sleeves

Item No.	Size
ESGGLO-EB1-M	Medium
ESGGL0-EB1-L	Large
ESGGL0-EB1-XL	X-Large
ESGGL0-EB1-2XL	2X-Large
ESGGL0-EB1-3XL	3X-Large
ESGGL0-EB1-4XL	4X-Large
ESGGL0-EB1-5XL	5X-Large



Frog Wear Jacket

- Class 3
- PU on nylon
- 3M Scotchbrite reflective material
- Flame retardant

Item No.	Size
ESGGL01400-S	Small
ESGGL01400-M	Medium
ESGGL01400-L	Large
ESGGL01400-XL	X-Large
ESGGL01400-2XL	2X-Large
ESGGL01400-3XL	3X-Large
ESGGL01400-4XL	4X-Large
ESGGL01400-5XL	5X-Large





Size ESGGL0-1700-S Small ESGGLO-1700-M Medium ESGGL0-1700-L Large ESGGL0-1700-XL X-Large ESGGL0-1700-2XL 2X-Large ESGGL0-1700-3XL 3X-Large 4X-Large

Frog Wear Bibbed Overalls

Surveyor's Style Mesh Vest

- 3M reflective material
- 6 pockets plus inside iPad pocket Mic tab on shoulders

5X-Large

D ring opening

Item No.	Size
ESGGL0-079-M	Medium
ESGGL0-079-L	Large
ESGGL0-079-XL	X-Large
ESGGL0-079-2XL	2X-Large
ESGGL0-079-3XL	3X-Large
ESGGL0-079-4XL	4X-Large
ESGGL0-079-5XL	5X-Large

Surveyor's Style Vest

- Solid front Mesh back
- 3M reflective material
- Zipper closure
- 4 front pockets

Item No.	Size
ESGGL0-003-S	Small
ESGGL0-003-M	Medium
ESGGL0-003-L	Large
ESGGL0-003-XL	X-Large
ESGGL0-003-2XL	2X-Large
ESGGL0-003-3XL	3X-Large
ESGGL0-003-4XL	4X-Large
ESGGL0-003-5XL	5X-Large

Mesh Vest 1000

	 Silver glass bead reflective Zipper closure 2 inside pockets 	e material
1. 1/	Item No.	Size
	ESGGL0-002-S	Sma
	ESGGL0-002-M	Mediu
	ESGGL0-002-L	Larg
12-1-	ESGGL0-002-XL	X-Lar
	ESGGL0-002-2XL	2X-Laı
	ESGGL0-002-3XL	3X-Laı

Zipper closure		
• 2 inside pockets		
	Item No.	Size
	ESGGL0-002-S	Small
	ESGGL0-002-M	Medium
	ESGGL0-002-L	Large
	ESGGL0-002-XL	X-Large
	ESGGL0-002-2XL	2X-Large
	ESGGL0-002-3XL	3X-Large
	ESGGL0-002-4XL	4X-Large

ESGGL0-002-5XL

ESGGL0-002-6XL

18" Traffic Cone

- Item No. ESG8888
- Custom imprinting available for this product
- 18" Orange PVC Traffic Cone with black base is made PVC for superior durability and superior flexibility
- · Cone features a UV inhibitors to prevent fading
- Meets MUTCD standards and are NCHRP-350 certified

28" Cone with 6" Upper **4" Lower Reflective Collars**

- Item No. ESG03-500-10
- All vinyl construction assures durability and flexibility in all weather conditions
- Ultraviolet stabilized color provides maximum resistance to fading
- . High density, black base creates low center of gravity for maximum stabilization

28" Rack N Pop Collapsible Cone

Item No. ESG03-501-02

- 28" orange cone
- Waterproof nylon construction assures durability and flexibility in all weather conditions
- Collapses to 2" height and stores in easy-to-carry portable bag







Cone Bar Barricade Kit

Item No. ESG03-824-CBKT

- 2 delineators
- 2 cone bars
- 2 10 lb. weights

Retractable Cone Bar

Safety Products

Item No. ESG03-824CB

- Lightweight at approx. 2 lbs.
- Exterior grade PVC with UV withstands temperature extremes and sunlight
- Traffic cone orange with three 4" high intensity collars
- Extremely reflective at night
- Easily Extends From 5' to 8'
- · Unique push pin locking mechanism
- Can create an Instant square barrier system from 5' x 5' or up to 8' x 8' in seconds

Flared 45" Easy Grab **Delineator Post**

Item No. ESG03-734

• 45" with 2 each 3" high collars

Post only

Delineator Base

- Item No. ESG03-730
- 14" wide x 3" high, 10 lbs.
- Includes 5" diameter center hole

Heavy Duty Wheel Clock

Item No. ESG2048WC

- Fluted design causes downward pressure to lock chock into place
- Metal o hook imbedded in back
- Depth: 8"



• 14" Painted Spike ESG2053S sold separately

6' Speed Bump

Item No. ESG2055SB • 14" Painted Spike ESG2053S

sold separately

Safety Accessories

Hearing Protection

• Earplugs have a longer, tapered shape for easy insertion and removal in any size

Earplugs

design in the

wea

• Each pair comes with a convenient Pocket-Pak® carrying case

Box of 50 (packed 50 uncorded pair or 50 corded pair per box)

Desc.

Corded

Uncorded

· Smooth, non-irritating surface provides a comfortable and effective fit

Desc.

Corded

Uncorded

Pura-Fit Foam Earplugs

Available in uncorded or corded versions

Moldex Rocket® Reusable

• The easy grip handle lets these earplugs slip

tip provides cushioned comfort for all-day

easily into the ear and the unique air bubble

 Bright green color for easy compliance checks



Plastic Stop/Slow Paddles

- Item No. ESG03-823P
- · Color: red/orange · Pole mounted paddle
- Includes 18" handle

Vinyl Flag 18" with 24" Wooden Dowel

Item No. ESG03-229-3417

- Handheld warning flag
- Heavy duty vinyl material
- Available in red on orange color
- Measures 18" x 18"



18" Bright Red Vinyl Flag with 24" Wooden Dowel Item No. ESG03-229-3424

Handheld warning flag

Slow Moving Vehicle Signs & Mounting Hardware

- ASAE (S276.6) approved and State of Illinois compliant
- 14"H x 16"W
- Made with high-intensity, micro-prismatic reflective and fluorescent materials
- · Complete, easy to install hardware kit for mounting SMV signs (ESG3040—sold separately)

Item No.	Material	Thickness
ESG3010	Aluminum	.04"
ESG3020	Plastic	.80"
ESG3030	Adhesive	
Item No.	Description	
ESG3040	Mounting Hardware Kit	

Mounting Hardware Kit



ESG3040

Blood Borne Pathogens Protection Kit

- Item No. ESGKT3060EA Designed for cleanup and disposal of potentially dangerous blood spills
- · Contains a spill cleanup pack and a one-person BBP apparel pack
- · Packed in weatherproof plastic case with inner gasket
- Cleanup pack contains: 2 oz bottle absorbent powder, scoop, spatula, disinfectant cloth, biohazard bags, Nitrile gloves, antiseptic towelettes
- Apparel pack contains: control gown, eye shield, face mask, Nitrile exam gloves, biohazard bag and antiseptic towelettes



Oily Waste Can with Hand-Operated Cover

- Used for rags and cloths soaked with solvents, thinners. linseed oil, combustible adhesives and other flammable liquids present a serious fire risk when
- improperly discarded Round construction and elevated base allow circulation
- of air around can to disperse heat and reduce moisture build-up and rusting • Lid opens to no more than 60 degrees and stays closed when not in use,
- isolating contents from fire sources and limiting oxygen to virtually eliminate the risk of spontaneous combustion
- · Durable steel construction with a powder-coat finish provides chemical resistance
- Ten-year warranty

Item No.	Capacity
ESG9100	6 Gallon
ESG9300	10 Gallon

Paint Markers



- Each 3-pack contains a vellow, white and black marker Ideal for all surfaces such as metal, steel, glass, wood,
- rubber, plastic & more
- Fast drying and weather resistant marks
- · Paint formulated for industrial use
- Replaceable nibs and clip cap for pockets


ltem No.	Desc.	
ESG4134	Fiber Tip	
ESG2294	Metal Tip	

Sqwincher[®] 1.26 oz. Qwik Serv[™] **Instant Powder Concentrate**

 Electrolyte packet drink • Yields 16.9 ounces (8 packs per bag) • Pouches are perfect for people who want to keep









ESG060901-FP

ESG060902-LL

Flavor

Grape

Orange

Fruit Punch

Lemon Lime

Contra Band Earplugs Item No. ESGEP6710EA

Noise Reduction Rating: 26 dB.

Item No.

ESGEP6405BX

ESGEP6400BX

ear canal

Item No.

ESGEP2026BX

ESGEP2025BX

• Noise Reduction Rating: 33 dB


- Super soft ear tips conform to the ear canal for optimal fit and maximum comfort
 - · Band has molded finger grips and is angled to fit perfectly every time you put it on
 - Designed to wear with band under the chin
 - Meets CSA Class BL
- Noise Reduction Rating: 22 dB
- Made in USA



Elvex[®] ValuMuff[™] Earmuffs

- Item No. ESGEP1500EA
- Noise Reduction Rating of 25 dB
- · Soft pliable SuperSeal cushions
- Adjusted flexible side clips
- Meets ANSI Standard S3.19, 1974







Elvex[®] Blue Foam Earplugs

Item No. ESGEP6310

- Tapered shape and moderately slow expansion rate of these plugs make them easy to insert
- · Designed to fit all ear canals
- Packaged 200 individually bagged uncorded pair per dispenser box
- Noise Reduction Rating: 29 dB

Elvex[®] MaxiMuff[™] Earmuffs

Item No. ESGEP1600EA

- High-performance earmuff features soft SuperSeal ear cushions
- Noise Reduction Rating of 28 dB
- Meets ANSI Standard S3.19, 1974



Tasco Sound Star Earmuffs

Item No. ESGEP2350EA

- Low-profile earmuffs feature a four point pressure distribution combined with Soft-Seal ear cushions for a super comfortable fit with very little squeeze
- · Durable spring stainless steel headbands
- Noise Reduction Rating of 25 dB
- · Meets CSA Class A

Moldex Jazz Band[®] Hearing Protector

Item No. ESGEP6506EA

- · Banded earplugs are a cooler, lighter alternative to earmuffs and do not interfere with eve wear
 - Noise Reduction Rating: 22 dB
 - Includes spare replacement pair of ear pods



Deciguard AB Foam Earplugs

- PVC foam earplugs are formulated with antimicrobial protection that does not wear off, extending the life of the plugs
- New higher density foam provides greater wearer protection and comfort
- · Packed 200 uncorded pair per dispenser box, or 100 corded pair per dispenser box
- · Both styles individually bagged
- Noise Reduction Rating: 33 dB

Item No.	Desc.
ESGEP2005BX	Corded
ESGEP2004BX	Uncorded

Safety Products

Welding Apparel

Welding Apparel



Welding Helmet, **Solar Powered Auto Darkening** Item No. ESG41260

 Protects against UV and infrared radiation in variable shades from DIN 9 to DIN 13

• Lens automatically darkens when an arc is struck and returns to normal when welding stops

Welding Helmet,

Wide-View Solar Power

variable shades from DIN 9 to DIN 13

struck and returns to normal when

· Powered by solar cells with

battery back-up

· Protects against UV and infrared radiation in

Lens automatically darkens when an arc is

Design

Eagle/Flag

Flame

• Powered by solar cells with battery back-up

welding stops

Item No.

ESG41265

ESG41266



Welding Helmet, **Auto Darkening**

Item No. ESG41254

- Durable, lightweight material is corrosion resistant and flame retardant
- · Protects against UV and infrared radiation
- · Automatic shut-off saves batteries
- Complies with DIN. ISO EN379 and ANSI Z87.1 standard
- 3.5" x 1.5" viewing area

Clear Protective Replacement Lens

• Clear cover safety welding lenses

• Works with ESG41260

· Protect shaded lens from spatter and debris

• Includes both inner and outer lens

Item No.	Viewing Area	Fits Helmets
ESG41264	4" x 2.125"	ESG41265, ESG41266
ESG41261	4" x 2"	ESG41260

Pearl Gray 14" Shoulder Split Cowhide Welders Gloves

Item No. ESG64057602

- · Cotton sock lined welders gloves
- With wing thumb
- · Affordable standard shoulder split cowhide



Premium Suede Cowhide Welders Gloves

- Item No. ESG1914LB
- · Welder/fireplace gloves
- · Partially welted seams







ELTIN VACTOR



Large Bourbon Brown **14" Select Shoulder Split Cowhide**

Item No.ESG64057632

• Cotton lined welders gloves

· Reinforced, straight thumb

• Tightest and densest structure

Leather Apron Bib with 2 Chest Pockets

- Bourbon brown side split leather bib apron with two chest pockets
 - Cotton crossed back straps and side release buckles

Item No.	Size
ESG64055142	24" x 42"
ESG64055143	24" x 48"



Grease Guns

Lubrication Accessories



4-Jaw Coupler

- 1/8" NPT
- Hardened coupler body
- · Hexagonal nut for easy tightening





ESG43512 Narrow Profile

ESG43502 Standard Duty



ESG43522 Heavy Duty

Item No.	Working Pressure
ESG43512	3,000 PSI
ESG43502	6,000 PSI
ESG43522	10,000 PSI



Heavy Duty 3-Jaw Coupler

- Item No. ESG43525
- Use with air operated grease guns
- Hardened coupler body with double wall thickness withstands high pressure without deformation
- · Fully hardened spring steel jaws
- Hexagonal nut for easy tightening
- 10,000 PSI

90° Heavy Duty Coupler

Item No. ESG43552



- Designed to work at any 90° angle
- Locks coupler in place for straight applications
- Polyurethane seal for optimal fit inside coupler when contact with grease fitting is made
- Working pressure up to 1,000 PSI

Lubrication Accessories

Lubrication Accessories

Heavy Duty Grease Gun Holder

Item No. ESG44842

Secures most battery-operated grease guns



- . Mount as needed with 1/4" carriage bolts (not included)
- Rugged holder firmly secures standard size tube-style grease guns

Grease Injector Needle with Cap Item No. ESG44880

• 1-1/2" long, 18 gauge

- Designed for very tight spaces such as sealed bearings and universal ioints
- · Comes complete with protective plastic holder
- Equipped with standard grease fitting without back check

Ouick Connect Narrow Needle Nose

Item No. ESG44861

- . Used for dispensing a fine line of grease
- Needle design allows operator to contact flush or hard to reach hydraulic type fittings in inaccessible areas

Steel Extension

- · Can be attached directly to steel extensions or flexible hoses
- Ideal for sealed bearings and u joints



Item No. ESG44840

Grease Gun Holder

· Mounts on almost any surface



Coupler to Coupler Button Head Extension

Style

4" Straight

6" Straight

6" Bent

- Item No. ESG44907
- 6" angled delivery tube and 4 jaw professional coupler fitted onto the quick disconnect adapter
- · Serves as an extra length extension on grease guns
- · Fits straight onto the grease gun coupler

Regular Coupler to Right Angled Coupler Item No. ESG44908

- For hand operated grease gun
- Fitted onto the quick disconnect adapter
- Quickly converting regular couplers for grease fittings with limited access, in low height areas etc.

· Fits straight onto the grease gun coupler

• 1,000 PSI



Jaw Type Coupler to

Fits straight onto the grease gun coupler

12" Ouick Connect Hose

Item No. ESG44910

· Converts steel extension coupler assembly on grease guns to a flexible hose and allows the gun to be used for greasing hard to reach fittings

360° Heavy Duty Swivel Coupler

Item No. ESG44911

- 45° angle gives easy access to most grease fittings
- 1/8" NPT female inlet
- Jaws are fully hardened for extended service life
- · Spring loaded ball check valve helps retain pressure
- · Metal seal for increased resistance to wear
- Working pressure up to 6,000 PSI

Hydraulic 360° 3-Jaw Coupler

Item No. ESG43562

• For hand operated grease guns

- · Excellent for effective lubrication of difficult & hard to reach grease fittings
 - Jaws are fully hardened for extended service life
 - Hardened body & swivel joints withstand
 - high-pressure applications without deformation
 - Zinc plated finish
- · Spring loaded ball check valve helps retain pressure
- 7.000 PSI

Flexible Grease Hose

- · Highly flexible, durable thermoplastic construction
- · Flexible hose extension for hard-to-reach places
- · Fitted with 4-jaw professional coupler
- Minimum radius bend of 1.57"
- Hose ID: 0.14" / 0D: 0.33"
- Hydraulic crimped zinc plated connectors

Item No.	Length	Working Pressure	Spring Guard
ESG43624	12"	3,500 PSI	No
ESG43625	18"	3,500 PSI	No
ESG43680	12"	3,500 PSI	Yes
ESG43681	18"	3,500 PSI	Yes
ESG43721	12"	5,800 PSI	No
ESG43722	18"	5,800 PSI	No
ESG43780	12"	5,800 PSI	Yes
ESG43781	18"	5,800 PSI	Yes

ESG44802



· Designed for greasing flush or hard-to-reach hydraulic type fittings in inaccessible areas



Recessed Lube Adapter

Item No. ESG44921

• For push on greasing of recessed fittings where obstructions would not permit the use of a regular hydraulic coupler

Professional 90° Angled Lube Adapter

Item No. ESG44922

- For hand operated grease guns
- For greasing inaccessible grease fittings in shoulders and other confined areas
- 1,000 PSI

7 Piece Quick Connect Grease Accessory Kit

Item No. ESG44950



- Includes: Professional recessed lube adapter with guick disconnect, whip hose with heavy duty coupler and quick connect, jaw type coupler, narrow needle nose adapter, 90° angle adapter/ right angle adapter, regular coupler to right angled coupler and stainless steel 1-1/2" grease injector needle
- Tough, oil resistant nylon pouch

Grease Fittings

Filter Wrenches

Grease Fittings



Grease Fitting Straight





Grease Fitting Angled 45°

Grease Fitting Angled 90°

SAE Grease Fittings

Item No.	1/8" - 27 Pipe Threads PTF	Hex Size
ESG46035	Straight Short	7/16"
ESG46041	45°	7/16"
ESG46042	65°	7/16"
ESG46044	90°	7/16"
Item No.	1/4" - 28 SAE-LT - Taper Threads	Hex Size
ESG46000	Straight	5/16"
ESG46003	45°	3/8"
ESG46006	90°	3/8"
Item No.	1/4" - 18 Pipe Threads NPT	Hex Size
ESG46020	Straight	9/16"

Metric Grease Fittings

Item No.	M6 x 1	Hex Size
ESG46200	Straight	9.0
ESG46201	45°	9.0
ESG46202	90°	9.0
Item No.	M8 x 1	Hex Size
ESG46220	Straight	9.0
ESG46222	45°	9.0
ESG46223	90°	9.0
Item No.	M10 x 1	Hex Size
ESG46230	Straight	11.0
ESG46231	45°	11.0
ESG46232	90°	11.0

* All makes Grease Fittings Selection, not meant for direct replacement of OE specified grease fittings



100 Piece SAE Grease Fitting Assortments

Item No. ESG44710 Ball check

 Heat-treated greasing end and springs

• Premium quality

Threads	Straight	Straight Long	45°	90°
1/4" 28 SAE-LT	25	5	10	10
1/8" 27 SAE-PTF	30	-	10	10



60 Piece Metric Grease Fitting Assortments

Item No. ESG43983

Ball check

· Heat-treated greasing end and springs Premium quality

Threads	Straight	45°	90°
M6 x 1	10	10	10
M8 x 1	5	5	5
M10 x 1	5	5	5

80 Piece Grease Fitting Assortments

SAE Item No. ESG43972 Metric Item No. ESG43973

- Manufactured to the most stringent quality standards
- Fittings with ball check use heat treated springs for increased life
- Stainless steel

"Drive Fit" Grease Fitting Installer

Straight Item No. ESG44892 Angled Item No. ESG44893



• For installing straight & angled Drive-Fit grease fittings into untapped holes Steel construction in zinc plated finish

Large Filter Wrench Pliers

Item No. ESG29100

- · Full range pliers ideal for removing canister style filters from agriculture and construction equipment and vehicles
- Jaw range of 4-1/4" to 7" and 17" overall length
- Rubber grip handles provide leverage and extra reach
- · Better grip and grabbing power with serrated teeth
- Heavy duty forged construction

Truck Filter Wrench

Item No. ESG28100

- Use with 1/2" square drive
- Fits small diameter filters from 4-1/8" to 4-21/32"
- Wide 1-1/2" steel band designed to withstand the high torque requirements of truck, bus, RV and heavy duty equipment filters

Gator Jaws

Item No. ESG7899

- - 23" long reach for overtightened, hard-to-reach filters

 - Works on 1-1/2" to 8" diameter filters





Oil Filter Wrench

- Cushion grip vinyl handle
- Wide dimpled band securely grips filters without crushing
- Features a swivel handle which allows users to get to filters in hard-to-reach areas

Item No.	Size	Filter Diameter
ESG24300BLK	Small	2-13/16" to 3-5/32"
ESG24100BLK	Medium	3-1/2" to 3-7/8"
ESG23900BLK	Truck/Tractor	4-3/4" to 5-1/8"


Nylon Strap Oil Filter Wrench

Item No. ESG27900

- Use with 1/2" square drive
- Strong nylon web belt will not slip
- · Adjusts quickly to any spin-on filter up to 6" in diameter
- · Removes any canister-type oil, hydraulic and fuel filter safely around hot engines and those hard-to-reach areas
 - Perfect for all vehicles from light trucks and autos to heavy machinery

Fuel & Oil Transfer

Fuel & Oil Transfer



[•] Lock Nut for positioning the pump outlet in any direction

www.elginvactoressentials.com

 Total length: 24.6" • Suction tube length: 14.8"

Heavy Duty Electric Oil Pumps

· Designed specifically to transfer bulk oils, hydraulic fluid and antifreeze

- Air cooled motor with thermal protection
- Non-corroding aluminum die cast construction is lightweight vet strong
- Precision sintered metal gear design
- High horsepower to flow ratio assures adequate power to pump viscous fluids at low temperatures
- Self-priming, positive displacement design
- Features internal bypass valve to bypass flow

Item No.	Volts	GPM
ESG45550	115V AC	4.4
ESG45555	115V AC	9.0

Nylon Chemical Pump

- Self priming Vertical Lift Pump designed primarily for use with lacquer thinners. Urea. AdBlue. DEF etc.
- Nylon construction with stainless steel plunger rod & PTFE seals
- Complete with 2" polypropylene bung adapter

Item No.	Description
ESG44193	For use with 55 gal (205 Litre) Drums
ESG44186	For use with 25 Litre Drums

Lubricant Pump, DEF, Antifreeze, **Chemical Pump**

Item No. ESG44185

- Lever Action Barrel pump, designed for use with high viscosity oils, agricultural chemicals etc.
- Pump design makes it extremely convenient and comfortable to pump thick oils without excessive fatigue
- Built-In 2" Bung Adapter allows the pump to be fixed on Drums with 2" Opening
- Supplied complete with suction tube for use with 15-55 gal. (50-205 Litre) drums and 2m x 3/4" Flexible Corrugated discharge hose

Fuel & Oil Transfer

Fuel Meters & Nozzles



Rotary Barrel Pump

- Our most popular Rotary Pump is loaded with features such as Dual Directional Operation which allows the pump to both empty, as well as refill containers
- · Extremely heavy duty & rugged weighing 14.5 lbs.
- Pump body is sturdy cast iron with precisely machined cast iron vanes for better draw & smoother delivery
- Fits 15 gallons to 55 gallons barrels
- · Comes complete with suction tube, 2" cast iron bung nut & discharge spout
- For dispensing Diesel, Kerosene, Heating Oils, Motor Oils, Lubricating Oils (up to SAE 90), and other noncorrosive media

Item No.	Description
ESG44000	NBR Seals, 3/4" Inlet, Steel Discharge Spout, Telescopic Suction Tube
ESG44050	NBR Seals,1" Inlet , Steel Discharge Spout, Telescopic Suction Tube
ESG44030	Professional Manual Rotary pump with steel spout , NBR Seals
ESG44031	Professional Manual Rotary pump with steel spout , NBR Seals, Rubber Hose
ESG44032	Professional Manual Rotary pump with steel spout , Viton Seals

Electric Diesel and Oil Pump

- Vertical mount Fuel and Oil pump designed for Indoor use in Industrial, Automotive, Heating, and Marine
 - applications For use with non-flammable media
 - Pumps have built in Bung Adapter to fit directly onto drums with a 2" threaded opening
 - Manufactured from chemically inert materials these pumps work with a wide variety of low viscosity media
- Pump motor has double insulation which makes them safe for use with water and emulsions
- · Built-In Anti Siphoning system ensures that media does not flow out by Siphon action in case of accidental damage to the delivery hose or dispensing nozzle
- Duty Cycle: Continuous Duty
- Includes Hose, Manual Fuel Control Nozzle and 6-1/2 ft. (2m) Electrical Cable

Item No.	Volts	GPM
ESG45522	110V AC	10.5



Industrial Rotary Fuel Pump with Steel Discharge Spout

· Industry Standard for Rotary pumps, these are by far the heaviest duty, for severe outdoor use in extreme weather conditions

- Deliver media with a head lift up to 20 ft.
- Solid cast iron construction, fully CNC machined to close tolerances
- Pump Handle rotates a high quality sintered powder metal 3 Vane Rotor inside a highly finished pumping chamber
- Self Priming operation with discharge up to 38 LPM (10 GPM)
- Supplied complete with 2" Bung, Telescopic Suction Tube with Strainer for use with 15 gallons (50 litre) and 55 gallons (205 litre) barrels

 Also available - Pump with Mechanical Fuel Meter in both litre and gallon versions

Item No.	Description
ESG44080	Steel Discharge Spout
ESG44083	Drip Pan for use with pump

Air Operated Grease Pump

Item No. ESG45415

- Dispenses grease at pressures up to 50 times the air inlet pressure
- Ideal for use in industry, workshop, farm,
- construction or as part of the mobile grease system
- Fitted with strainer at suction tube
- inlet for clean grease to the bearing Working pressure 30 to 150 PSI

Battery Operated Drum Pump

Item No. ESG45503

- Rechargeable battery operated
- 12V DC Power Cable included
- For pumping fuels, water based media, light oils, DEF & select chemicals from metal drums of 55 gallon or 275-330 gallon IBC's
- Stainless steel filter built into the suction tube inlet prevents contaminants from getting in & causing damage
- Telescopic suction tube extends from 33-1/2" to 49"
 - 6.6' hose & manual dispensing nozzle with 3/4" OD stainless steel spout
 - Delivers up to 4.86 GPM





 Select gallons, liters, guarts or pints

- Non-locking type
- · Works with common diesel, gasoline, kerosene
- Use with any barrel-type or standard fuel transfer pump





- · Built-in sensor automatically shuts off supply
- Heavy duty cast aluminum body and trigger, vinyl grip

Item No.	Mode	Swivel
ESG45590	Manual	Yes
ESG45591	Manual	Yes
ESG45570	Automatic	No
ESG45571	Automatic	No

Mechanical Fuel Meters

- Durable die cast aluminum construction
- Nutating disc mechanism offers high tolerance to fuel contamination
- Works with either fuels or oils
- Three port design allows meter to be fitted in-line or with inlet and outlet ports at right angle

Item No.	NPT	Unit
ESG45681	3/4"	Litres
ESG45682	3/4"	Gallons
ESG45684	1"	Litres
ESG45685	1"	Gallons







Digital Fuel Meter

Item No. ESG45651

- Digital turbine meter for low viscosity fluids
- Easy to install in-line or for end of line
- · Measures in liters, guarts, pints, gallons
- Aluminum body and sealed electronic card. ideal for use in severe weather conditions
- Display can be rotated in four different positions

Manual Fuel Control Nozzle Fitted with Digital Fuel Meter

- Nozzle with die cast aluminum construction with built in Swivel at inlet and switch for unattended continuous dispensing
- Polyamide turbine measuring mechanism
- Electronic display using two AAA 1.5V batteries
- Aluminum meter body and sealed electronic card makes it suitable for use in severe weather conditions
- Measures in litres, guarts, pints, or gallons
- · Easy user recalibration

Item No.	NPT
ESG45661	Threaded 3/4"
ESG45666	Threaded 1"



Mechanical Diesel Meter

- High Accuracy Diesel Meter with mechanical register
- Nutating disc mechanism offers high tolerance to fuel contamination
- Meter is designed for both In-Line applications & gravity flow (with a minimum gravity head of 4')
- Ideal for use with electric fuel pumps
- Register cap can be easily removed & rotated to every 90° orientation for display reading
- Robust aluminum die cast construction
- Easy user re calibration
- · Works with both fuels and oils

Item No.	NPT	Unit
ESG45642	1"	Litres
ESG45641	1"	Gallons

Fuel Pump Parts

Funnels & Drip Pans



Fuel Filter with 10 micron Filter Element

• High Flow Fuel filter, complete with 10 micron fuel filter element

• The 10 micron paper filter element filters even small particles of rust, scale, grit, dirt, sand, and lint at a gravity flow of 19 litres / minute (5 GPM) with only a 24" (600 mm) head. The filter element has 366 square inches of filtering surface

which results in more particle retention, which means cleaner fuel, and fewer costly engine repairs.

Item No.	Description
ESG44391	1" NPT
ESG44393	1" NPT with water block filter element



Spin On Cartridge Style Fuel Filter with 10 micron Filter

- High Flow Fuel Filter, complete with 10 micron Spin-On style filter cartridge
- Inlet and Outlet threaded 1" (F)
- Fits spin on cartridges with 1-1/2"- 16 UNF threads
- Also available water block fuel filter element which separates water from fuel
- Replacement Spin-On Filter cartridges available as spare

Item No.	Description
ESG45901	1" NPT
ESG45903	1" NPT Water Block



Fuel Filter Wrench, Opens 4439x Series Filter Bowls Item No. ESG44394

• Easy to use Filter Wrench for removing Filter Bowl when changing Filter element

• Weather Resistant reinforced Nylon construction will not damage the bowl like metal oil filter wrenches

• Wire through hole provided for attaching to fuel tank



Reed Valves for Fuel Transfer Pumps tem No. ESG44194

Replacement reed valves for ESG44195 Diaphragm Fuel Transfer Pump



Replacement Filter Element— **10 Micron** Item No. ESG44395



Replacement Water Block Filter Element—10 Micron Item No. ESG44397

Replacement Rubber Hose

Item No. ESG44338 • For Rotary Barrel Pumps (RBP)



VACTOR

Replacement Fuel Hose— Anti Static, 12' Long

Item No.	ID	NPT (M)
ESG44077	3/4"	3/4"
ESG44078	1"	1"

Service Kit for RBP Pumps Item No. ESG44086



Standard Screen Funnels

- · Spout length reduces over-pouring and spillage
- Outer ribbing design eliminates air lock
- In-spout safety screen reduces contamination
- Ideal for agriculture and industry

Item No.	Capacity	Top ID	Spout ID	Height
ESG32091	1 Pint	4-1/2"	1/2"	6"
ESG32002	2 Quart	6-1/2"	1-1/16"	8-1/2"
ESG32006	6 Quart	8-1/2"	1-5/16"	10-1/2"



Item No.	Capacity	Top ID	Spout ID	Height
ESG32105	1 Pint	3"	1/2"	9-1/2"
ESG32115	1.25 Quart	4"	5/8"	10-1/2"
ESG32130	1.5 Quart	4"	5/8"	17"
ESG32140	1.5 Quart	4"	1-1/8"	13-1/4"







4 Ouart Drum Funnel with Safety Screen

Item No. ESG32900 • Overall height: 4-3/8"

- Top ID: 11-3/4"
- 2" thread
- Spout length: 1-1/2"
- Spout OD: 2-1/2"

3 Quart Drum Funnel with 2" Threads

- Item No. ESG32400
- Overall height of 9-3/16"
- Top ID: 7-1/2"
- Spout length: 1-7/16"
- Spout OD: 2-1/4"
- 2" thread, max temp 250° F



Pour Spout

Item No. ESG32177-7

- For use with quart, 1 gallon & 5 gallons
- Chemically-resistant clear tube keeps contents visible
- Comes with adapter for Reike threaded nozzle
- Flexible spout ideal for hard-to-reach areas
- Eliminate unwanted drips with the included cap



Oil Drip Tray

- Item No. ESG40092 • 22" x 22" x 1-1/2"
- · Chemically-resistant polypropylene
- Three gallon capacity



Item No. ESG32953 Overall height: 5-1/2" • Top ID: 17-3/4"

• 1" diameter pour spout built into the pan

Vehicle & Trailer Maintenance

Vehicle & Trailer Maintenance



Diamond Grip Terminal Cleaners Item No. ESG8040

· For flat and spade style terminals

- Works on both male and female connectors
- Removes corrosion and extends harness life
- Reduces diagnostic guesswork by eliminating bad connections
- Three piece set: small, medium and large
- Includes leather-type holster

Super Hard Diamond-Coated **Round Micro Files**

Item No. ESG8042



- Cleans Cannon, Deutsch, Bullet and other round terminals along with general filing applications
- · Also for use in general filing applications such as steel, aluminum, plastic, brass, etc.
- Individual sizes are marked and available for replacements

Includes leather-type holster



Terminal Connector Cleaners Master Kit

Item No. ESG8025

- Cleans/resizes 4/5 flat connectors. 6-way round and 7-way flat (spade) pin terminals
- For male and female connections
- · For tail and side marker light assemblies

• Maintains continuity and prevents circuit failure

7 Round Pin **Connector Cleaners**

- Item No. ESG8024 · Clean and resize male and female tractor trailer connectors
- Remove corrosion from connectors
- Enhance electrical contact points
- Extend harness life
- Use as a pin wear gauge
- Includes 7 Round Pin Cleaners (2)



Diamond-Coated Electrical Contact Cleaners

Item No. ESG8047 • Three-piece set covers wide range of

- contact sizes Super hard, diamond coating is highly
- abrasive and durable
- Enhances connections and extends contact life
- Non-slip, high-viz, ergonomic handles for comfortable use
- · Ultra-thin, flexible files for added functionality
- Includes 6mm, 9mm and 15mm



4/5 Pin Towing **Maintenance Kit**

- Item No. FSG8026
- · Quickly tests, cleans and repairs truck and trailer 4/5 pin connectors
- Works on both male and female connectors
- Extends harness life
- Great preventative maintenance tool
- Promotes safety and limits road hazards
- Includes 4/5 Pin Trailer Harness Checker, 4/5 Pin Cleaner, 2 ml DeoxIT[®] Cleaner


6 Round Pin Towing **Maintenance Kit**

Item No. ESG8027

- · Quickly tests, cleans and repairs truck and trailer 6-way round pin connectors
- · Works on both male and female connectors
- Extends harness life
- Great preventative maintenance tool
- Promotes safety and limits road hazards
- Includes 6 Pin Round Pin Tester. 6-way Round Connector Cleaners, 2 mL DeoxIT® Cleaner

8" - 20mm Head Swab-EEZ[®] 8" - 15mm Head Item No. ESG9010 8" - 12mm Head 325 piece set of industrial grade swabs 8" - 10.5mm Head • For the removal of dirt and the 8" - 6.5mm Head precise application of shop 3" - 5mm Head chemicals

• Lubricate, clean and paint: bores, fittings, head bolt holes, tubing, threads, gaskets, grease, guns, pipes, dirt and debris and much more



Air Comb[®] Engine & Radiator Cleaner

Length
12"
24"
36"
48"

- Thoroughly cleans engines, condensers and radiators from the inside out
- · Focused high pressure output
- Accesses hard-to-reach areas
- Unique design-won't punch holes like conventional blow guns



7 Flat (Spade) Pin Towing **Maintenance Kit**

Item No. ESG8028

- Quickly tests, cleans and repairs truck and trailer 7-way flat pin connectors
- Works on both male and female connectors
- · Extends harness life
- Great preventative maintenance tool
- · Promotes safety and limits road hazards
- Includes 7 Spade Pin Circuit Tester, Connector Cleaners, 2 mL DeoxIT® Cleaner

ELETIN VACTOR



7 Round Pin Towing Maintenance Kit

Item No. ESG8029

- Tests tractor electrical circuits
- Enhances electrical contact points
- · Removes corrosion from truck and trailer connectors
- Extends harness life
- Use as a pin wear gauge
- Includes 7 Round Pin Tractor Trailer Circuit Tester. 7 Round Pin Cleaner. 2 mL DeoxIT[®] Cleaner

3-Way Trailer Adapter



- Allows 7-way flat (spade) pin type terminal connections to 6-way round pin and 4/5 pin trailer connections
- Made from strong Nylon 6
- · Sealed plugs to keep road debris from corroding connections
- 'Winged' grip for easy installation and removal



36 Piece **Bore Brush Set**

Item No. ESG8001D

- 36 Brushes: 12 steel, 12 brass, and 12 nylon
- 8mm 19mm diameter with 1/4" hex shank
- 1/4" locking bit head driver included
- Twisted wires for increased cleaning function
- · For use in automotive, AG / industrial and MRO industries



6 Piece Twisted **Stainless Steel** Wire Brush Assortment

Item No. ESG8080

- Features the most common sizes: 8. 10. 12. 15. 17 and 19mm
- 1/4" hex shank

49

Vehicle Solutions

Wiper Blades

Power Supply & Battery Solutions

14" Dyna ISO (Double-Flat Shaft) Radial Dry Wiper Arm Item No. ESG201558

Crosses To:

- JE 52174
- Anco 49-14R (Black)
- Anco 45-23 (Silver)




- Heavy duty applications
- Stainless steel flat windshield wiper blade
- Designed specifically for flat windshields
- DuraTex all-natural compression molded rubber
- Fits 5mm & 6.4mm saddles

Item No.	Length	-
ESG71-12	12"	
ESG71-14	14"	- -
ESG71-16	16"	r r

Crosses to: Anco 51 Series Trico 61 Series ote: Has the adapter and hardware ecessary for both the Anco and Trico arrow Saddle applications

5mm & 6mm

Narrow Saddle



AutoTex M6Pro Premium Conventional Metal Wiper Blade

Item No. ESGM6-24

- Pre-installed connector fits 9x3 hooks arms. Included adapter fits 9x4 hook, 1/4" and 3/16" pin, and bayonet wiper arms
- Tested to last up to 1.5 million cycles
- Galvanized, anti-corrosion, heavy-gauged steel frame is 20% thicker than traditional conventional wiper blades
- DuraTex[®] Pro Compression-molded, 100% natural rubber
- Primary frame's cross section is asymmetric to enable better wind-lift performance

Crosses to:

- Anco 91 Series
- Bosch Micro Edge Excel
- RainX Weatherbeater
- Michelin High Performance



POD-X1: Power Supply & Jump Starter


Item No. ESGBOX1KIT

- 200 normal-400 peak
- 20 jump starts in one charge (used on 4 cylinder vehicles)
- One charge from jump starter will last 6 to 12 months without use
- 5V USB port for charging cell phones, iPads, MP3 players, cameras, tablets, GPS units, PSP and more
- High power 3 function LED flashlight with strobe, flashlight & S.O.S flash patterns
- Includes: USB 1 to 4 charging cable, Apple lightning, Apple 30 Pin, Micro USB, Mini USB, 100-240 vac charger & 15V DC car charger



LED POD (Power On Demand) X5 Auto/Truck Jump Starter & Power Supply Item No. ESGB0X5KIT

- 400 normal 800 peak
- Jump Start Port for jump starting gasoline & diesel engines
- Up to 20 jump starts in one charge for gasoline engines, 5 for diesel engines
- 5V USB port for charging cell phones, MP3 players, tablets, cameras, GPS units, PSPs and more
- 12V,16V & 19V for charging laptops and other electronics
- High power LED flashlight with 3 functions: flashlight, strobe & coast guard approved S.O.S
- One charge from jump starter will last 6 to 12 months without use
- Includes: 1 home charger, 1 car charger, 2 adapter cables, 1 jumper cable w/ clamps & 8 notebook connections



16" Dyna OEM Universal Wiper Blade

- Item No. ESG13416
- Premium performance blade
- Exclusive aerodynamic frame to prevent wind lift
- All metal, triple coated, anti-corrosion steel frame
- Steel riveted pin joints to strengthen frame
- Tested for over 1 million cycles

24" AutoTex Heavy Duty 13.6mm Saddle Wiper Blade

Item No. ESG78-24

- Fits 13.6mm saddle arms
- Designed for a wide range of vehicles from truck, to bus, to RV, and many other specialty vehicles
- DuraTex all-natural compression molded rubber

Crosses to:

- Anco 50 Series*
- Trico 67 (e.g. 67-281)
- Trico 68**
- * Anco does not fit 17mm saddles
- ** Trico does not come with hardware for 17mm



13.6mm

Saddle



CELL MAX[™] Alkaline Batteries

- CELL MAX Alkaline batteries are built to readily start up high drain devices with dynamic instantaneous power
- These Batteries are a great general use Battery for your everyday power needs

Item No.	Description
ESGCM-6LF22-BP1	9 Volt 1 Pack
ESGCM-LR6-BP2	9 Volt 1 Pack
ESGCM-LR6-BP4	AA 4 Pack
ESGCM-LR6-PBH24	AA 24 Pack
ESGCM-LR03-BP2	AAA 2 Pack
ESGCM-LR03-BP4	AAA 4 Pack
ESGCM-LR03-PBH24	AAA 24 Pack
ESGCM-LR14-BP2	C 2 Pack
ESGCM-LR20-BP2	D 2 Pack

terns 8.



CELL MAX[™] Digital Alkaline Batteries

- CELL MAX Digital Alkaline batteries offer the maximum capacity from a single use battery
- They are developed using the latest advanced technology, providing up to 6 times longer lasting power than ordinary Zinc batteries

Item No.	Description
ESGCM-LR6-BP4DG	AA 4 Pack
ESGCM-LR03-BP4DG	AAA 4 Pack



51



Battery Doc® 2/4/8 Amp 12 Volt Smart Charger

- Item No. ESG20085
- LED indicates the selected charging rate (2, 4 or 8 amps)
- Water resistant enclosure with coating to protect circuit board
- Universal AC input, 100-140 VAC, 60 Hz
- 6' AC cable and 8' DC cable included
- Includes alligator clips and ring terminal harness for multiple applications

Battery Solutions

Battery Solutions



Battery Doc[®] 2/8/16 Amp 12 Volt Smart Charger

Item No. ESG20087 • LED indicates the selected charging rate (2, 8 or 16 amps)

- IP30 rated enclosure designed with louver for ventilation
- · Water resistant enclosure with coating to protect circuit board
- Universal AC input, 100-140 VAC, 60 Hz
- 6' AC cable and 8' DC cable included
- · Includes alligator clips and ring terminal harness for multiple applications



Mini Master Batterv Disconnect Switches

· For application up to 48 volts DC and can be in either a two or four position

ISO 8846 approved

• Continuous rating: 300 amps

• Intermittent rating: 1000 amps/5 seconds Crank rating: 700 amps/10 seconds

- Can be used with one or two batteries
- Dimensions: 2.5" x 2.5" x 3" high
- Surface or panel mount

ESG20387

• Includes four mounting holes for easy access

Item No.	Style
ESG20387	Single Battery - On/Off Knob & Bottom Cover
ESG20393	Dual Battery - Off/1/Both/2 Knob & Bottom Cover



Battery Doc[®] 12 Volt 10 Amp **Solar Controller**

Item No. ESG23122 Maintains and regulates 12 volt batteries from overcharging and discharging

- Includes digital volt meter display
- Handles up to 10 amps (120 watts) of arrav current
- Maintenance free protection of your solar panel and batteries

Battery Doc® 6/12 Volt

• 3 LED displays indicate charge status at a

• Includes alligator clips and ring terminals with

900 mA Automatic

Battery Charger/

Maintainer

Item No. ESG20025

• 12' output cable lead

• Toggle switch to select voltage on rear panel

glance

fuse

- Maintains 12 volt batteries in a fully charged state
- Small, compact and easy to mount
- For use with gel-cell, AGM, deep cycle and all lead-acid 12 volt batteries
- Easily mounted in weather protected area



Compact Battery Switch: Top Mount

- Item No. ESG20308 · Easy-to-install on negative battery post
- Battery is disconnected by unscrewing the knob a few turns and reconnected by tightening the knob
- Knob can be removed completely to deter theft
- Compact size fits most battery compartments
- · Includes battery terminal markers
- Rated 500 amps surge and 125 amps continuous at 12 volts



Water-Resistant Master **Switch Kit: Includes 2 Keys** & Waterproof Cover

- Item No. ESG20314
- Excellent for marine or automotive use Rated 100 amps continuous, 1000 amps surge, at 12 volts
- Rated below 50 amps continuous, 500 amps surge, at 24 volts
- 2-1/4" diameter x 2-1/2" deep (1-1/4" deep behind panel)
- Two 3/16" diameter mounting holes



Battery Isolator: Lever Operated Switch Item No. ESG20304

- · Master battery isolator disconnect switch
- 100 amps continuous at 12 volts

Knife Blade Batterv Switch: Side Terminal

Item No. ESG20128

- For side terminal batteries · Mounts on negative side battery terminal
- 3-1/4" W x 3-3/4" L x 1-1/2" H
- Provides 3/8-18 bolt for receiving standard eyelet cable connector

Knife Blade Battery Switch: Top Post

Item No. ESG20138

- · For top post batteries, low vertical operation
- · Switches recommended to mount on negative battery post to disconnect ground and battery
- Easy to reach and operate • 3" W x 4" L x 2" H
- 5/8" diameter post for receiving standard battery cable clamp

Knife Blade: Top Post with Stud

Item No. ESG20148

- For top post batteries, low vertical operation
 - Switches recommended to mount on negative battery post to disconnect ground and battery
 - Easy to reach and operate
 - 3" W x 4" L x 2-1/4" H
 - 5/8" diameter post, plus 5/16-18 stud and wing nut for extra connections

Knife Blade Battery Switch: In-Line Eye To Eye Item No. ESG20188

- Surface mounted "in-line"/remote mount switches
- For concealed installations or where battery box space is limited. One side connects to the battery cable; other side connects to the vehicle cable
- 3" W x 4" L x 2" H

 Both terminals are 5/16" bolts for receiving evelet cable connectors




Battery Doc[®] 4-in-1 Adapter

Item No. ESG23129



- · Safely connects up to four like solar panels in parallel
- 11' 6" long
- Includes four bullet EZ connectors
- Quick and easy to use—no cutting or splicing!



Battery Doc® Solar Charger Heavy Duty 30W Panel

Item No. ESG23130

- Monocrystalline panels are a highly efficient solution for converting sunlight to electricity
- Ideal for situations with limited space
- · Corrosion resistant anodized frame
- Dimensions: 21" L x 16" W x 1" D



Battery Doc® Solar Trickle Charger/Maintainer 5W Panel Kit

Item No. ESG23143

- Anodized aluminum weather resistant frame
- Dimensions: 12-1/2" W x 12-1/2" L x 1" D
- Amp Rating: up to 420 mA
- Accessories included: 12V male output adapter (cigarette lighter adapter) Alligator clips Voltage tester Mounting hardware (screws)



Battery Doc[®] **Solar Charger 9W Panel Kit**

Item No. ESG23144

- Anodized aluminum weather resistant frame
- Dimensions: 8.3" W x 24.4" L x 1" D
- Amp Rating: up to 750 mA
- Accessories included:

12V male output adapter (cigarette lighter adapter) Alligator clips Voltage tester Mounting hardware (screws) 10' solar panel lead wire

Vehicle Solutions

Tie Downs

Tie Downs

Ratchet Tie Downs

- Super comfortable, thermo-plastic rubber handles are molded onto frames on select models
- Weather and corrosion resistant hardware finished with zinc and nickel plating, or powder coating
- PVC-coated hooks on standard duty ratchet series that will not scratch
- Cut and abrasion resistant webbing is woven from high tensile strength polyester—performs better than nylon
- Engineered stitching for system strength and durability



Heavy-Duty Ratchet Tie Downs

Item No.	Description	Break Strength	Work Load
ESG310800	40' x 2", JJ Hook, Bar Handle	10,000 lbs.	3,300 lbs.
ESG310001	27' x 2", JJ Hook, Bar Handle, *Step Release	10,000 lbs.	3,300 lbs.
ESG310081	27' x 2", Flat Hook, Bar Handle, *Step Release	10,000 lbs.	3,300 lbs.

* Step Release ratchets allow you to release tension slowly and safely, one click at a time.



Standard-Duty Ratchet Tie Downs

Item No.	Description	Break Strength	Work Load
ESG312600	16' x 1", S Hook, Small Bar Handle	1,500 lbs.	500 lbs.
ESG318420	6' x 1", S Hook, Small Bar Handle (Twin Pack)	1,800 lbs.	600bs.
ESG325600	16' x 1-1/4", JJ Hook, Sure Grip Handle	2,500 lbs.	830 lbs.
ESG350701	16' x 1-1/2", JJ Hook, Sure Grip Handle	5,000 lbs.	1,665 lbs



Replacement Straps

- Zinc hooks
- Cut and abrasion resistant webbing is woven from high tensile strength polyester
- Engineered stitching for system strength and durability

Item No.	Description	Break Strength	Work Load
ESG05344	30' x 2" Replacement Strap, Flat Hook	10,000 lbs.	3,333 lbs.
ESG05354	30' x 2" Replacement Strap, JJ Hooks	10,000 lbs.	3,333 lbs.
ESG320881	ESG320881 25' x 4" Replacement Strap, JJ Hooks		6,660 lbs.




Truck Tie Downs Zinc plated flat hook or delta ring

Yellow polyester webbing

Item No.	Description	Break Strength	Work Load
ESG03603	30' x 4" Truck Tie Down, Flat Hook, Poly Bag	15,000 lbs.	5,000 lbs.
ESG04603	30' x 4" Truck Tie Down, Delta Ring, Poly Bag	18,000 lbs.	6,000 lbs.

Standard Winch Bar



- Black finish
- Knurled grip
- Break strength: 5,000 lbs.

Standard Weld-On 4" Winch

Item No. ESG05314 • Black powder coated finish • 0.9" drive hole

ELGIN VACTOR

Break strength: 15,000 lbs.



Recovery Straps

Portable Bolt-On 4" Winch

Item No. ESG05324

• 0.9" drive hole

• Break strength: 12,000 lbs.

Bolts included

2" Mini Winch

Item No. ESG05334 • Bolt-on or weld • Powder coated frame

Black powder coated finish

- Constructed of strong, lightweight, polyester flat webbing
- Reinforced loops that extend the service
 life
 - Engineered, stitch tested to the rated capacities with an added safety margin

	Item No.	Description	Break Strength
	ESG151520	20' x 2" Recovery Strap with loops	15,000 lbs.
	ESG152020	20' x 2" Recovery Strap with loops	20,000 lbs.
-	ESG152030	30' x 2" Recovery Strap with loops	20,000 lbs.
	ESG06502	20' x 3" Heavy Duty Recovery Strap with loops	27,000 lbs.
	ESG06602	30' x 3" Heavy Duty Recovery Strap with loops	27,000 lbs.
	ESG153630	30' x 4" Heavy Duty Recovery Strap with loops, Poly Bag	36,000 lbs.
	ESG156030	30' x 6" Heavy Duty Recovery Strap with loops, Bulk	54,000 lbs.

54

Tow Ropes


- Braided with high quality nylon and have steel forged hooks
- They offer very low elongation nylon
- Constructed with double braided nylon and are oil and abrasion resistant

• Come with either steel forged hooks or braided loops

Item No.	Description	Break Strength
ESG112400	17' x 3/4" Diameter, Braid-On-Braid Rope with hooks	15,000 lbs.
ESG112401	17' x 3/4" Diameter, Braid-On-Braid Rope with loops	15,000 lbs.

Heavy-Duty Tarp Straps

- Available in sizes from 9" to 41"
- 24" and 36" tarp straps feature patented molded holes for adjustable length
- Weather-resistant natural rubber
- Strong and durable zinc coated S-hooks
- Versatile strap with high elasticity holding power



Vehicle Solutions

Tar Item • Fou • 5mr

Tarp Strap S-Hooks

Item No. ESG710040

- Four pack replacement hooks
- 5mm S-hooks for tarp straps and adjustable tarp straps
- Strong and durable zinc coated finish

55

Lift Equipment

Lift Equipment



ESG18222C

Air Bottle Jacks

• Effortless air operation will greatly reduce operator fatigue and speed up the efficiency of garage work

> • Versatile "Quick Connector" design provides for easy removal of air hose from air motor allowing compact storage or remote operation

> > · All air bottle jacks have chrome plated rams

• A compact yet powerful Air Turbo Motor U.S. Patent No. 5,341,723 is equipped to raise the load to the desired height efficiently, effortlessly, and safely U.S. Patent No. 5,946,912, a built-in bypass device protects hydraulic system from over pumping damage

Item No.	Capacity	Lifting Range
ESG18122C	12 Ton	9-1/2" to 18-1/2"
ESG18204C	20 Ton	9-3/4" to 18-3/4"

Ratchet Style Jack Stands

- · Sturdy, welded steel construction for superior safety and strength
- One piece, multi-position ductile ratchet bar provides super strength and durability, and quick adjustment mechanism that securely locks into desired location

• Counter-weighted pawl serves as a safe, secure locking device to prevent the load from accidentally disengaging

Item No.	Capacity	Support Range
ESG32035	3 Ton	11-1/2" to 17"
ESG32065	6 Ton	15-3/8" to 24-3/8"
ESG32125	12 Ton	17-1/2" to 27-1/2"



ESG25107

Long Chassis **Service Jacks**

- Innovative design of Turbo Lift offers a quicker lift for professional performance
- U.S. Patented built-in bypass device protects hydraulic system from over pumping damage
- Metered release system allows for precise load control
- After the first pump reaches the lifting point, the jack continues with extraordinary lifting speed to raise the load to the desired height

Iten	n No.	Capacity	Lifting Range
ESG	25057	5 Ton	6-1/2" to 22-1/4"
ESG	25107	10 Ton	6-7/8" to 27"

20 Ton Hydraulic Air/Manual Service Jack

• Effortless air operation will greatly reduce operator fatigue and speed up the efficiency of garage work


- A compact yet powerful Air Turbo Motor U.S. Patent No. 5-341-723 is equipped to raise the load to the desired height efficiently, effortlessly, and safely U.S. Patent No.5-946-912, a built-in by-pass device protects hydraulic system from over pumping damage
- Versatile "Quick Connector" design provides for easy removal of air hose from air motor allowing compact storage or remote operation
- All air bottle jacks have chrome plated rams

Item No.	Capacity	Lifting Range
ESG22203	20 Ton	13" to 39-5/8"



Manual Bottle Jacks

- Easiest accessible pumping system eliminates off-center pumping force for the most efficient operation
- Extra large base provides added stability and strength



- Unique cross-type forged release valve assures positive control
- A wide runned base provides stability
- allows nt and maximum
- device protects
- Critical stress points are reinforced in all models for added durability and dependability

Item No.	Capacity	Lifting Range
*ESG10080	8 Ton	9-1/2" to 18-1/2"
ESG10120	12 Ton	9-1/2" to 18-5/8"
ESG10128	12 Ton	6" to 10-3/4"
ESG10200	20 Ton	9-1/2" to 18-5/8"
ESG10208	20 Ton	6-1/2" to 11-1/4"

* Product color is red

ESG10200



Item No.	Capacity	Support Range
ESG32105B	10 Ton	18-5/8" to 30-1/2"
ESG32107	10 Ton	28" to 47"
ESG32225	22 Ton	13-1/3" to 19-2/3"



· Heavy gauge, steel frame helps pre-

and strength
 Heat-treated extension screw low pick-up height adjustmen lift height
• U.S. Patented built-in bypass hydraulic system from over-pumping damage

• User grea	friendly, self-returning tly reducing fatigue	sing air-actuated operation spring minimizes operators effort ates and protects air motor
	ger life ne plated rams	
	over pumping damage	s device protects hydraulic syster
Item No.	Capacity	Lifting Range

Trans	mission Jack
	The adjustable head can be tilted forward, back- ward and side to side for optimum alignment of transmission bolt patterns and pins
	Hydraulic system is protected from internal damage by a patented by- pass mechanism
	 Rugged steel wheels and full swivel ball bearing casters
 U.S. Patented built-in by-pass de overpumping damage 	vice protects hydraulic system from
Multi-adjustment knobs ensure the second secon	hat transmission cradle is always at the

- Lift Equipment
- Load-restraining chain is vital for raising and lowering safety • Four wheel casters allow easy movement, positioning of transmission jack

right angle to position and accept any load

Item No.	Capacity	Lifting Range	
ESG43000	1.5 Ton	7-7/8" to 37-1/4"	

Service Jack Combo

- Magic Lift technology
- Built in hydraulic bypass
- Steel frame construction for added strength
- Wide solid stance for extra stability
- · Packed in one box for easy storage and delivery

n No.	Capacity	Service Jack Lifting Range	Jack Stands Support Range
25032	3 Ton	6-1/2" to 22-1/4"	11-1/2" to 17"

Lift Equipment

Lift Equipment



Air/Hydraulic Bottle Jacks

• Effortless air operation will greatly reduce operator fatigue and speed up the efficiency of garage work

 Versatile "Quick Connector" design provides for easy removal of air hose from air motor allowing compact storage or remote operation

• A compact yet powerful Air Turbo Motor U.S. Patent No. 5,341,723 is equipped to raise the load to the desired height efficiently, effortlessly, and safely U.S. Patent No.5,946,912, a built-in by-pass device protects hydraulic system from over pumping damage

• All air bottle jacks have chrome plated rams

Item No.	Capacity	Lifting Range
ESG18502	50 Ton	10-7/16" to 16-3/4"
ESG18992	100 Ton	17-3/4" to 51-1/2"
ESG18302C	30 Ton	11" to 18-1/8"

10 Ton Air Jack/Support Stand



Operates as both a support stand and air actuated jack
Completely air operated and has a heavy duty pin locking system

 Comes with a 10 foot air hose and maneuverable wheel base for easy accurate positioning

Item No.	Capacity	Lifting Range
ESG34100	10 Ton	17-1/2" to 51"



Hydraulic Bottle Jacks


- Easiest accessible pumping system eliminates off-center pumping force for the most efficient operation
- Extra large base provides added stability and strength
- Serrated heat-treated saddle provides generous lifting area and secure grip
- Heat-treated extension screw allows low pick-up height adjustment and maximum lift height
- U.S. Patented built-in by-pass device protects hydraulic system from overpumping damage

Unique cross-type forged release valve assures positive control

- A wide, rugged base provides stability and strength
- Critical stress points are reinforced in all models for added durability and dependability
- Easiest accessible pumping system eliminates off-center pumping force for the most efficient operation

Item No.	Capacity	Lifting Range
ESG10500	50 Ton	9-1/2" to 13-7/8"
ESG10300	30 Ton	11" to 18"











100 Ton Shop Press

Item No. ESGHW93610

- 100 ton capacity
- Heavy steel welded construction
- Includes hand wench for easy bed adjustments
- Excellent for bending, bonding or straightening applications
- 1 HP / 2 gallon electric pump
- Quiet operation meets OSHA regulations
- Industrial hard chrome plated ram helps prevent rust and corrosion
- Ideal for the removal or installation of gears, universal joints, pulleys, wrist pins, and other press jobs

10 Ton Body Repair Kit with Case

Item No. ESG50100

- A must for body collision repair use
- Designed for applications of pushing, spreading and pressing of vehicle body panels as well as various component parts and assemblies
- A variety of attachments are included



for effortless assembly • Sets are portable for easy usage in shop or on the road • Custom fitted, rugged

• Pumps are rated from 8,000 to

• Perfect-fit attachments use

quick-connect technology

 Custom fitted, rugged blow-molded storage case and it has wheels for easy movement

• U.S. Patent NO. 5,520,400

10,000 PSI



100 Ton Shop Press Guard

Item No. ESGHW93625

- 84" tall x 43.13" wide guard made with 1.5 x 3" thick aluminum extrusion with a (7) position
- Vertical sliding window with 1/2" black PVC quoted mesh screen

4 Ton Body Repair Kit with Case

Item No. ESG50040

- A must for body collision repair use
- Designed for applications of pushing, spreading and pressing of vehicle body panels as well as various component parts and assemblies
 - A variety of attachments are included
 - Pumps are rated from 8,000 to 10,000 PSI
 - Perfect-fit attachments use quick-connect technology for effortless assembly
 - Sets are portable for easy usage in shop or on the road
 - Custom fitted, rugged blow-molded storage case
 - U.S. Patent NO. 5,520,400

59

Lift Equipment

Shop Aerosols

Tire Sealants



Brake & Parts Cleaner

Item No. ESG6201548

- Fast drying cleaner safely removes dust and grease from brake parts and other metal objects
- Eliminates brake squealing and contains no chlorinated solvents
- VOC compliant
- An extension tube is provided for accurate spraying in any position



Glass Cleaner

Item No. ESG20020

- Powerful streak-free glass cleaner that contains ammonia and works on a variety of surfaces
- Cuts through grease, is non-abrasive, and does not leave a film
- Works well in commercial or industrial applications

Multi-Purpose Cleaner/Degreaser Item No. ESG6201568

- Heavy duty cleaner quickly removes grease and oil, strips wax, and cleans without leaving a residue
- Environmentally formulated and does not contain caustic acids or chlorinated solvents
- Safe to use on most surfaces

Item No. ESG6201543

frozen assemblies

VOC compliant in all states except for California and Utah

Super Strength Penetrating Oil

· Lightweight penetrant that releases rusted, corroded or

• This fast acting formulation includes penetrants,

• Sprays in any direction and an extension tube is

anti-rust film for continued protection

provided for pinpoint application

lubricants, and corrosion inhibitors and leaves an

Chain & Cable Lube

Item No. ESG6201502

- Lightweight black lubricant that penetrates deeply and prolongs the life of any size chain or wire by keeping it supple and resisting rust
- Displaces water and has excellent clinging properties
- Extension tube is provided for pinpoint application
- Application should be confined to light duty drive chains not running thru an oil bath

Electric Motor/Contact Cleaner

Item No. ESG6201526

- Quick acting contact cleaner that penetrates to dissolve grease and remove dirt
- · Safe for electrical equipment and non-flammable
- No rinsing or wiping required and does not leave a residue so your motors run efficiently
- An extension tube is furnished for pinpoint application



Tire Sealants

- Simply the finest tire sealant in the world. Our high-quality sealant not only seals tread area punctures but also rim and bead leaks, weather cracking and porosity leaks
- · Seals hundreds of punctures up to 1/4" diameter
- Totally homogeneous—no mixing, shaking or stirring is necessary; it has an indefinite shelf life and can be rinsed out of a tire with water if there is a need for section or boot patching
- Remains fluid and effective in temperatures down to -45° F
- Lasts the life of the tire tread
- Easy installation is through the valve stem with the valve core removed and the tire deflated
- Installation kits are included
- Tire balance is not affected by sealant application
- Made in the USA





Carb & Choke Cleaner

Item No. ESG6201536

- Quick acting carburetor cleaner that penetrates and dissolves dirt and residue
- Eliminate hard starting, stalling, rough idling by loosening sticky valves, chokes, and risers
- Can be sprayed in any position and the extension tube gives you pinpoint accuracy

Silicone Lube

Item No. ESG6201500

- Clear silicone lubricant for use on all sliding and rubbing surfaces
- Authorized by USDA for use in Federally inspected meat and poultry plants
- Comes with an extension tube for pinpoint application, and sprays in any position
- · Withstands high pressures, does not stain, and has low odor





Item No. ESG1220-0032 ESG1220-0128

ESG1220-0640

ESG1220-516

ESG1220-7040

ESG1220-35200


ESG1220-1614

Seals punctures up to 1/4" in standard tires and up to 3/4" in heavy ply tires

Coats all inner surfaces of tire and rim to prevent all forms of air loss, including rim, bead and porosity leaks

Installs easily through the valve stem once the valve core is removed

Description	Ch
32 oz. Bottle	em
Gallon with Pump	iemicals
5 Gallon	sl
5 Gallon Pump	
55 Gallon Drum	1111
275 Gallon Tote	
atia Tira Caalant Dump	State of the second



Fluid Film & J-B Weld

WD-40[®]

Powerful Corrosion Protection

• Superior lubrication for all moving parts

- · Extend maintenance schedules, resulting in significant cost savings and integrity of equipment
- Soft, active coating penetrates to the base metal, where it migrates to create a formidable, protective barrier that prohibits corrosion on a molecular level
- · Contains no solvents-will not evaporate

8 oz. Brush Top Can

- Item No. ESGNAS80Z
- Eliminates messy overspray Allows for desired consistency
- Great for detail applications
- Built-in brush applicator



11 oz. Aerosol Can

Item No. ESGAS11

- Lubricates moving parts
- · Prevents corrosion on all metals
- Long lasting protection
- · Easy to apply



One Gallon Pail

- Item No. ESGNAS1GAL Long term protection
- Apply by pressurized spray, roller or brush
- · Easy to handle

- · Also protects equipment from atmospheric corrosion in storage facilities and metals exposed to animal waste
- Protects all metals, wiring systems and truck/machinery underbodies from the effects of harsh chemicals and toxic, dirty environments
- Not water soluble-resisting splash off from water, slush and mud during driving



Item No. ESGNAS5GAL

- #1 choice for equipment being shipped or stored
- · Apply by pressurized spray, roller or brush
- For larger applications



Item No. ESG19000

- 600cc plastic paint cup
- · Die cast aluminum body with anodized finish
- Non-bleeder type, gravity feed external mix
- Stainless steel nozzles
- · Adjustable spray width, air inlet and fluid outlet
 - PLUS Locking pressure regulator with gauge
 - 1.4mm stainless steel tip
 - Brass fluid & air nozzle
 - Nozzle size: 1/4"
- Air consumption: 4.0-7.0 CFM

Any Project. Any Surface. Any Time.

Whether you're doing a small repair or tackling a large project, we have all the products you need to get the job done right. No matter which product you choose, you always get the legendary performance of the world's strongest bond!

J-B Stik



Item No. ESG8265S

• Will bond to most clean and dry surfaces and sets in 1-2 hours and will fully cure in 16-24 hours

- Waterproof, petroleum, chemical and acid resistant when fully cured
- Alternative to welding, soldering and brazing



J-B Kwik Item No. FSG8276

- · Fast set cure version of J-B Weld that will set in four minutes and fully cure in 4-6 hours
- When fully cured it can be drilled, tapped, machined filed, sanded and painted
- Waterproof, petroleum, chemical and acid resistant once fully cured



VACTOR

J-B KwikPlastic

2

- Item No. FSG8237 Sets in 20 minutes
- Bonds instantly with superior strength and does not shrink
- or pull away
- Repair and rebuild any rigid and semi-flexible plastic including ABS, PVC and CPVC




20 oz. Classic Item No. FSG110184

TRIGGER PRO

- · Penetrate & loosen stuck, frozen parts
- Displace moisture on wiring & parts
- · Remove grease & grime from parts & tools Remove adhesives, stickers, labels, road tar, bugs
- Shine bumpers & chrome
- · Lubricate moving parts, hinges, valves, etc.

18 oz. Big Blast Can

- Item No. ESG10124
- New wide area spray nozzle
- Delivers product quickly and efficiently over large areas
- Cover everything—faster!
- Stops squeaks
- Removes and protects
- Loosens rusted parts
- Frees sticky mechanisms



J-B Waterweld Item No. ESG8277

Once cured it can be drilled, sanded.

filed, tapped, machined and painted

Make permanent repairs in moist or


• Fully cure in 60 minutes and will adhere to most any surface

under water applications





















3-111-0112

OIL

-

Description

12 pack

48 pack with Display

11 oz. 3-in-One **Garage Door Lube**

Item No. ESG100581

- Quick drying
- Won't attract dust or dirt
- · Prevents rust and corrosion
- 2-way spray technology
- Stops squeaking and sticking
- Great for commercial and residential garage doors

8 oz. 3-in-One Multi-Purpose Oil

Item No. ESG10138

- Precise lubrication
- · Lubricates, cleans and prevents rust

Specialist Professional Grade Aerosols



18 oz. Machine & Engine Degreaser **Foaming Sprav**

Item No. ESG300070

- Makes equipment run smoother, last longer and look like new
- · Quickly removes grease, oil, dirt and grime
- Deep penetrating foaming action
- Sprays up to five feet
- NSF Category C1 (#146737)
- 50-state VOC compliant



WD-40[®] Specialist **Product Line**

- · Smart Straw for precise application
- Superior performance
- 50-state VOC compliant

Item No.	Description
ESG300004	11 oz. Rust Release Penetrant
ESG300012	11 oz. Water Resistant Silicone
ESG300080	11 oz. Specialist Electrical Contact Cleaner
ESG300025	10 oz. White Lithium Grease

Chemicals

Striking Tools

Alignment & Pry Bars

Indestructible Handle Hammers

- Ergonomic rubber grip handle absorbs shock and vibration reducing fatigue
- Indestructible handle is made with spring steel bars that run all the way through the handle. Bars are locked with the hammer head using steel locking plates, ensuring that the head never gets dislodged
- Hammer head is forged from special steel and is induction hardened to 52 to 56 HRC for extended life
- Special bonding process ensures that head never gets loose from the handle
- Working temperature range: 14° F to 122° F (-10° C to 50° C)
- · Lifetime warranty on the handle

C	ub Hamme	rs	
Item No.	Head Weight	Handle Length	
ESG34500	2.5 lbs.	12"	
ESG34501	4 lbs.	12"	
ESG34502	4 lbs.	16"	_

Ball Pein Hammers Head Handle Item No. Weight Length ESG34540 14" 24 oz. 14" ESG34541 32 oz.

48 oz.

14"

Indestructible Handle Technology



	Cros			
	Item No.	Head Weight	Handle Length	
educing	ESG34530	2 lbs.	16"	
	ESG34531	3.5 lbs.	16"	
				_

Sledge Hammers

ELGIN VACTOR

ESG34542

Item No.	Head Weight	Handle Length	
ESG34510	6 lbs.	24"	
ESG34511	6 lbs.	30"	-
ESG34512	8 lbs.	24"	
ESG34513	8 lbs.	30"	
ESG34517	8 lbs.	36"	
ESG34514	10 lbs.	30"	
ESG34518	10 lbs.	36"	
ESG34515	12 lbs.	30"	
ESG34519	12 lbs.	36"	
ESG34516	14 lbs.	30"	-
ESG34520	14 lbs.	36"	•
	ESG34510 ESG34511 ESG34512 ESG34513 ESG34517 ESG34514 ESG34518 ESG34515 ESG34519 ESG34516	Item No. Weight ESG34510 6 lbs. ESG34511 6 lbs. ESG34512 8 lbs. ESG34513 8 lbs. ESG34517 8 lbs. ESG34514 10 lbs. ESG34515 12 lbs. ESG34519 12 lbs. ESG34516 14 lbs.	Item No. Weight Length ESG34510 6 lbs. 24" ESG34511 6 lbs. 30" ESG34512 8 lbs. 24" ESG34513 8 lbs. 24" ESG34513 8 lbs. 30" ESG34517 8 lbs. 30" ESG34514 10 lbs. 36" ESG34518 10 lbs. 30" ESG34515 12 lbs. 30" ESG34519 12 lbs. 36" ESG34516 14 lbs. 30"



Item No.	Length	Stock Size	Finish
ESG33169	16"	5/8"	Plated
ESG33170	18"	5/8"	Plated
ESG33171	24"	3/4"	Plated
ESG33172	30"	7/8"	Plated
ESG33173	36"	7/8"	Plated
ESG33176	48"	1"	Powder Coated
ESG33177	54"	1"	Powder Coated





Roll Head Pry Bars

- Forged from Chrome Vanadium Steel and fully hardened and tempered
 - Roll head acts as a fulcrum and provides leverage
 - Designed for heavy prying and fulcrum pryingvery useful in automotive applications
 - The tapered end is used for aligning
 - Ideal for leverage, positioning and prying

Item No.	Length	Stock Size
ESG33150	6"	5/16"
ESG33151	12"	7/16"
 ESG33152	16"	9/16"
ESG33153	20"	11/16"
ESG33155	Set of 3 Pry Bars, containing one each of 12", 16" and 20"	

Tool Storage

Tool Storage





Item No. ESGPP-2314BKX • 24"W x 10-1/2"D x 13-1/2"H · Portable workstation at

- your fingertips Steel drawers with 25 lb. capacity
- Rugged high-impact polypropylene will not rust, dent, corrode or
- mar surfaces

20" Plastic Hand Box with Trav

Item No. ESGPP-2009BKX

- · Ideal for carrying in the field and out to
- · Rugged high-impact polypropylene will not rust, dent, corrode or mar surfaces



26" 7 Drawer Professional Tool Chest Item No. ESG26TOPBLK 26-1/2" 5 Drawer Professional Roller Cabinet Item No. ESG26CABBLK • Drawers feature ball bearing glides with a load capacity of 50 lbs. per drawer and 100 lbs. per drawer with double glides (double glides only on roller cabinet deep drawers) · High density foam drawer liners included . Heavy duty steel construction with four 4" x 2" casters (two lockable swivels and two rigid) High gloss powder coated finish • Theft-proof tubular coded locking system keeps your tools safe

Item No.	Width	Depth	Height
ESG26T0PBLK	26"	16"	18"
ESG26CABBLK	27"	18"	36"

41" Tool Chest & Cabinet

Black: Item No. ESG41COMBOBLK Blue: Item No. ESG41COMBOBLU





• 20"W x 10.3"D x 9"H

- the iob
- Includes removable plastic tray



36" Service Box

Item No. ESG36SBOX

- 16/18-gauge steel construction—over 5-1/2" deeper than our previous model
- · Specially engineered frame with handles make it easy to slide and move service box
- 5 big reinforced drawers with quiet ride foam liners-2 deep and 3 standard size drawers
- Full-extension friction slides for smooth glide operation
- Deep drawers feature dual slides and load rated up to 300 lbs, standard feature single slides and load rated up to 150 lbs.
- Theft-resistant tubular, coded lock and keys
- Caster-ready (casters sold separately)
- · Specially designed with room underneath to allow forklift to easily move fully loaded box



66

5" x 2" Casters for Service Box

Item No. ESG452CS

- Set includes: Four (4) caster wheels (all swiveling, all with brake mechanisms)
- Wheel Size: 5" diameter x 2" wide
- Plate Size: 95mm x 65mm (3.74" x 2.56")
- Load Rating: 1,320 pounds total per set of 4 (330 pounds each caster)
- · Height: Approximately 6" from top of plate to bottom of wheel
- Strong, double zinc coated galvanized steel
- Heavy duty non-marking TPR rubber wheels
- Premium swivel design, with two rows of ball bearings (many others only have 1)
- One year guarantee against workmanship and defects



48" On-Site Storage Box

Item No. ESG48SBOX

ELTIN VACTOR

- 48-1/8"W x 24-1/8"D x 28-3/8"H
- Storage capacity: 27,760 cu. in.
- · Heavy duty steel construction with 12 gauge steel legs provide 4 way entry skid
- · Reinforced overlapping lid provides protection from weather
- Recessed locking area protects contents
- Heavy duty industrial lid stays open to prevent accidental closure
- · Tough industrial powder coated finish
- · Custom imprinting available for this product, see website for details



41" 8 Drawer Professional Tool Chest

Black: Item No. ESG41TOPBLK Blue: Item No. ESG41TOPBLU

41-1/2" 11 Drawer Professional Roller Cabinet

Black: Item No. ESG41CABLK

Blue: Item No. ESG41CABLU

• Drawers feature ball bearing glides with a load capacity of 100 lbs. per drawer and 200 lbs. per drawer with double glides

• Full-width aluminum polished chrome drawer pulls

• Heavy duty 16 gauge steel frame and 18 gauge steel sides with four 5" x 2" casters (two lockable swivels and two rigid)

· High density foam drawer liners included

· High gloss powder coated finish

• Theft-proof tubular coded locking system keeps your tools safe

em Desc.	Width	Depth	Height
Tool Chest	41"	17-3/4"	21-3/8"
oller Cabinet	41-1/2"	18-1/8"	40-1/2"



Tool Storage

Tool Storage



56" Tool Chest & Cabinet

Black: Item No. ESG56COMBOBLK Blue: Item No. ESG56COMBOBLU

56" 10 Drawer Professional Tool Chest

Black: Item No. ESG56TOPBLK Blue: Item No. FSG56T0PBLU

56" 11 Drawer Professional Roller Cabinet

Black: Item No. ESG56CABBLK Blue: Item No. ESG56CABBLU

- Drawers feature ball bearing glides with a load capacity of 100 lbs. per drawer and 200 lbs. per drawer with double glides (double glides only on roller cabinet deep drawers)
- Full-width aluminum polished chrome drawer pulls
- Heavy duty steel construction with six 5" x 2" casters (four lockable swivels and two rigid)
- High density foam drawer liners included
- · High gloss powder coated finish
- Theft-proof tubular coded locking system keeps your tools safe

Item Desc.	Width	Depth	Height
Tool Chest	55-1/4"	19-3/4"	20-1/2"
Roller Cabinet	56"	20"	41-1/2"



72" Shop Cabinet

Item No. ESG72BLK

- Professional Grade
- 4 adjustable shelves hold up to 180 lb. each
- 3-point locking system locks the doors on top, side and bottom
- · Meets or exceeds ANSI/BIFMA standards
- Comes assembled except handles, locking system and shelves



72" 17 Drawer Professional Roller Cabinet

Black: Item No. ESG72CABLK

- Blue: Item No. ESG72CABLU
- 72"W x 30"D x 44-3/4"H
- Drawers feature ball bearing glides with a load capacity of 300 lbs. per drawer and 600 lbs. per drawer with double glides
- High density foam drawer liners included
- Heavy duty 11 gauge steel construction with six 6" x 2" casters (four locking and two swivel)
- High gloss powder coated finish
- Theft-proof tubular coded locking system keeps your tools safe





- · Welded steel construction stands up to constant use
- Durable baked enamel finish resists dents and scratches
- Custom imprinting available for this product, see website for details

76" 12 Drawer Professional Roller Cabinet

Black: Item No. ESGEX7612RCBLK Blue: Item No. ESGEX7612RCBLU

• 76"W x 31"D x 47"H

• Drawers feature ball bearing glides with a load capacity of 300 lbs. per drawer and 600 lbs. per drawer with double glides

- High density foam drawer liners included
- Heavy duty 11 gauge steel construction with six 6" x 2" casters (four lockable swivels and two rigid)
 - High gloss powder coated finish
 - Theft-proof tubular coded locking system keeps your tools safe
 - Mounted four outlet A/C powerstrip
 - 12 deep drawers including two extra wide drawers and one vertical power tool drawer



For all of your Shop & Safety Essentials Visit us online at www.elginvactoressentials.com

© 2016 Elgin Sweeper Co., Subsidiary of Federal Signal Corporation. © 2016 Vactor Manufacturing, Inc. Subsidiary of Federal Signal Corporation.

Printed in the USA. Some items shown may be optional. Specifications subject to change without notice.

www.elginvactoressentials.com