

# LinkWall 220cm

---

## General guidelines

---

- CMYK
- Convert Pantone colours to CMYK.
- Do not supply RGB images.
- Do not embed images, supply them.
- Resolution must be 1000 dpi at 10% of output size.
- All fonts must be converted to outlines.
- Please supply artwork as PDF or Illustrator EPS files.

## This template

---

- Is supplied at 10% of finished size.
- Includes 1 mm bleed (as shown by the red keyline).

**Template name**

Linkwall\_BaseUnit\_90x220cm

**Specific information for this template file**

- Scale is 1:10 – Images should have a minimum resolution of 1000 dpi.
- Bleed 1mm – Extend graphics and color plates over the red bleed guidelines.

**For best result**

- Use Adobe InDesign or Adobe Illustrator
- Read product information in the template file
- Do not use overprint fill or stroke for text or graphics
- Create outlines of your text
- Deliver your artwork as a PDF.

**Template name**

Linkwall\_FlexPanel\_60x220cm

**Specific information for this template file**

- Scale is 1:10 – Images should have a minimum resolution of 1000 dpi.
- Bleed 1mm – Extend graphics and color plates over the red bleed guidelines.

**For best result**

- Use Adobe inDesign or Adobe illustrator
- Read product specific information in the template file
- Do not use overprint fill or stroke for text or graphics
- Create outlines of your text
- Deliver your artwork as a PDF.

**Template name**

Linkwall\_FlexPanel\_60x220cm

**Specific information for this template file**

- Scale is 1:10 – Images should have a minimum resolution of 1000 dpi.
- Bleed 1mm – Extend graphics and color plates over the red bleed guidelines.

**For best result**

- Use Adobe InDesign or Adobe Illustrator
- Read product specific information in the template file
- Do not use overprint fill or stroke for text or graphics
- Create outlines of your text
- Deliver your artwork as a PDF.