



User Manual

FERREX[®]

705158

1100W TURBINE BLOWER



Product
Info



+ VIDEO



<https://help.tools/>

Read all safety warnings and all instructions thoroughly before operating this product.
Ensure you keep your manual in a safe place for future reference.

IM ed 5; 03/2021

QR codes take you where you want to go quickly and easily

Whether you require product information, spare parts or accessories, details on warranties or after sales service, or if you want to watch a product demonstration video, our QR codes will take you there in no time at all.

What is a QR code?

A QR-code (QR=Quick Response) is a type of matrix that can be read with a smartphone camera and that contains a link to a website or contact details, for example.

Advantage: You are not required to manually enter a website address or contact details.

How it works

To scan the QR code, all you need is a smartphone with QR codes reader software and an Internet connection*. This type of software can be downloaded for free from your smartphone's app store.

Try it out now

Just scan the QR code with your smartphone and find out more about the Aldi product you have purchased*.

* Depending on your tariff you may be charged for the connection.





FERREX[®]



Warranty details

REGISTER YOUR PURCHASE AT www.aldi.com.au/en/about-aldi/product-registration/ TO KEEP UP-TO-DATE WITH IMPORTANT PRODUCT INFORMATION.

The product is guaranteed to be free from defects in workmanship and parts for a period of 36 months from the date of purchase. Defects that occur within this warranty period, under normal use and care, will be repaired, replaced or refunded at our discretion. The benefits conferred by this warranty are in addition to all rights and remedies in respect of the product that the consumer has under the Competition and Consumer Act 2010 and similar state and territory laws.

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

AFTER SALES SUPPORT

  1300 889 028
(toll free)

e-mail: info.aldi@positecgroup.com
MODEL No.: GBV100W • 03/2021 • 705158



Contents

Pack contents / parts	2
Description of symbols	3
General Safety Warnings	5
Parts List	8
Assembly	10
Unpacking	10
Assembling and disassembling the upper blower tube	10
Assembling the lower blower tube	11
Nozzle	11
Attaching the extension cord	11
Operation	12
Starting & stopping	12
Using the blower	12
Adjusting the blowing speed with 2-speed switch	13
Residual risk	13
Maintenance	14
Clean and Storage	14
Cleaning the tool	14
Storage	14
Warranty	15
Environmental Protection	15
What your 3 year warranty means	16
Service Support	16
Accessories and After Sales Parts	16
Troubleshooting	17
Technical Specifications	17

Pack contents / parts

Congratulations on the purchase of your FERREX® 1100W Turbine Blower. When you open your packaging, first remove all items and check there are no parts damaged or missing. If you find anything wrong, do not operate the product until the parts have been replaced or the fault has been rectified. Failure to do so could result in serious personal injury.

Application

First time users or inexperienced operators pay particular attention to the operation of the 1100W Turbine Blower, including details of starting and stopping and correct use of the 1100W Turbine Blower on page 12-13, as well as the maintenance instructions on page 13.

Intended use of the 1100W Turbine Blower

It is exclusively intended for home use. It is not designed for trade or commercial use.

This 1100W Turbine Blower is intended for residential use only. Use the blower outdoors to move yard debris as needed.

Any other use or change to the appliance is deemed improper and poses a significant risk of accidents.

Contents of carton

- 1 x 1100W Turbine Blower
- 1 x Upper Tube
- 1 x Lower Tube & Nozzle
- 1 x Instruction Manual
- 1 x Warranty Card & details

Description of symbols

The instruction manual, rating plate, or on the product itself, may show these symbols. These represent important information about the product or instructions on its use.



To reduce the risk of injury, user must read instruction manual



Keep bystanders away.



Warning of hazard



SWITCH OFF: Remove plug from mains before cleaning or maintenance.



Do not use in the rain or leave outdoors while it is raining.



Wear hearing protection.
Wear eye protection.
Wear breathing protection.



Wear eye protection.



Conforms to relevant standards for electrical safety and electromagnetic compatibility.



Warning



Class II equipment



36 Months Warranty



The box is recyclable at the kerbside.



The inserts are recyclable at the kerbside.



The bag is not recyclable at kerbside, and should be placed in the general waste bin.



Noise label rating 100db(A). You must wear ear protection at all times.

General safety warnings



WARNING! Read all safety warnings and all instructions. *Failure to follow the warnings and instructions may result in electric shock, fire and/or serious injury.*

Save all warnings and instructions for future reference.

- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- Children should be supervised to ensure that they do not play with the appliance.

If the supply cord is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard.

The appliance is designed only for blowing of dry leaves in private households and as a hobby appliance in the garden. Any other utilization, which is not explicitly approved in these directions, can lead to damage to the appliance and represent a serious danger to the user.

- The appliance is designed for use by adults. Young people over 16 years may use the appliance under supervision only.
- The use of the appliance in the rain or in a humid environment is forbidden.
- The manufacturer is not liable for damage which is caused through inappropriate use or incorrect operation.

NOTE: Do not use the machines with low power for heavy work. DO NOT use your appliance for purposes for which it has not been designed.



WARNING! To reduce the risk of injury, user must read and understand instruction manual.

1) Training

- a) Read the instructions carefully. Be familiar with the controls and the proper use of the appliance;
- b) Never allow children to use the appliance.
- c) Never allow people unfamiliar with these instructions to use the appliance. Local regulations may restrict the age of the operator;
- d) Never operate the appliance while people, especially children, or pets are nearby;
- e) The operator or user is responsible for accidents or hazards occurring to other people or their property.

2) Preparation

- a) While operating the appliance, always wear substantial footwear and long trousers. Do not operate the equipment when barefoot or wearing open sandals;
- b) Do not wear loose clothing or jewellery that can be drawn into the air inlet. Keep long hair away from the air inlets.
- c) Wear protective goggles while operating
- d) To prevent dust irritation the wearing of a face mask is recommended
- e) Before using, check the supply and extension cord for signs of damage and aging. Do not use the appliance if the cord is damaged or worn.
- f) Never operate the appliance with defective guards or shields, or without safety devices.
- g) Only use a weather proof extension cable fitted with a coupler according to IEC 60320-2-3.
- h) It is recommended that the appliance should be supplied via a residual current device (RCD) with a tripping current of not more than 30 mA.
- i) If an extension cord is used make sure it is for outdoor use and marked as such. The recommended size of extension cord is not lighter than 0.75mm².

3) Operation

- a) Always direct the cord to the rear away from the appliance.
- b) If the cord becomes damaged during use, disconnect the supply cord from the mains immediately. **DO NOT TOUCH THE CORD BEFORE DISCONNECTING THE SUPPLY.**
- c) Do not carry the appliance by the cord.
- d) Disconnect the appliance from the mains supply
 - whenever you leave the machine;
 - before clearing a blockage;
 - before checking, cleaning or working on the appliance;
 - if the appliance starts to vibrate abnormally.
- e) Operate the appliance only in daylight or in good artificial light.
- f) Do not overreach and keep your balance at all times.
- g) Always be sure of your footing on slopes.
- h) Walk, never run;
- i) Keep all cooling air inlets clear of debris.
- j) Never blow debris in the direction of bystanders.
- h) Do not put hands or feet near or under rotating parts.

4) Maintenance and storage

- a) Keep all nuts, bolts and screws tight to be sure the appliance is in safe working condition;
- b) Replace worn or damaged parts.
- c) Use only genuine replacement parts and accessories.
- d) Store the appliance only in a dry place.


Parts List

1. Nozzle
2. Lower blower tube
3. Upper blower tube
4. On/off switch with 2 - speed control
5. Handle
6. Motor housing
7. Fan housing
8. Upper tube release button
9. Extension cord retainer
10. Power plug
11. Hanging Hole




9

10



11

1100W Turbine Blower



Assembly

⚠ WARNING: Before assembling and disassembling the blower tubes, be sure the on/off switch is in "0" Off position and the plug is removed from the mains power outlet.

1. Unpacking (See Fig. A)




Unpack all parts and lay them on a flat, stable surface. You will find an upper blower tube (3), a lower blower tube (2) with a nozzle (1) are provided with main machine. You will need to assemble the upper blower tube (3), the lower blower tube (2) with the nozzle (1) together for use.

2. Assembling and disassembling the upper blower tube (3) (See Fig. B1, B2)

To assemble, press the tube release button (8) and slide the upper blower tube (3) into the motor housing (6). Ensure the hole (a) on the upper blower tube (3) matches up with the tube release button (8) on the motor housing (6).

To disassemble, press the tube release button (8), and remove the upper tube (3) from the motor housing (6).


NOTE: Do not try to separate the tubes by force or by using tools.



3. Assembling the lower blower tube (2) (See Fig. C1, C2)

To assemble, slide the lower blower tube (2) onto the upper blower tube (3). Ensure the hole (b) on the lower blower tube (2) matches up with the raised notch (c) on the upper blower tube (3). Pull the lower blower tube (2) to check if it is assembled well.

NOTE: Once assembled, the lower tube cannot be disassembled from the upper blower tube.





4. Nozzle (1) (See Fig. D)

The nozzle (1) has a compression fit to the lower tube.

NOTE: It is not recommended to disassemble the nozzle from the blower.

5. Attaching the extension cord (See Fig. E)

Create a loop with your extension cord (not supplied), and place it through the extension cord retainer (9) and over the hook. This will ensure your extension cord is secure and reduce any incidence of the plug detaching during use.



Operation

1. Starting & stopping (See Fig. F)

- Starting

Move the on/off switch (4) to the "I" or "II" On position.
Speed "I" is the lower speed. Speed "II" is higher speed.


- Stopping

Move the on/off switch (4) to the "0" Off position.



WARNING! The blower runs for a few seconds after it has been switched off.

NOTE: Let the motor come to a complete standstill before setting the blower down.



2. Using the blower



WARNING: During operation of the blower it is recommended to wear eye protection, a dust mask, and full hearing protection. Ensure you are wearing suitable clothing.

User tips

- Adjust the blowing speed (I or II) according to the desired working condition.
- Hold the blow tube approximately 8" (20.3cm) above the ground when operating the blower.
- Use a sweeping motion from side to side. Advance slowly keeping the accumulated debris/leaves in front of you.
- After blowing the debris/leaves into a pile, it is easy to dispose of the pile.



Caution!



- Do not blow hard objects such as nails, bolts, or rocks. It is recommended to inspect the area you are blowing before starting use to ensure this does not occur.
- Do not operate the blower near bystanders or pets.
- Use extra care when cleaning debris from stairs or other tight areas.
- Wear safety goggles or other suitable eye protection, long pants, and shoes.

3. Adjusting the blowing speed with 2-speed switch (4) (See Fig. G1, G2)

Move the on/off switch (4) to "I" position, and the blower will run at a lower speed. (See Fig. G1)

Move the on/off switch (4) to "II" position, and the blower will run at a higher speed.

(See Fig. G2)



Residual risk

Even if you use the 1100W blower properly per the instructions provided and following all safety notes, there are always residual risks. The following risk may occur:

- **Accidental Starting:** Always unplug the blower from the power outlet before carrying out any adjustment, servicing or maintenance. When not in use, store the blower in a safe, dry, clean environment.
- **Risk of blowing:** Do not direct the output of the blower tube at any person, the operator, or any animals. Never place hands in front of nozzle, direct blowing away from self or others, and always operate in an area clear of all persons, pets and obstacles. Do not operate the product when fatigued or under the influence of alcohol or drugs, stay alert at all times.

Reduce residual risks by using the 1100W blower with care and following all safety notes as well as other instructions.

Maintenance

Remove the plug from the mains power outlet before carrying out any adjustment, servicing or maintenance.

There are no user serviceable parts in your blower. Never use water or chemical cleaners to clean your blower. Wipe clean with a dry cloth. Keep the motor ventilation slots clean. Keep all working controls free of dust. If the replacement of the supply cord is necessary, this has to be done by the manufacturer or his agent in order to avoid a safety hazard.

Cleaning and Storage

1. Cleaning the blower

Clean the blower regularly after each use.




Warning!

- **Keep your blower dry. Under no circumstances spray with water.**
- **To clean the blower, use only mild soap and a damp cloth.**
- **Do not use any type of detergent, cleaner or solvent which may contain chemicals that could seriously damage the plastic.**
- **Self lubricating bearings are used in your product, therefore lubrication is not required.**

2. Storage

You can store your blower by hanging it on the wall with the hanging hole (11) at the back of the blower. (See Fig. H)

- Dry all parts thoroughly before using the device again or store it. Always keep the openings clean and dry.
- Store the blower and extension cord indoors, in a cool dry location, that is protected from dust, moisture and direct sunlight and that is also out of the reach of children and animals.



Warranty

Your new FERREX® 1100W Turbine Blower will more than satisfy your expectations.

It has been manufactured under stringent FERREX® Quality Standards to meet superior performance criteria.

You will find your new 1100W Turbine Blower easy and safe to operate, and, with proper care, it will give you many years of dependable service.

CAUTION. Carefully read through this entire instruction manual before using your new FERREX® 1100W Turbine Blower.

Take special care to heed the Cautions and Warnings.

Your FERREX® 1100W Turbine Blower has many features that will make your job faster and easier. Safety, performance, and dependability have been given top priority in the development of this 1100W Turbine Blower, making it easy to maintain and operate.

Use only FERREX® replacement parts for your product.

Non-conforming parts or modifications made to parts will void your warranty.

Environmental protection



Recycle unwanted materials instead of disposing of them as waste. All tools, hoses and packaging should be sorted, taken to the local recycling centre and disposed of in an environmentally safe way. Dispose of used motor oil in a manner that is compatible with the environment. We suggest you take it in a sealed container to your local service station for reclamation. Do not throw it in the trash or pour it into the earth.

What your 3 year warranty means?

Great care has gone into the manufacture of this product and it should therefore provide you with years of good service when used properly. In the event of product failure within its intended use over the course of the first 3 years after the date of purchase, we will remedy the problem as quickly as possible once it has been brought to our attention. In the unlikely event of such an occurrence, or if you require any information about the product please contact us via our after sales support services, details of which can be found in this manual and on the product itself.

After Sales Support TEL: 1300 889 028

Service Support


If you have any issues with the operation of your product, please call us 1300 889 028 for advice, or email us at info.aldi@positecgroup.com.

Accessories and After Sales Parts

Accessories and after sales parts are available for purchase by visiting <https://help.tools/> or calling our customer service hotline on: 1300 889 028



1. GBV100W-UBT:
Replacement Upper
Blower Tube



2. GBV100W-LBT:
Replacement Lower
Blower Tube + Nozzle

Troubleshooting

Symptom	Possible causes	Solution
Product does not start	1.1 Not connected to power supply. 1.2 Power cord or plug is defective.	1.1 Connect to power supply. 1.2 Contact customer service.

For further inquiries or issues associated with your 1100W Turbine Blower, call our Customer Service on 1300 889 028 or email us at info.aldi@positecgroup.com

Technical Specifications

Rated Voltage:	230-240V~50Hz
Rated power:	1100W
No load speed:	29,000 /min
Air flow:	500CFM
Blower speed:	130MPH
Protection degree:	□ /II
Net weight:	3 kg
Product Dimensions:	1016*250*280 mm

This product complies with:

Safety: AS/NZS 60335.1
AS/NZS 60335.2.100

EMC: CISPR 14-1

This is a blank page

This is a blank page



ALDI guarantees that our exclusive brand products are developed to our stringent quality specifications. If you are not entirely satisfied with this product, please return it to your nearest ALDI store, within 60 days from the date of purchase, for a full refund or replacement, or take advantage of our after sales support by calling the supplier's Customer Service Hotline.



Made in China

FERREX® is a registered trademark of ALDI Stores

DISTRIBUTED BY:

ALDI STORES

1 SARGENTS ROAD

MINCHINBURY NSW 2770

www.aldi.com.au

AFTER SALES SUPPORT



1300 889 028 (toll free)

e-mail: info.aldi@positecgroup.com

MODEL: N°. GBV100W • 03/2021 • 705158

3

YEAR WARRANTY