CMC SERIES COMMERCIAL INDOOR LIGHTING



Type:

CMC4-MCTP-DD-WH CMC4-MCTP-DD-BK

Multi Color Temperature & Multi Power/Wattage (Selectable)








Customer Name:

Project Name:

Note:



4" Cylinder, Pendant & Ceiling Cylinder Light, Aluminum Cylinder, White Aluminum Housing, Clear Glass Lens

11"(H) X 4 1/4" (W) X 4"(D)

Features

- Multi CCT: Selectable Multi-CCT & Power Switches on the back of the fixtur (Dual Function)
- Triac Dimmable at 120V & 0-10V Dimming at 120-277V
- 5-Year Warranty
- Aluminum Base and Glass Lens

Technical Specification

Electrical:

Voltage: 120-277VPower Factor: >0.90

THD: <20%

Wattage: 9W/ 12W/ 15W

Efficacy: 75 LP

Mechanical:

- Aluminum Housing & Glass Lens
- Suspension Cable & Canopy Set Accessories Avail.
- Universal Swivel W/ Rod Kit Accessories Avail. Ambient Operating Temperature: -13°F to 113°F
- IP Rating: IP40 Suitable For Damp Locations
- 5-Year Warranty

Lighting:

- Dimming: (Dual Function) Triac Dimmable at 120V & 0-10V Dimming at 120-277V
- Total Lumens: 1125LM Max.
- Color Temperatures: 3000K/ 4000K/ 5000K
- Color Rendering Index: CRI ≥ 80
- Beam Angle: 40°

Applications:

 4" Cylinder, Pendant & Ceiling Cylinder Light, Aluminum Cylinder, White Aluminum Housing, Clear Glass Lens

Other Models:

6W | 450LM | CMC2-MCT-DT-WH
6W | 450LM | CMC2L-MCT-DT-WH
9W | 675LM | CMC3-MCTP-DD-WH
75W | 2625LM | CMC6-MCTP-DD-WH
6W | 450LM | CMC2L-MCT-DT-BK
9W | 675LM | CMC3-MCTP-DD-BK
75W | 2625LM | CMC6-MCTP-DD-BK











Other Views:





Side View

WHITE:



Side View



Lens View



Lens View





Back View

Performance Table: CMC4L-MCTP-DD

MODEL NO.	Wattage	Voltage	Lumens	Color Temp.	LPW
CMC4-MCTP-DD-WH	9W 12W 15W	120-277V		3000K	75
CMC4-MCTP-DD-BK			900LM 1125LM	4000K 5000K	75

Sample Ordering

Model Color Temp. Dimming Housing

CMC4 - MCTP -

DD

WH = White

BK = Black

Accessories:

Blank = No Option For Accessories

CMC4-TRM-AG = 4in Ceiling Mount Cylinder Trim, Anodized Gold

CMC4-TRM-BN = 4in Ceiling Mount Cylinder Trim, Brushed Nickel

CMC4-HCDK-BK = 4in Ceiling Mount Cylinder Honeycomb Diffuser Kit, Black

CMC4-HCDK-AG = 4In Ceiling Mount Cylinder Honeycomb Diffuser Kit, Anodized Gold

CMC4-FS14-WG-KIT = CMC4 14In Flat Shade, White/Gold

CMC4-FS14-BG-KIT = CMC4 14In Flat Shade, Black/Gold CMC4-FS14-WS-KIT = CMC4 14In Flat Shade, White/Silver

CMC4-FS14-BS-KIT = CMC4 14In Flat Shade, Black/Silver

CMC4-DS14-WG-KIT = CMC4 14In Dome Shade, White/Gold

CMC4-DS14-BG-KIT = CMC4 14In Dome Shade, Black/Gold

CMC4-DS14-WS-KIT = CMC4 14In Dome Shade, White/Silver CMC4-DS14-BS-KIT = CMC4 14In Dome Shade, Black/Silver

CMC4-PCR = 12In Dia. Prismatic Pc Highbay Reflector For CMC4

CMC4-WPCK-WH = CMC4 Weatherproof Conversion Kit For Cord Or Down-Rod, White

CMC4-WPCK-BK = CMC4 Weatherproof Conversion Kit For Cord Or Down-Rod, Black CMC-CS-8FT-WH = Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White

CMC-CS-8FT-BK = Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black

CMC-SRK-218-5C-WH = Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, White

CMC-SRK-218-5C-BK = Universal Swivel W/ Rod Kit, 18 Or 36 Inches, 5-Wire, Black

CMC-SRK-224-5C-WH = Universal Swivel W/ Rod Kit, 24 Or 48 Inches, 5-Wire, White CMC-SRK-224-5C-BK = Universal Swivel W/ Rod Kit. 24 Or 48 Inches. 5-Wire. Black

Factory-Installed Option:

Blank = No Option For Accessories

OPT-EM-8120AC = Emergency Backup with Extension Cylinder

ACCESSORIES:



CMC4-TRM-AG Trim. Anodized Gold



CMC4-TRM-BN



CMC4-HCDK-BK Honeycomb Diffuser Kit, Black



CMC4-HCDK-AG Honeycomb Diffuser Kit, Anodized Gold



CMC-CS-8FT-BK Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, Black



CMC-CS-8FT-WH Suspension Cable & Canopy Set For CMC Series, 8Ft, 5-Wire, White

FACTORY-INSTALLED OPTION:



OPT-EM-8120AC








ACCESSORIES:




CMC4-MCTP-DD-BK+CMC-CS-8FT-BK CMC4-MCTP-DD-WH+CMC-CS-8FT-WH









CMC4-MCTP-DD-BK+CMC-CS-8FT-BK+CMC4-DS14-BG CMC4-MCTP-DD-WH+CMC-CS-8FT-WH+CMC4-DS14-WG




5.12"(W)X8.98"(H)





11.81"(W)X5.59"(H)X13.46"(H)




CMC4-MCTP-DD-WH+CMC-CS-8FT-WH+CMC4-PCR **6130** [5.12]









CMC4-MCTP-DD-BK+CMC-CS-8FT-BK+CMC4-DS14-BS
















CMC4-MCTP-DD-BK+CMC-CS-8FT-BK+CMC4-DL32 CMC4-MCTP-DD-WH+CMC-CS-8FT-WH+CMC4-DL32



