


SMAI is a leading brand name in Martial Arts and combat sports internationally. From humble beginnings of manufacturing martial arts uniforms over 30 years ago we have grown the business into a market leader and innovator in the design, manufacturing and export of everything related to combat sports.


All our flooring has been made and tested over that 30 year period and we are proud to say it's the best in Australia. All our flooring has been tested to meet Australian standards and compliance. Whether you are looking for rubber tiles for your home or you require eva tiles for a commercial space - all our flooring options are built to last and tested to endure excessive use.

| RUBBER GYM FLOORING | . 04 |
|----------------------------------|------|
| Rubber Gym Flooring rite romm | . U4 |
| Rubber Jigsaw Tile 8mm | . 06 |
| Stall Mats | . 07 |
| ARTIFICIAL TURF | |
| Green Astro Turf Sled Track 15mm | . 08 |
| Blue Double Sled Turf Track 15mm | |
| JIGSAW MATS | . 10 |
| SMAI EVA Jigsaw Mats | . 11 |
| Wacoku EVA Jigsaw Mats | |
| WKF Jigsaw Mats | . 16 |
| CRASH MATS | |
| WORKOUT MATS | . 24 |
| WALL & POLE PADDING | . 26 |
| WARRANTY | . 25 |

COMMERCIAL GYM TILES

COMMERCIAL GYM TILES







M007 RUBBER GYM FLOORING TILE - 15MM

The SMAI Rubber Gym Tile is one of the most popular mats being used in gym and fitness facilities across the country. With a bevelled edge, non-slip surface, 800kg/cbm density and constructed from recycled rubber tyres with a blue EPDM fleck it's not hard to see why. Featuring anti-static, anti-slip, acoustically insulated and shock absorbent properties, the rubber tile is a must for anyone serious about quality and value for money.

This impact absorbing rubber gym flooring is a quality product that will withstand heavy traffic areas, exposure to sweat and the dropping of heavy items without damaging the surface. Aside from being an ideal flooring solution for the gym and fitness industry, these mats have an anti-fatigue property which makes them ideal for many other applications.

Rubber tiles are sent on a pallet. You must be available to sign and offload delivery Monday-Friday 9am-5pm.












PRODUCT SPECIFICATIONS

| Critical Radiant Flux | ASISO 9239.1:2010 | USA – NFPA 253-2015 avg. 2.2Kw/n (W/cm2) – Average 0.22 w/cm2 |
|----------------------------------|-------------------|--|
| Smoke Development Rate (% x min) | ASISO 9239.1:2010 | avg. 720 |
| Dimensions | | 1000mm x 1000mm x 15mm |
| Bevel | | All sides |
| Granule Size | | 1mm average |
| Colour | | Black recycled Rubber with Blue EPD |
| EPDM Content | | 7% per volume |
| MDI/TDI Free | ASTM LC-MS | Pass |
| | | |


Yarn Weights (g/m2) 900 (+-5%) Drainage Hole Diameter 50 Holes / m2 Primary Backing UV Resistant PP 148/m2 UV Resistant PP 90g/m2 Secondary Backing atex + Rubber Spundbond on Styrene-Butadi Coating Backing ene Basia, 700g/m2 1600L/H/M2 Osmosis 12 months Warranty Period DIN 51960 Class 2 flammable EN 13501-1:2007 + A1:2009 ult: Fire Behaviour: Dfl, Smoke Behaviour S1

WHY CHOOSE SMAI RUBBER GYM FLOORING TILES?

SMAI PREMIUM RUBBER







SIZE

✓ Perfectly 1000mm x 1000mm square

MATERIAL

- Recycled rubber tyres
- ✓ Real EPDM rubber specs
- Sealed with highest quality European Polyurethane Binder

SAFETY

- Non-toxic MDI binding solution in the rubber, reduces smoke and flames
- ✓ No toxic fumes or odour

CERTS

SGS ISO 9239-1:2010 Reaction to fire tests for flooring

DENSITY

Fine, even, tightly compressed rubber means:

- Even impact absorption
- ✓ Flat surface
- Strong grip to floor beneath
- Minimal or no variance in temperature variances

SIZE

X Variants in sizes, uneven angled cuts meaning more wastage during installation

MATERIAL

- X Cheaper production may mean tyres are not recycled properly and contain hazardous metal materials
- X Sealed with cheap, low quality binder

SAFETY

- Toxic carcinogen binding solution in the rubber, which can lead to cancer with exposure
- X Toxic fumes and bad odour

CERTS

X None or unofficial forged documents

DENSITY


Uneven rubber particles and bigger air pockets means:

- X Impact surface may falter
- X Irregular surface
- Air pockets likely to contract or expand with temperature variances, causing gaps between mats and increased likelihood of cracks and breakages

f 4

COMMERCIAL GYM TILES

COMMERCIAL GYM TILES



M006-BLACK RUBBER GYM FLOORING - 8MM JIGSAW - BLACK

The SMAI Rubber Jigsaw Gym Tile is a seamless flooring solution, meaning no more frustrating gaps between mats. The tiles have a thickness of 8mm and have been tested to meet Australian standards in reference to sports surfaces. This means the tiles are suitable for CrossFit boxes, weight training rooms, powerlifting facilities, cardio rooms – the list goes on.

The SMAI Rubber Jigsaw Gym Tile is easy to install with a durable surface allowing you to use it for indoor and outdoor use. These mats have an anti-fatigue property giving them the potential to cater for workplace environments where people are on their feet for extended periods of time. These rubber gym tiles have been developed to be odour free, shrink free and easy to clean with a damp sponge. Tested and passed for their reaction to fire, the tiles meet the building code of Australian requirements for sports surfaces, meaning you won't have a problem to get a DA or government contract.

When adding an edge to the mat, please allow for 2.5cm per edge.











PRODUCT SPECIFICATIONS

| Critical Radiant Flux | (ASISO 9239.1) | avg. 4.1Kw/m2 (BCA requirements = 2.2Kw/m2 or greater) | Weight | 8.5kgs |
|----------------------------------|----------------|--|-------------|----------------------------------|
| Smoke Development Rate (% x min) | ASISO 9239.1 | avg. 229 (BCA requirements = max 750 %-min) | Size | 1m x 1m x 8mm |
| Density per volume | | 1125kg/cbm | Composition | Recycled Rubber (from car tyres) |
| Dimensions | | 1000mm x 1000mm x 8mm (outside logs) | Fitting | Jigsaw |
| EPDM Content | | 15% Grey | Colour | Black |
| MDI/TDI Free | ASTM LC-MS | Pass | Edges | Jigsaw |
| SKU | | M006 | Density | 1125kg/cbm |
| Critical Radiant Flux | (ASISO 9239.1) | avg. 4.1Kw/m2 (BCA requirements = 2.2Kw/m2 or greater) | Finish | Textured (Non-Slip) |
| Smoke Development Rate (% x min) | (ASISO 9239.1) | avg. 229 (BCA requirements = max 750 %-min) | Warranty | 12 months |
| Density per volume | | 1125kg/cbm | | |



M007-Stall STALL MAT - GYM FLOORING

The SMAI Stall Mat is a great substitute for the regular gym tile due to the density of the product. Originally used for equestrian stables, recently it has gained popularity within the CrossFit community. This is due to the fact the Stall Mat is made from 100% virgin rubber, making it suitable for impact absorption without affecting your lifting capabilities for power lifting. Being a non-porous material it is suitable for outdoor usage in the elements and will not degrade. With a raised checker plate finish on the surface it is suitable for high traffic areas and is easy to clean as it will not absorb chalk ensuring a hygienic lifting environment. SMAI Stall mats have a protective finish on the outer surface of the mat from the factory to stop the surface from being marked or dry out in storage or in transit. This protective finish means less grip at first but will dissipate after a few weeks of usage in a commercial gym. For those that would like to remove this layer from the mats immediately upon installation, we recommend the use of Prepsol or a similar degreaser / de-waxer available from any leading hardware store or auto supplies retailer. Due to the material of the mats they do have a strong odour upon initial installation (similar to new car mats). This smell will dissipate over six months.









PRODUCT SPECIFICATIONS

| Weight | 44kgs |
|-------------|---------------------------------------|
| Size | 1828mm x 1219mm (6ft x 4ft) |
| Composition | Filtered Recycled Rubber (Vulcanised) |
| Fitting | Tile |
| Colour | Black |
| Edges | Straight |
| Density | 1115kg/cbm |
| Finish | Raised Checker Plate Pattern |
| Warranty | 12 months |

 6

TURF









The SMAI Astro Turf is a top-quality gym flooring option specifically designed for commercial applications. It has been manufactured to the highest standards using our unique weaving pattern that ensures the turf stays in a fully upright position without the assistance of sand or rubber granules required of traditional artificial grasses. The SMAI Astro Turf is UV treated and stabilised, making it both suited for indoor and outdoor use as the colour will remain vibrant. This ensures it is a durable feature for functional training including all sled work.

Due to the high standard of our products there will be no visible gaps or steps between the two combined surfaces, creating a professional and safe finish. This improved model will have more durable pile content, meaning it won't flatten as much as the old model, but still provide the same softness during use. If you lay the old model with the new model, there will be slight variation between the rolls.















PRODUCT SPECIFICATIONS

| Weight | 2.1kgs/m | Yarn Height(mm) | 15(+-5%) |
|----------------------|--|----------------------------|---|
| Size | 2m x 10m | Tufts per Meter(LM) | 280 |
| Total height(mm) | 15 | Yarn Weight(g/m2) | 900(+-5%) |
| Fitting | Roll | Drainage hole diameter(mm) | 5 |
| Colour | Deep Green | Holes / m2 | 50 |
| Edges | Straight | Osmosis | 1600L/H/m2 |
| Yarn Count(Dtex) | 8800 | Installation filling | With rubber and sand |
| Density | 75600 Tufts/SQM | Guarantee | 5 years (UV) |
| Machine Gauge | 3/16 inch | Fire Testing | DIN 51960 Class 2 flammable EN 13501-1:2007 + A1:2009 Result: Fire Behaviour: Dfl, Smoke Behaviour S1 |
| Stitch Rate Per 10cm | 25 stitches | Primary Backing | UV Resistant PP 148g/m2 |
| Coating Backing | Latex + Rubber Spunbond on Styrene-Butadiene Basia 700g/m2 | Secondary Backing | UV Resistant PP 90g/m2 |
| Pile Content | 100% U.V. Resistance polyethlylene Fibrillated yarn | | |







F-TURF-23M BLUE DOUBLE SLED TURF TRACK - 2.4 X 23M

The SMAI Astro Turf is a top-quality gym flooring option specifically designed for commercial applications. It has been manufactured to the highest standards using our unique weaving pattern that ensures the turf stays in a fully upright position without the assistance of sand or rubber granules required of traditional artificial grasses. The SMAI Astro Turf is UV treated and stabilised, making it both suited for indoor and outdoor use as the colour will remain vibrant. This ensures it is a durable feature for functional training including all sled work. The track comes with a white pre-stitched 100mm wide centre line which ensures the lane marking will remain, even under heavy use.












PRODUCT SPECIFICATIONS

| Weight | 2.1kg / m² |
|----------------------|--|
| Size | 2.4m x 23m |
| Total height(mm) | 10 |
| Pile content | 100% UV Resistant Polyethylene Fibrillated Yarn |
| Yarn Count (Dtex) | 8800 |
| Yarn height | 15mm (+/- 5%) |
| Machine gauge | 5/32 inch |
| Tufts per meter (lm) | 280 |
| Tufts / m2 | 63000 |
| Colour | Blue with White Line (+/- 3% colour variation between rolls) |

| Yarn Weights (g/m2) | 900 (+-5%) |
|-------------------------|---|
| Drainage Hole Diameter | 5mm |
| Holes / m2 | 50 |
| Primary Backing | UV Resistant PP 148/m2 |
| Secondary Backing | UV Resistant PP 90g/m2 |
| Coating Backing | Latex + Rubber Spundbond on Styrene-Butadiene Basia, 700g/m2 |
| Osmosis | 1600L/H/M2 |
| Grade of First Resisted | DIN 51960 Class 2 Flammable |
| Warranty Period | 12 months |
| Fire Testing | DIN 51960 Class 2 flammable EN 13501-1:2007 + A1:2009 Result: Fire Behaviour: Dfl, Smoke Behaviour S1 |
| | |





M020U JIGSAW MAT - 2CM

The SMAI Jigsaw Mat – 2cm is a high quality jigsaw mat that features a practical reversible fitting system. This means all four sides of each mat interlock, which allows for easy changes to your colour arrangement without needing to move all your jigsaw mats.

Made from high quality EVA the Jigsaw Mat has been tested to meet and surpass all international standards, making it ideal for a wide variety of uses indoors. The tatami pattern finish is non-abrasive which is ideal for some light groundwork. The Jigsaw Mat is suitable for a wide variety of uses including martial arts, indoor childcare and all types of training and self-defence.

All SMAI Jigsaw Mats are specifically compatible with the same style - meaning SMAI 2cm Jigsaw Mats are not compatible with other styles. Featuring a universal log design, this ensures that the two opposing corners are identical. This allows you to flip a jigsaw mat on the spot to use the other side of the mat.












TESTING & CERTIFICATIONS

| Physical & Mechanical Properties | ASTM F963-03 excluding section 7 | Pass |
|--|---|------------|
| Heavy Metals Content | ASTM F963-03, Section 4.3.5 | Pass |
| Flammability Test | U.S. (CPSC) 16 CFR part 1500.3 (c) (6) (vi) | Pass |
| Flammability Test | EN 71 : part 2 : 2003 | Pass |
| Migration of Certain Elements Toy Grade | EN 71: part 3 : 1994 and A1 April 2000 | Pass |
| Total Lead (Pb) Content | U.S. (CPSC) 16 CFR part 1303 | Pass |
| 100% Formamide Free | Cas No. 75-12-7 | Pass |
| Hardness (degrees) | ASTM D2240 type A | 50 Shore A |
| SKU | M020U | |
| | | |

PRODUCT SPECIFICATIONS

| Weight | 2kg |
|-------------|----------------------------|
| Size | 1m x 1m |
| Composition | EVA (Closed Cell Foam) |
| Fitting | Reversible |
| Colour | Red / Blue or Blue / Black |
| Edges | 2 pieces per mat included |
| Density | 50 degrees Shore A |
| Finish | Tatami Finish |
| Warranty | Taiwan |
| | |



M030U JIGSAW MAT - 3CM

The SMAI Jigsaw Mat – 3cm is a fully reversible flooring option that has been tested to all European and American standards. This ensures the maximum level of protection for a wide variety of uses. The reversible feature allows for individual colour combinations to be easily changed by simply flipping a mat on the spot. This mat is ideal for all types of groundwork and also for areas in which safety is required, including childcare centres, and has been tested to a critical fall height of 1.3m.

The SMAI Jigsaw Mat – 3cm are used by PCYC throughout Australia and for Judo along with the Australian customs service training facilities. All SMAI Jigsaw Mats are specifically compatible with the same style – meaning SMAI 3cm Jigsaw Mats are not compatible with other styles.












TESTING & CERTIFICATIONS

| Critical Fall Height | AS/NZS 4422:1996 (Amdt 1/1999) | 1.3m |
|--|---|------------|
| Physical & Mechanical Properties | ASTM F963-03 excluding section 7 | Pass |
| Heavy Metals Content | ASTM F963-03, Section 4.3.5 | Pass |
| Flammability Test | U.S. (CPSC) 16 CFR part 1500.3 (c) (6) (vi) | Pass |
| Flammability Test | EN 71 : part 2 : 2003 | Pass |
| Migration of Certain Elements Toy Grade | EN 71 : part 3 : 1994 and A1 April 2000 | Pass |
| Total Lead (Pb) Content | U.S. (CPSC) 16 CFR part 1303 | Pass |
| 100% Formamide Free | Cas No. 75-12-7 | Pass |
| Hardness (degrees) | ASTM D2240 type A | 50 Shore A |
| SKU | M030U | |
| | | |

PRODUCT SPECIFICATIONS

| Weight | 2.8kg |
|-------------|----------------------------|
| Size | 1m x 1m |
| Composition | EVA (Closed Cell Foam) |
| Fitting | Reversible |
| Colour | Red / Blue or Blue / Black |
| Edges | 3 pieces per mat included |
| Density | 50 degrees Shore A |
| Finish | Tatami Finish |
| Warranty | 12 months |



M040U JIGSAW MAT - 4CM

The SMAI Jigsaw Mat – 4cm is a market leader in safety flooring, achieving the highest EVA safety flooring critical fall height rating of 1.7m. Made from high quality EVA the Jigsaw Mat has been tested to meet and surpass all European safety standards. This is the ideal mat for all martial arts practices. The SMAI Jigsaw Mat – 4cm is used by the Australian Federal Police, NSW Police, NSW Corrective Service, Australian Armed Forces and many other premium centres throughout Australia.

All SMAI Jigsaw Mats are specifically compatible with the same style – meaning SMAI 4cm Jigsaw Mats are not compatible with other styles.












TESTING & CERTIFICATIONS

| Critical Fall Height | AS/NZS 4422:1996 (Amdt 1/1999) | 1.7m |
|--|---|------------|
| Physical & Mechanical Properties | ASTM F963-03 excluding section 7 | Pass |
| Heavy Metals Content | ASTM F963-03, Section 4.3.5 | Pass |
| Flammability Test | U.S. (CPSC) 16 CFR part 1500.3 (c) (6) (vi) | Pass |
| Flammability Test | EN 71 : part 2 : 2003 | Pass |
| Migration of Certain Elements Toy Grade | EN 71 : part 3 : 1994 and A1 April 2000 | Pass |
| Total Lead (Pb) Content | U.S. (CPSC) 16 CFR part 1303 | Pass |
| 100% Formamide Free | Cas No. 75-12-7 | Pass |
| Hardness (degrees) | ASTM D2240 type A | 50 Shore A |
| SKU | M040U | |
| | | |

PRODUCT SPECIFICATIONS

| Weight | 3.4kg |
|-------------|----------------------------|
| Size | 1m x 1m |
| Composition | EVA (Closed Cell Foam) |
| Fitting | Reversible |
| Colour | Red / Blue or Grey / Black |
| Edges | 3 pieces per mat included |
| Density | 50 degrees Shore A |
| Finish | Tatami Finish |
| Warranty | 12 months |
| | |

JIGSAW JIGSAW



M020 JIGSAW MAT - 2CM WACOKU

The SMAI Jigsaw Mat – 2cm Wacoku is made from top-quality, closed cell EVA. Featuring a double-sided star finish and an anti-slip surface, this flooring option is one of our most popular for Karate and TKD usage. The mat is directional in fitting, meaning that if you wish to flip a mat over you will need to flip the entire matted area over at the same time. Circle pattern is slightly abrasive offering a greater level of grip for stand-up sparring use. The SMAI Jigsaw Mat – Wacoku has been tested to meet and surpass all European and US standards to ensure we offer the highest level of safety for all purposes. Used by the Australian Karate Federation and Australian TKD Federation for competition areas.

All SMÁI Jigsaw Mats are specifically compatible with the same style - meaning SMAI 2cm Wacoku Mats are not compatible with other styles.














TESTING & CERTIFICATIONS

| Physical & Mechanical Properties | ASTM F963-03 excluding section 7 | Pass |
|--|---|------------|
| Heavy Metals Content | ASTM F963-03, Section 4.3.5 | Pass |
| Flammability Test | U.S. (CPSC) 16 CFR part 1500.3 (c) (6) (vi) | Pass |
| Flammability Test | EN 71 : part 2 : 2003 | Pass |
| Migration of Certain Elements Toy Grade | EN 71 : part 3 : 1994 and A1 April 2000 | Pass |
| Total Lead (Pb) Content | U.S. (CPSC) 16 CFR part 1303 | Pass |
| 100% Formamide Free | Cas No. 75-12-7 | Pass |
| Hardness (degrees) | ASTM D2240 type A | 50 Shore A |
| SKU | M020 | |
| Physical & Mechanical Properties | ASTM F963-03 excluding section 7 | Pass |
| | | |

PRODUCT SPECIFICATIONS

| Weight | 2.1kg |
|-------------|----------------------------|
| Size | 1m x 1m |
| Composition | EVA (Closed Cell Foam) |
| Fitting | Directional |
| Colour | Red, Blue or Black (solid) |
| Edges | 2 pieces per mat included |
| Density | 50 Degrees Shore A |
| Finish | Star Pattern |
| Warranty | 12 months |
| | |
| | |



M030 JIGSAW MAT - 3CM WACOKU

The SMAI Jigsaw Mat – 3cm Wacoku is a top quality flooring option ideal for all types of combat use. Tested to Australian and New Zealand standards for all types of ground sports that involve throwing and falling, the Jigsaw Mat has achieved a Critical Fall Height of 1.3m. This mat is directional in fitting, meaning that if you wish to flip a mat over you will need to flip the entire matted area over at the same time. The Tatami finish is non-abrasive, ensuring it is ideal for all


All SMAI Jigsaw Mats are specifically compatibly with the same style - meaning SMAI 3cm Wacoku Mats are not compatible with other styles.












TESTING & CERTIFICATIONS

| Critical Fall Height | AS/NZS 4422:1996 (Amdt 1/1999) | 1.3m |
|--|---|------------|
| Physical & Mechanical Properties | ASTM F963-03 excluding section 7 | Pass |
| Heavy Metals Content | ASTM F963-03, Section 4.3.5 | Pass |
| Flammability Test | U.S. (CPSC) 16 CFR part 1500.3 (c) (6) (vi) | Pass |
| Flammability Test | EN 71 : part 2 : 2003 | Pass |
| Migration of Certain Elements Toy Grade | EN 71 : part 3 : 1994 and A1 April 2000 | Pass |
| Total Lead (Pb) Content | U.S. (CPSC) 16 CFR part 1303 | Pass |
| 100% Formamide Free | Cas No. 75-12-7 | Pass |
| Hardness (degrees) | ASTM D2240 type A | 50 Shore A |
| SKU | M030 | |

PRODUCT SPECIFICATIONS

| Weight | 2.8kg |
|-------------|----------------------------|
| Size | 1m x 1m |
| Composition | EVA (Closed Cell Foam) |
| Fitting | Directional |
| Colour | Red, Blue or Black (solid) |
| Edges | 3 pieces per mat included |
| Density | 50 Degrees Shore A |
| Finish | Circle Pattern |
| Warranty | 12 months |
| | |



M020-WKF JIGSAW MAT - 2CM XPE FOAM WKF APPROVED

The SMAI Karate Mat has been based upon the WKF specifications and requirements for Tatami in competition. Manufactured from XPE foam, the mat features a tatami-style pattern with a non-slip surface that is slightly abrasive making it suitable for stand-up martial arts only. Featuring a scuff-resistant design that is antibacterial the fully reversible option allows you to create fight areas within your Dojo.


The XPE Foam's unique composition means that the mat will not expand or contract in areas of temperate fluctuation, in comparison to the 2cm EVA Foam mats.













PRODUCT SPECIFICATIONS

| Weight | 1.5kg |
|-------------|--|
| Size | 1m x 1m |
| Composition | XPE foam |
| Fitting | Jigsaw |
| Colour | Reversible design option to be blue or red |
| Edges | 4 edges per mat supplied |
| Density | 60 Shore A |
| Finish | Tatami |
| Warranty | 12 months |
| | |



CRASH MATS CRASH MATS



DOLLAMUR - FLEXI CONNECT FLOORING ROLL

The Dollamur original FLEXI-Roll® mat is the ultimate, American Made martial arts mat.

GREY

dollamur-005

Dollamur mats are manufactured using the latest in athletic foam technology. The closed-cell, cross-linked foam provides maximum shock absorption and will never harden or shrink allowing mats to maintain performance throughout their life. The FLEXI-Roll® mat is available in a variety of thickness and smooth or tatami texture, making it the most versatile martial arts mat available today.

BLACK

dollamur-008

Once the FLEXI-Roll® mats are installed you will have a seamless floor that is very easy to clean and maintain. This seamless surface is one of the safest mats available. Hazardous cracks and crevices are eliminated leaving nowhere for a toe or foot to sink in. Find out why the top gyms in the country have chosen the FLEXI-Roll® including: UFC Gyms, iLoveKickboxing, American Kickboxing Academy & American Top Team.













PRODUCT SPECIFICATIONS

Weight 48kg (50kg with packaging) $10m \times 1.85m \times 4cm$ | Each roll = $18.5m^2$ floor coverage Size XPE Sponge and Vinyl cover (Heat Bonded) Composition Fitting Flexi Connect patented System Black or Charcoal Grey 2.2kg/m2 Density Finish Tatami 1-Year Limited Warranty Warranty







The SMAI Judo Mat is an essential commercial flooring option for any throwing Martial Arts competitor or Dojo. To make these premium mats the surface has been constructed from non-slip, 1000 denier vinyl with a ripstop nylon mesh backing. This ensures optimal durability. The top layer has been made of 740gsm vinyl that won't tear or scratch. This has then been laminated to the reconstituted foam that creates a tough design that will endure heavy, commercial use.

The reconstituted foam density is a massive 230kg/cbm making it soft enough to land on yet having a fast enough bounce back for top efficiency. Lastly, the bottom surface has been fitted with an anti-skid base made from rubber, providing stability and giving you confidence that your mats aren't going anywhere. Constructed in a traditional non-slip tatami finish it offers more grip helping with faster movements for better performance.






















PRODUCT SPECIFICATIONS

19.1kg 2m x 1m x 40mm Reconstituted Foam with Mesh Backing Mats are placed side by side and framed Black, Grev and Red Density 230kg/cbm (IJF specification) Non-slip Tatami Finish 12 months





M034-LV LANDING MAT - LARGE W/ VELCRO

The SMAI Large Mat with Velcro is made with a 1000 denier, rip-proof vinyl

Perfect for: martial arts, judo, indoor rock climbing, gymnastics, gym sports, schools, multi-purpose halls, PCYCs, YMCAs











PRODUCT SPECIFICATIONS

| Weight | 6kg |
|-------------|------------------------|
| Size | 180cm x 90cm x 5cm |
| Composition | PE Sponge foam inner |
| Fitting | Velcro Connection |
| Colour | Black |
| Density | 18kg/cbm |
| Finish | PVC Vinyl outer casing |
| Warranty | 12 months |
| | |

CRASH MATS CRASH MATS




M00-SQUARE **LANDING MAT - 1 FOLD**

The SMAI 1 Fold Mat is made from a soft density foam that is 15cm thick, making it ideal for a soft landing surface for judo throws. This mat features four carry handles for easy lifting and storage. With the one fold feature the mat can be folded to a smaller size for easy and compact storage. Ideal for all martial arts usage as it allows a diverse range of drills to be practised that cannot be performed on regular sports surfaces.

Perfect for: martial arts, judo, indoor rock climbing, gymnastics, gym sports, schools, multi-purpose halls, PCYCs, YMCAs
To be used as a temporary surface on top of the 3 or 4cm SMAI mats.









PRODUCT SPECIFICATIONS

| Weight | 19kg |
|-----------------|---------------------|
| Ü | ŭ |
| Open mat size | 2.44m x 1.5m x 15cm |
| | |
| Folded mat size | 1.22m x 1.5m x 30cm |
| Composition | XPE Sponge foam |
| Composition | AL Sponge Toans |
| Colour | Black |
| | |
| Density | 18kg/cbm |
| | |
| Finish | 1000 denier vinyl |
| Warranty | 12 months |
| waitality | 12 HOHUIS |
| | |



M00-F0LD-XL **LANDING MAT - 6 FOLD (EXTRA LARGE)**

The SMAI 6 Fold Mat is ideal for gymnastics, Judo, wrestling or MMA training. The mat features Velcro tabs to allow you to join one or more mats together to create a larger surface. The mat contains medium density foam making it ideal for prolonged use.

The outer cover is made from rip-proof, 1000 denier vinyl making it incredibly durable. The vinyl also allows easy cleaning of the mat with a moist sponge. Due to the six-fold feature the mats can be folded for easy and compact storage.


Perfect for: martial arts, judo, indoor rock climbing, gymnastics, gym sports, schools, multi-purpose halls, PCYCs, YMCAs











PRODUCT SPECIFICATIONS

| Weight | 20kgs |
|-----------------|-----------------------|
| Open mat size | 366cm x 183cm x 3.2cm |
| Folded mat size | 183cm x 61cm x 24cm |
| Composition | XPE Sponge foam |
| Fitting | Velcro connection |
| Colour | Black |
| Density | 30kg/cbm |
| Finish | 1000 denier vinyl |
| Warranty | 12 months |
| | |

CRASH MATS CRASH MATS



MAT - LANDING (MADE TO ORDER) M031B

The SMAI Landing Mat features a 1000 denier rip-proof vinyl cover. The Landing Mat is Australian Made. Product is best suited for gymnastics, schools, cheerleading and all sorts of tumbling activities. The product is made to order with a 2-3 week delay.













PRODUCT SPECIFICATIONS

| Weight | 60kg |
|-------------|----------------------|
| Size | 360cm x 180cm x 30cm |
| Composition | PE sponge foam core |
| Colour | Blue |
| Density | 31kg/cbm |
| Finish | 1000 denier vinyl |
| Warranty | 12 months |
| | |




M031-RD LANDING MAT - HIGH JUMP (MADE TO ORDER)

The SMAI High Jump Mat is constructed from a single piece of foam. Featuring carry handles for easy manoeuvrability, the mat is covered in 1000 denier ripproof vinyl for durability. The High Jump Mat is Australian Made.

Product is made to order with a 2 – 3 week delay.









PRODUCT SPECIFICATIONS

| Weight | 60kg |
|-------------|----------------------|
| Size | 180cm x 120cm x 60cm |
| Composition | PE sponge foam core |
| Colour | Blue |
| Density | 31kg/cbm |
| Finish | 1000 denier vinyl |
| Warranty | 12 months |

EVA FOAM WORKOUT MATS



HHY-LF EVA FOAM WORKOUT MAT (10 PACK)

The SMAI Workout mat is ideal for home or commercial use for all types of applications such as stretching, yoga, push ups, warm ups, sit ups and all other ground based exercises. The workout mats are finished with a dimple sealed finish on both sides for longevity and come with 2 metal eyelets on the mat for ease of storage on a wall based rack.












PRODUCT SPECIFICATIONS

Weight 1.5kg each
Size 140cm x 60cm x 1.5

Composition EVA foam
Colour Black With Blue EPDM Fleck
Density 90kg/cbm
Finish Dimple sealed finish
Warranty 12 months



HHY-WAC WACOKU EVA FOAM WORKOUT MAT (10 PACK)

The Wacoku EVA Foam Workout Mat is ideal for commercial applications in stretching, yoga and all ground based exercises. With a thickness of 1.5cm the mat adds a degree of cushioning between the user and the floor. Finished in a dimple sealed finish on both sides of the mat for longevity, the mats come with two metal eyelets for easy storage on a wall based rack.











PRODUCT SPECIFICATIONS

| Weight | 1.5kg each |
|-------------|----------------------|
| Size | 140cm x 60cm x 1.5 |
| Composition | EVA foam |
| Colour | Black or Blue |
| Density | 90kg/cbm |
| Finish | Dimple sealed finish |
| Warranty | 12 months |







M00-WALL-B **WALL PADDING - FOAM**


The SMAI Wall Pads are the highest quality option available due to the materials being used. Constructed with a thick plywood backing and then covered in tough, rip-stop vinyl it is the filling that ensures the highest level or protection. Made with a filling of 4cm thick reconstituted foam that has a density of 200kg/ cbm it ensures absolute durability and safety. Made with a lip on both the top and bottom for easy installation, simply attach an aluminium channel to your wall that will then hold the pads in place. Alternatively you can screw through the lip itself with dynabolts, however this does permanently affect your wall pad.











PRODUCT SPECIFICATIONS

| Weight | 23kg |
|-------------|---|
| Size | 183cm x 61cm |
| Composition | Reconstituted Foam with Thick Plywood Backing |
| Fitting | Drill to wall or affix using flooring channel |
| Colour | Black |
| Density | 200kg/cbm |
| Finish | Vinyl |
| Warranty | 12 months |
| | |

WALL & POLE PADDING
WALL & POLE PADDING





DOLLAMUR-004 WALL PADDING - DOLLAMUR FLEXI ROLL

The Flexi Roll Wall Pads provide great protection to any wall and provide you with a seamless finish. With a white textured vinyl finish, the roll is 5m long and 2.5cm thick to offer maximum padding. The roll is continuous, which allows you to easily add a customised logo.













PRODUCT SPECIFICATIONS

| Weight | 11.kgs |
|-------------|--|
| Size | 5m x 185cm x 2.5cm Diameter: approx. 45cm when rolled up |
| Composition | XPE Sponge foam |
| Fitting | Glue directly to the wall |
| Colour | White |
| Density | 47 kg/cbm |
| Finish | Vinyl Fused cover |
| Warranty | 1-Year Limited Warranty |
| | |







BLACK

dollamur-009



Dollamur-001

POLE PROTECTOR - DOLLAMUR FLEXI

The Dollamur FLEXI-Post™ Pole pad is made from the same durable, antimicrobial material as our FLEXI-Roll® sports mats. Keep your wrestling, martial arts, fitness and gym training area safe and use your entire space with the Dollamur FLEXI-Post™ Pole Pad.

The Flexi Post Pad is the ideal padding solution to use around any pole up to 10" in diameter. With an easy to use design, simply wrap around the pole and close with the Flexi connect system. If padding smaller posts you may need to wrap around the pole prior to installing to ensure the pad is kept in place in a centralised location. The outer measurement is $20 \times 20 \times 20 \times 20 \times 10^{-2}$











PRODUCT SPECIFICATIONS

| Weight | 5kg |
|-------------|-------------------|
| Size | 1.85m x 2.5cm |
| Composition | XPE foam |
| Fitting | Velcro |
| Colour | Black |
| Density | 47kg/cbm |
| Finish | Vinyl Fused cover |
| Warranty | 12 months |
| | |

F004-PP POLE PROTECTOR - FOAM

The SMAI Pole Protector is a pad that can be placed around a pole so as to ensure safety. The installation and use is similar to that in which a rugby post is padded.









PRODUCT SPECIFICATIONS

| Weight | 8kg |
|-------------|---------------------|
| Size | 180cm x 35cm x 15cm |
| Composition | PE sponge foam |
| Fitting | Velcro |
| Colour | Black |
| Density | 40kg/cbm |
| Finish | Vinyl cover |
| Warranty | 12 months |
| | |

| ITEM NAME | ASTRO TURF | |
|------------------|--|--|
| Includes | Astro Turf Track, Double Turf Track, Single Sled Track | |
| Type of Warranty | Manufacturing Fault | |
| Warranty Period | 12 months | |
| Do Not | Use a sled which has scratched or damaged feet Drop sharp items onto the track Use abrasive materials on the track Clean with harsh chemicals, herbicides or pesticides | |
| Exclusions | Wearing out of the turf's fibres is considered wear and tear - you will need to regularly maintain by vacuuming (if indoor) or hosing down with water (if outdoor) Abrasions due to use of inappropriate footwear or sports equipment Uses of in-fill products of an incorrect grade or level Use of incorrect cleaning methods Damages caused by incorrect installation Normal wear and tear, cosmetic damages, surface scratches | |
| Installation | Follow your instruction manual closely when installing your turf. It is recommended to use a professional carpet layer to assist you with installation. | |
| Maintenance | If used indoors: Spray with a PH Neutral detergent, allow to dry and vacuum regularly If used outdoors: Spray with a PH Neutral detergent, wash or hose with water regularly | |

| ITEM NAME | MATS - FLOORING | |
|------------------|---|--|
| Includes | Bushido, Jigsaw Wacoku, Jigsaw Korean Style, Jigsaw SMAI, Judo, Rubber Gym Tile, Stall Mat | |
| Type of Warranty | Manufacturing Fault | |
| Warranty Period | 12 months | |
| Do Not | Clean with harsh chemicals Incorrectly install Use incorrect chemicals, pesticides or herbicides Use incorrect cleaning methods Store or place any heavy or sharp items on the mat as this may cause a permanent indentation on the surface Bend or fold the mat | |
| Exclusions | Burns, cuts, accident, vandalism, abuse, negligence, sweat Abrasions/indentations due to use of inappropriate footwear or sports equipment Minor sizing variances caused by natural temperature variance in EVA foams Normal wear and tear, cosmetic damages, surface scratches | |
| Maintenance | Please check the maintenance instructions below for your product | |
| | Bushido | Clean mats with a warm water, damp mop/cloth using a PH neutral disinfectant. Steam mops are also suitable |
| | EVA Jigsaw | Due to the density and material of the Jigsaw mat, it may expand or contract slightly in areas with temperature variance or radiant heat source. This will not affect the safety or functionality of the mat but it will cause slight permanent change to the size of the mat over time. This will be more evident in the thinner mats such as the 20mm models. This may affect you later down the track when adding new mats due to slight size variation in the jigsaw pattern. Clean mats with a warm water, damp mop/cloth using a PH neutral disinfectant. It is recommended that shoes not be worn on the mats as the rubber on the shoes will scratch and scuff the surface of the mat and cause cosmetic damage. Sharp toenails can often scratch the surface as well. |
| | Judo | Do not bend or fold the mat. This will cause delamination of the mat, which is the separation between the PVC vinyl and foam. If at any point you fold your Judo mat, this will void your warranty. Make sure to clean the surface on which you lay your mats, as slippage may occur and will cause safety concerns. Clean mats with a vacuum cleaner and finish with warm water, damp mop/cloth using a PH Neutral detergent solution. Store them flat in an area where they will not become too cold or wet. When the mat is too cold, it can get brittle and crack. If its exposed to water for extended periods of time it can cause mold to develop. |
| | Rubber Gym Tile | The tiles are bound with a Non-Toxic MDI (Polyurethane) binder for your safety and tested and approved to ASISO9239.1-2003 Part 1 to meet the BCA (Building code of Australia) requirements. High traffic areas are more susceptible to wear and tear and therefore need more attention when it comes to maintenance Clean mats with a vacuum cleaner and finish with warm water, damp mop/cloth using a PH-neutral detergent solution. |
| | Stall Mat | High traffic areas are more susceptible to wear and tear and therefore need more attention when it comes to maintenance Clean mats with a vacuum cleaner and finish with warm water, damp mop/cloth using a PH-neutral detergent solution. If using outdoors or in well-drained areas, they can be hosed or washed with a pressure cleaner without damaging the mat If the tiles move causing gaps to develop between the tiles; it is recommended that the gap/s be filled with black silicone/gap filler available from leading hardware stores OR lay with double sided tape when first installing. |

For further enquiries please contact:

www.smai.com.au

sales@smai.com.au

Australia: (02) 4283 4363 International: +612 4283 4363

