
# Dartwood 1000ml (34oz) Small Dehumidifier for bathroom, closet, and bedroom

**USER MANUAL** 



210mm

#### In the Box





1 x power adapter

### Safety Information

- 1. Read this user manual before use.
- 2. This product is for indoor use only. Keep away from direct heat and sunlight.
- 3. Do not use it near a fire source or submerge it in water.

Page 1

- 4. Do not run this product without the tank, making sure it is properly set up before turning on.
- 5. Do not cover the air inlet / outlet as the product might overheat and get damaged.
- 6. Do not leave the product unattended. If you do not intend to use it for a long period, please remove the power adapter and unplug it from the wall outlet.
- 7. This is not a toy. Do not let children use it without supervision.
- 8. Do not twist, pull or use the power cord when tangled.
- 9. People with physical, sensory disabilities or lack of experience should get adequate guidance and care before use.
- 10. Use this product on a flat surface only, otherwise the internal sensor (full tank) may not work properly.
- 11. Check the water tank regularly, making sure the tank is in good condition, and the internal sensor can move freely.
- 12. Do not attempt to disassemble or repair the product on your own.
- 13. Do not run this product with a damaged power cord. If the cord is damaged, please contact us for a replacement.

Page 2

# Introduction to Parts






- 1. Display and Touch Panel
- 2. Tank
- 3. Air Outlet
- 4. Handle 5. Air Inlet
- 6. Removeable Cover
- 7. Power Inlet

### **Display and Touch Panel**


- 1. Light ON/OFF Button
- 2. Power Button
- 3. Temperature
- Display 4. Touch Panel Lock

5. Tank Full Indicator Light




Page 3

#### How to Use




1. Connect the power adapter to the dehumidifier then plug it into your power outlet. The beep sound means that the product is being powered and in standby mode.




2. Press the power button to start the dehumidifier. The LED light will turn on, and the display will show the current room temperature.

Page 4

**Note:** The dehumidifier can dehumidify up to 300 ml (34 oz) water daily. The efficiency may vary due to room temperature, humidity level, room size, airflow speed (windows/door closed or not).




3. Press the light button to turn the light on and




4. When the tank is full, the tank full indicator light will turn on, the dehumidifier will stop running (the fan will stay on). Remove and empty the tank to resume the dehumidification process.

Page 5



5. The touch panel will lock after a few minutes, press and hold the lock button to lock / unlock the touch panel.



- 6. To turn off the dehumidifier, press the power button again. The LED light will turn off and the display screen will show "- -", meaning that it is in standby mode.
- 7. Remove the power adapter and the plug if you do not intend to use it for a long period.


Page 6

# Dehumidification Tips

The effectiveness of this dehumidifier is directly related to the room temperature, humidity level, room size, airflow speed (windows/door closed or opened). This product is more effective in smaller rooms with a temperature ranging from 50 - 95°F (10 - 35°C). The dehumidification won't be as effective in temperatures below 50°F (10°C). The product is not intended for use in areas where the temperature is below 41°F (5°C).


#### Cleaning and Maintenance

1. Make sure to turn the power off and remove the power cord before cleaning the product.




2. Remove and empty the water tank.

Page 7



3. Rinse and clean the tank with running water.



3. Remove the cover and clean any dust and debris using a damp cloth.

Page 8

5. Clean the dehumidifier's body with a damp cloth and let it dry completely. Do not rinse it with water or corrosive solvent.

6. Make sure all parts are completely dry before reattaching them.

7. Keep the product inside the box and store it in a cool dry place.

## **Specifications**

AC110V-240V / 50-60Hz Adaptor Power Input: DC12V3A Rated Voltage:

36W 34 oz (1000 ml) Max Tank Capacity:

Suggested Room Size: 215 - 320 ft<sup>2</sup> (20 - 30 m<sup>2</sup>) Operating Capacity: Maximum 10oz (300ml) per day at 86°F (30°) 80%

Operating temperature: 50 - 95°F (10 - 35°C) Noise Level: < 50 dB Product Weight: 2.4 lb (1100 g) Product Size:  $5.7 \times 5.1 \times 9.9 \text{ in}$ 

 $(14.5 \times 13.0 \times 25.2 \text{ cm})$ 0.5 KW per day Power Consumption: Cooling Element: Semiconductor Refrigeration

Page 9

### Get More Support

Scan the QR code below or, email us at: contact@wasserstein-home.com



For more information, please visit: