# 2-in-1 Gutter Mount

## USER MANUAL



# W
## WASSERSTEIN

## In the Box


1 x gutter mount


1 x adapter for Nest Cam
(outdoor or indoor, battery)


1 x mounting bracket


1 x velcro band
(cable management)


1 x set of long screws
& wall anchors


2 x fixing screw
& plastic nuts


2 x short screws


1 x hex key

## Compatibility

Exclusively for Google Nest Cam (outdoor or indoor, battery)* and
Wasserstein Solar Panel.*

*not included

## Safety Information

- **WARNING:** Read these instructions carefully before use. Failure to follow the safety instructions could cause injury or damage to your property.
- Be aware of height-related hazards during installation.
- Make sure your gutter can support the weight of the camera, solar panel, and the gutter mount before installing it.
- Make sure your camera and solar panel are weatherproof before installing them outdoors.
- Small parts contained in the kit could be a choking hazard. Keep small parts away from children.
- Keep this instruction manual for your future reference.

## Introduction to Parts



1. adapter for Google Nest Cam (outdoor or indoor, battery)
2. ball joint fixing screw
3. support fixing screw
4. metal hook
5. knob screw
6. mounting bracket
7. velcro band
8. support rod
9. support rod fixing screw
10. angle adjustment screw
11. glide
12. solar panel (not included)
13. Google Nest Cam (outdoor or indoor, battery) (not included)

## How to Install

### Before You Install

1. Combine the mounting bracket with the metal hook using the short screws provided. Make sure the screws pass through the two holes on the metal hook.

2. Slide the support rod onto the mounting bracket. Lock it in place by tightening the support rod fixing screw with the hex key provided.

3. Insert the two knob screws through the holes at the back of the hook.



4. Place the plastic nuts on the front end of the knob screws to prevent them from scratching the gutter.



Plastic nut

## Mounting Your Camera

1. Line up the flanges on the adapter with the grooves on the Nest Cam base. Hold both sides firmly and turn clockwise until they lock into place.

2. Screw the adapter onto the ball joint. Then, twist the wheel on the ball joint screw until it sits flush against the adapter.



3. Snap the Nest Cam to its base at your preferred angle.



4. Use the hex key provided to firmly tighten the ball joint fixing screw and lock the ball joint in place.

## Mounting Your Solar Panel

**Note:** The 2-in-1 Gutter Mount supports both glide and screw hole model solar panels.

1. **Glide model:** Attach the included glide to the end of the support rod. Slide the solar panel onto the glide until it locks in place.



2. **Screw hole model:** Fasten the solar panel directly onto the support rod. Twist the wheel on the ball joint screw until it sits flush against the solar panel.



**Note:** Adjust the solar panel to the best position for maximizing sunlight exposure.

## Mounting to Your Gutter

Check the compatibility of your gutter style before installing. Hang the gutter mount onto your gutter and secure it by firmly tightening the knob screws.





Rotate

## Compatible Gutter Types

1.  Fascia-style gutter



2.  Half-round gutter with outward-facing flange



3.  Box-style gutter

4. K- style gutter



**Note:** The gutter mount is not compatible with round flange gutters or half-round gutters with an inward-facing flange.

## Mounting on a Wall

Attach the mounting bracket to the wall using the long screws and wall anchors provided (the drill bit size is 1/8").

## Frequently Asked Questions

**1. Why is the mount jiggling and triggering unwanted camera recordings?**



The hook might not be attached completely, make sure the short screws pass through the two holes on the metal hook.

**2. Why does the camera face down after being mounted?**



The ball joint screw might be lose. Make sure it is tightened firmly.

## Get More Support

Scan the QR code below or email us at contact@wasserstein-home.com.



CONTACT US

W

WASSERSTEIN

www.wasserstein-home.com

Made in China