

Date of issue: 02/08/2016 Revision date: 02/08/2016 Version: 1.0

SECTION 1: Identification of the subs	stance/mixture and of the compan	y/undertaking	
1.1. Product identifier			
Product name	: Aquamira Water Treatment Part A		
Product code	: 67202 & 67203		
EPA Reg. No.	: 71766-1		
1.2. Relevant identified uses of the subst	ance or mixture and uses advised against		
Use of the substance/mixture	: A 2% Aqueous Solution of Chlorine Dioxid storage containers. Kills Odor-Causing Ba Water		
1.3. Details of the supplier of the safety d	ata sheet		
Aquamira Technologies, Inc 917 West 600 North Logan, UT 84321 T 360-306-5586			
1.4. Emergency telephone number			
Emergency number	: ChemTel (800) 255-3924		
SECTION 2: Hazards identification			
2.1. Classification of the substance or mi	xture		
GHS-US classification			
Skin Irritation 2			
Eye Irritation 2A			
2.2. Label elements			
GHS-US labelling			
Hazard pictograms (GHS-US)	GHS07		
Signal word (GHS-US)	: Warning		
Hazard statements (GHS-US)	: Causes skin irritation. Causes serious eye	irritation.	
Precautionary statements (GHS-US)	: Wash hands thoroughly after handling. We If on skin: Wash with plenty of water. Take If skin irritation occurs: Get medical advice several minutes. Remove contact lenses, irritation persists: Get medical advice/atter	e off contaminated clothing and wash it e/attention. If in eyes: Rinse cautiously if present and easy to do. Continue rins	before reuse. with water for
2.3. Other hazards			
Other hazards not contributing to the classification	: In contact with Aquamira Water Treatment	t Part B, releases gases which are fata	l if inhaled.
2.4. Unknown acute toxicity (GHS US)			
Not applicable			
SECTION 3: Composition/information	n on ingredients		
3.1. Substance			
Not applicable			
3.2. Mixture			
Name		Product identifier	%
Chlorine dioxide		(CAS No) 10049-04-4	1 – 2.5
* The exact percentage (concentration) of composition h	as been withheld as a trade secret in accordance wi	ith paragraph (i) of §1910.1200.	



Safety Data Sheet according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SECTION 4: First aid measures	
4.1. Description of first aid measures	
	If inhaled and if breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention.
First-aid measures after skin contact :	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
First-aid measures after eye contact :	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present after the first 5 minutes then continue rinsing eye. Call a poison control center or doctor for treatment advice.
First-aid measures after ingestion :	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
4.2. Most important symptoms and effects,	both acute and delayed
Symptoms/injuries after inhalation :	May cause respiratory tract irritation. In contact with Aquamira Water Treatment Part B, releases gases which are fatal if inhaled.
Symptoms/injuries after skin contact :	Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact :	Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Symptoms/injuries after ingestion :	May be harmful if swallowed. May cause stomach distress, nausea or vomiting.
4.3. Indication of any immediate medical at	tention and special treatment needed

Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible). Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray, dry powder. Carbon dioxide. Alcohol resistant foam.
Unsuitable extinguishing media	: None known.
5.2. Special hazards arising from the su	ubstance or mixture
Fire hazard	: Products of combustion may include, and are not limited to: oxides of carbon, hydrogen chloride and traces of other toxic gases cannot be excluded.
5.3. Advice for firefighters	
Protection during firefighting	 Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).
SECTION 6: Accidental release mea	isures
	ISURES quipment and emergency procedures
6.1. Personal precautions, protective eq	 Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
6.1. Personal precautions, protective eq General measures	 Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
 6.1. Personal precautions, protective equiparties 6.2. Methods and material for containment 	 Quipment and emergency procedures Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. ent and cleaning up Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal
 6.1. Personal precautions, protective equiparties General measures 6.2. Methods and material for containment 	 cuipment and emergency procedures Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. ent and cleaning up Contain and/or absorb spill with inert material (e.g. sand, vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Do not get in eyes, on skin, or on clothing. Do not swallow. Do not breathe dust/fume/gas/mist/vapors/spray. Handle and open container with care. Do not eat, drink or smoke when using this product. Non-refillable container. Do not reuse or refill this container. Do not mix with Aquamira Water Treatment Part B until all relevant instructions have been read and understood. See main packaging for storage and disposal directions.
Hygiene measures	: Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Water container should be sufficiently sealed to prevent outside contamination and direct sunlight if water is to be stored for a long period of time. If proper precautions are not taken, additional treatments may be necessary. For best results, cap Aquamira® Water Treatment bottles tightly and store away from heat and sunlight. Contact with extreme heat or extended direct sunlight will reduce the effectiveness of Aquamira® Water Treatment.
--------------------	--

7.3. Specific end use(s)

Not available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters		
Chlorine dioxide (10049-04-4)	
ACGIH	ACGIH TWA (ppm)	0.1 ppm
ACGIH	ACGIH STEL (ppm)	0.3 ppm
OSHA	OSHA PEL (TWA) (mg/m ³)	0.3 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	0.1 ppm

8.2. **Exposure controls**

Appropriate engineering controls	: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.
Hand protection	: Wear suitable gloves.
Eye protection	: Safety glasses with side shields.
Skin and body protection	: None necessary under normal conditions of use. Wear suitable protective clothing.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Environmental exposure controls	: Maintain levels below Community environmental protection thresholds.
Other information	: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial bygiene and safety practices

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	chemical properties	
Physical state	: Liquid	
Appearance	: Clear	
Colour	: Light green	
Odour	: Chlorine-like	
Odour threshold	: No data available	
рН	: 3.5 - 6	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: 212 °F (100 °C)	
Flash point	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Flammability (solid, gas)	: Not flammable	
Explosive limits	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Vapour pressure	: 23 hPa	
Relative density	: Not Determined	
Relative vapour density at 20 °C	: No data available	
Density	: 1 g/cm ³	
Solubility	: Fully miscible	
Partition coefficient: n-octanol/water	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
02/08/2016	EN (English)	3/6



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under normal storage conditions.

10.3. Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use. In contact with Aquamira Water Treatment Part B, releases gases which are fatal if inhaled.

10.4. Conditions to avoid

Heat. Incompatible materials.

10.5. Incompatible materials

Stabilized chrlorine dioxide is a strong oxidizing agent. Do not mix with any other chemicals.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon, hydrogen chloride and traces of other toxic gases cannot be excluded.

SECTION 11: Toxicological information

 11.1.
 Information on toxicological effects

 Acute toxicity
 Information on toxicological effects

: Not classified.

Aquamira Water Treatment Part A	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	No data available
LC50 inhalation rat	No data available
Chlorine dioxide (10049-04-4)	
LD50 oral rat	292 mg/kg
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Based on available data, the classification criteria are not met
Carcinogenicity	: Based on available data, the classification criteria are not met
Reproductive toxicity	: Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Based on available data, the classification criteria are not met
Specific target organ toxicity (repeated exposure)	: Based on available data, the classification criteria are not met
Aspiration hazard	: Based on available data, the classification criteria are not met
Symptoms/injuries after inhalation	: May cause respiratory tract irritation.
Symptoms/injuries after skin contact	: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.
Symptoms/injuries after eye contact	: Causes serious eye irritation. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva.
Symptoms/injuries after ingestion	: May be harmful if swallowed. May cause stomach distress, nausea or vomiting.

SECTI	ON 12: Ecological information		
12.1.	Toxicity		
Ecology	- general :	This product is toxid to fish and aquatic organisms.	
12.2.	Persistence and degradability		
Aquam	ira Water Treatment Part A		I
Persist	ence and degradability	Not established.	L
02/08/201	6	EN (English) 4/6	



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

Aquamira Water Treatment Part A	
Bioaccumulative potential	Not established.
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Effect on the global warming	: No known ecological damage caused by this product.
SECTION 13: Disposal considera 13.1. Waste treatment methods	itions
	 Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of onsite or at an approved waste disposal facility. Non-refillable container Do not reuse or refill this container. If empty place in trash or offer for recycling if available. If partly filled call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.
13.1. Waste treatment methods	: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of onsite or at an approved waste disposal facility. Non-refillable container Do not reuse or refill this container. If empty place in trash or offer for recycling if available. If partly filled call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Additional information	
Other information	: No supplementary information available.
Special transport precautions	: Do not handle until all safety precautions have been read and understood.

SECTION	15. Roau	latory information
SECTON	I.J. REUU	

15.1. US Federal regulations

No data available

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Chlorine dioxide (10049-04-4)	
Subject to reporting requirements of United State	s SARA Section 313
SARA Section 313 - Emission Reporting	1.0 %

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under Federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION:

Causes moderate eye irritation. Harmful if swallowed or absorbed through the skin. Avoid direct contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling

(If container size is 5 gallons or greater use the following statements) This product is toxic to fish and aquatic organisms Do not discharge effluent containing this product into lakes streams ponds estuaries oceans or public water unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority For guidance contact your State Water Board or Regional Office of the EPA

(If the container size is less than 5 gallons use the following statement) This product is toxic to fish and aquatic organisms

Stabilized chlorine dioxide is a strong oxidizing agent. Do not mix with any other chemicals.

15.2. US State regulations	
Aquamira Water Treatment Part A	
State or local regulations	This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm



Safety Data Sheet

according to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SECTION 16: Other information		
Date of issue	: 02/08/2016	
Revision date	: 02/08/2016	
Version	: 1.0	

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

