

Raingler

NETS & GRIPS

1984 - 2001 Jeep Cherokee (XJ)

Behind Rear Seats Barrier Divider Net Installation

NOTE: Many newer models have B-pillar handles and even overhead on the ceiling that can be used for some of the top mounting locations. Check to see if you prefer to use these factory locations as the nets typically have enough adjustment to allow for this option. If your vehicle does not have handles in desired locations or you prefer to install mounting points for better fitment, please follow the below steps.

IMPORTANT: READ INSTRUCTIONS FULLY BEFORE STARTING

Time: About 30-60 minutes

Paw Level: 


Tools: (may vary by vehicle)

1. Ratchet
2. Torx bit T-47 is what fits this make/model. Most vehicles have T-45 or T-50 so verify proper fit before proceeding
3. Hex bolt bit

Shown on 2000-year model

Step 1

Remove cap over rear seat belt.
Remove existing bolt. This bolt is in
really tight!



Step 2

Add the chassis strap mount with loophole up against the
ceiling, reinstall bolt and tighten.




Alternate installation: turn the mount toward
front of vehicle, for easier access. This
alternate installation also is useful if you are
using the same mount for a ceiling net
installation.




Step 3

Fold rear seat forward. Remove upper rear bolt holding in seat latch.



Step 4

Add the square ring to the REAR bolt (closest to cargo area). Tighten bolts down.



Step 5

Now it's time to install your net.

With rear seat still folded forward (flat position), loosely run bottom straps through the rear seat hinge on each side. Thread strap through closest to the body and pull the strap out toward the center.



Step 6

Loosely run the top straps through the chassis strap mounts you installed in the first step. Do the same for the center straps; run them through the square ring you installed on each side. Tension top first to achieve highest fit. Next, tighten lower straps with seat back up, to draw the net into desired position. Finally pull the center side straps to flatten the net for best look and fit.

Step 7

Do a final adjusting and check your seat positioning. Seat can be in forward or upright position without being affected by the net.

See customer installation video here: <https://youtu.be/0kru21zcyjw>



Step 8

Wrap and tuck your straps for a nice, clean look.

See video here for details on tying up loose ends: <https://vimeo.com/316588617>

Thank you for purchasing Raingler Nets.
If you have any questions please contact us,
we are here to help!

See all our install videos on Vimeo!
<https://vimeo.com/raingler>

