Raingler
NETS & GRIPS

Cargo Net as Rear Barrier Install

Chevrolet HHR

NOTE: Many newer models have B-pillar handles and even overhead on the ceiling that can be used for some of the top mounting locations. Check to see if you prefer to use these factory locations as the nets typically have enough adjustment to allow for this option. If your vehicle does not have handles in desired locations or you prefer to install mounting points for better fitment, please follow the below steps.

IMPORTANT: READ INSTRUCTIONS FULLY BEFORE STARTING

Time: *About 30-60 minutes*

Paw Level:
Hardware:
   1. 2 Square rings with mount tab
Tools: (may vary by vehicle)
   1.   T15 bit
   2.   Socket Drive, driver or drill

USE AS A REAR BARRIER

Step 1
Carefully remove oval plastic covers above back seatbelts. You may wish to retain the plastic covers to return your car back to original as no permanent modifications are required.

Step 2
Remove bolt and install square ring as shown. Be careful not to drop it when unscrewing, or you will have to remove the whole panel to retrieve it.

Step 3

Loop top straps of barrier net into rings on each side. Leave loose until all points are attached to mount points.

Step 4

Fold seats forward, into flat position. Loosely loop bottom straps around OEM cargo points, closest to the back seats.

Step 5

Tighten top straps first, then tighten the bottom straps so the net is fully taut.

Can be used with the seats up to keep cargo between the seat and net

Or get creative! HHR has many mount points in the rear already installed at factory.

Wrap excess straps around and fold or loop under.

You may want to cut the plastic covers and put them back on, but we were happy with the overall look, so we left them exposed. You can also install these rings above the rear seatbelts to give yourself more options when using your barrier net.

Check out the video here:
https://vimeo.com/raingler

Raingler
NETS & GRIPS

Thank you for purchasing Raingler Nets.
If you have any questions please contact us,
we are here to help!

866-905-7625 | Tech@RAINGLER.com | Raingler.com