

ZP2-F Series Fire Alarm Control Panel Compatibility List

Introduction

This document lists the products compatible with your addressable fire system.

Addressable detectors and compatible mounting bases

Model	Description
ZP710-2	Ziton ionisation detector
ZP720-3	Ziton heat detector
ZP730-2	Ziton optical smoke detector
ZP730-2	Ziton black optical smoke detector
ZP732-2	Ziton dual optical/heat detector
ZP7-RB1	Ziton recessed mounting base
ZP7-SB1	Ziton surface mounting base
ZP7-SB1	Ziton black surface mounting base
ZP7-IB	Ziton isolator base
Z-AUX2	Ziton auxiliary plate for Z6 and ZP7 bases
Z-AUXD-2	Ziton deep mounting for Z6 and ZP7 bases
ZX832-2	Ziton dual optical/heat detector
FDR50-EZ	Ziton reflective beam detector
FDR100-EZ	Ziton reflective beam detector
ZP730-2	Plana Fabrega optical detector for Australia
ISDI2000	Photain ionisation detector
PPDI2000	Photain optical detector
PPDPHDI2000	Photain dual optical/heat detector
PPDPRRI2000	Photain dual optical/heat detector
PRRPHDI2000	Photain heat detector
EA10E-2	EST ionisation detector
EA20E-3	EST heat detector
EA30E-2	EST optical smoke detector
EA32E-2	EST dual optical/heat detector
EA-IB1	EST isolator base
ASBE-2	EST standard detector base

Addressable manual call points

Model	Description
ZP785-3	Ziton red manual call point with EN54 marking (flush mount)
ZP785-3S-SW	Ziton red manual call point for Sweden
ZP785-3WS	Ziton white manual call point with EN54 marking (surface mount)

Model	Description
ZP785-3YS	Ziton yellow manual call point (surface mount)
ZP787-3	Ziton red manual call point, weatherproof IP67 (surface mount)
ZP787-3-SW	Ziton red manual call point for Sweden, weatherproof IP67 (surface mount)
BGUI2000LED	Photain red manual call point (flush mount)
EA785-3	EST red manual call point with EN54 marking (flush mount)
EA787-3	EST red weatherproof manual call point, IP67 (surface mount)
ZP785-3	Clymac red manual call point with EN54 marking (flush mount)

Addressable I/O modules

Model	Description
A45E-2	Ziton interface module
A50E-2	Ziton relay module
A51E-1	Ziton relay module (mains switching)
A60E-2	Ziton isolator module
A70E-2	Ziton conventional zone module
ZP752-2	Ziton monitored dual output module
ZP7-I/O	Ziton enclosure for A series modules (excluding A51E-1)
ZP-ECU-2	Ziton extinguishing control unit
ZP-ECU-S-2	Ziton extinguishing status module
SMB-DIN1	Surface-mount box for A series modules, IP66 (2 single or 1 double)
SMB-DIN2	Surface-mount box for A series modules, IP66 (4 single or 2 double)
SOUNDI2000	Photain monitored dual output module
EA45E-2	EST interface module
EA50E-2	EST relay module
EA51E-1	EST relay module (mains switching)
EA60E-2	EST isolator module
EA752-2	EST monitored dual output module

Addressable sounders and beacons

Model	Description
SPB-2G	Grey plug-in base
SPB-2R	Red sounder plug-in base
SPB-2W	White sounder plug-in base

Model	Description
ZP755B-2W	Ziton 90 dBA base sounder (surface mount)
ZP755BV-3W	Ziton white 90 dBA base sounder beacon (surface mount)
ZP755-COV-R	Ziton red cover for ZP755B base sounder with no detector
ZP755-COV-W	Ziton white cover for ZP755B base sounder with no detector
ZP755HA-2R	Ziton red 102 dBA horn sounder with dual front/rear sound paths
ZP755HA-2W	Ziton white 102 dBA horn sounder with dual front/rear sound paths
ZP755HAV-2R	Ziton red 102 dBA omnidirectional sounder beacon
ZP755HAV-2W	Ziton white 102 dBA omnidirectional sounder beacon
ZP755R-2R	Ziton red 90 dBA room sounder with cover
ZP755R-2W	Ziton white 90 dBA room sounder with cover
ZP755V	Ziton white beacon with clear lens (surface mount)
ZP755W-R	Ziton red 105 dBA weatherproof horn sounder
ZP755WV-2R	Ziton weatherproof horn sounder beacon
ZP7-SBB	Ziton white base for ZP755V remote power requirement (surface mount)
ESI2000	Photain horn sounder
ESI2005	Photain base sounder
EA55B-2G	EST grey 90 dBA base sounder (surface mount)
EA55BV-3G	EST grey 90 dBA base sounder/beacon (surface mount)
EA55HA-2R	EST red 102 dBA horn sounder with dual front/rear sound paths
EA55HA-2W	EST white 102 dBA horn sounder with dual front/rear sound paths
EA55HAV-2R	EST red 102 dBA omnidirectional sounder beacon
EA55HAV-2W	EST white 102 dBA omnidirectional sounder beacon
EA55R-2R	EST red 90 dBA room sounder with cover
EA55R-2W	EST white 90 dBA room sounder with cover
EA55RV-2R	EST red 90 dBA room sounder/beacon
EA55RV-2W	EST white 90 dBA room sounder/beacon
EA55V	EST white beacon with clear lens (surface mount)
EA55W-2R	EST red 105 dBA weatherproof horn sounder
EA55WV-2R	EST weatherproof horn sounder/beacon

Addressable wireless devices

Model	Description
121101	Ziton base for ZR430, ZR420 detectors (surface mount)
584AA	Ziton red 96 dBA sounder/beacon
ZP470	Ziton wireless loop module
ZPR471 A-1	Ziton wireless loop module (one-way)
ZPR472 A-1	Ziton wireless loop module (two-way)
ZPR472A-SWE	Ziton wireless loop interface module with aerials (transmitter/receiver) for Sweden
ZR401	Ziton wireless detector base
ZR401-2-SWE	Ziton base for ZR420/430 (VHF169)

Model	Description
ZR401H	Ziton wireless base housing
ZR401-MS-2	Ziton base for ZR432 detector (surface mount)
ZR420-1	Ziton wireless heat detector
ZR430-1	Ziton wireless optical smoke detector
ZR432	Ziton wireless combination smoke and heat detector
ZR451-2	Ziton wireless input/output interface module
ZR454-1	Ziton white sounder with battery
ZR454-2	Ziton red wireless alarm sounder
ZR454XN-1	Ziton red wireless sounder/beacon
ZR454XN-R	Ziton red wireless beacon
ZR485-2	Ziton wireless manual call point
ZR485-2-SWE	Ziton red low-voltage manual call point for Sweden
ZR487-2	Ziton red wireless weatherproof manual callpoint

Conventional sounders and bells

Model	Description
AS363	Red multitone sounder (shallow base)
AS363W	White multitone sounder (shallow base)
AS364	Red multitone sounder with (deep base)
AS364W	White multitone sounder (deep base)
AS366	Red multitone sounder and beacon (shallow base)
AS366W	White multitone sounder and beacon (shallow base)
AS367	Red multitone sounder and beacon (deep base)
AS367W	White multitone sounder and beacon (deep base)
AS368	Red multitone sounder base
AS368W	White multitone sounder base
AS371	Red sounder and beacon for outdoor use (high output, English)
AS371-09	Red sounder and beacon for outdoor use (high output, Spanish)
AS371-21	Red sounder and beacon for outdoor use (high output, Portuguese)
AS372	Intrinsically safe red multitone sounder
AS374	Red multitone horn sounder for hazardous areas
AS376	Red multitone sounder (high output)
AS377	Red multitone sounder and beacon (high output)
AB360	6" fire bell for indoor use (24 VDC)
AB360-06	6" fire bell for indoor use (24 VDC, Swedish)
AB380E	8" fire bell for outdoor use (24 VDC)

Conventional beacons

Model	Description
FA340	Xenon beacon (white base, red lens)
FA340C	Xenon beacon (white base, clear lens)
FA340Y	Xenon beacon (white base, yellow lens)
FA350	LED beacon (shallow red base, red lens)
FA350WRC	LED beacon (shallow white base, red flash, clear lens)

Model	Description
FA350WY	LED beacon (shallow white base, yellow lens)
FA350Y	LED beacon (shallow red base, yellow lens)
FA355	LED beacon (deep red base, red lens)
FA355WRC	LED beacon (deep white base, red flash, clear lens)
FA355WY	LED beacon (deep white base, yellow lens)
FA360	2J xenon beacon (shallow red base, red lens)
FA360B	2J xenon beacon (shallow red base, blue lens)
FA360C	2J xenon beacon (shallow red base, clear lens)
FA360G	2J xenon beacon (shallow red base, green lens)
FA360Y	2J xenon beacon (shallow red base, yellow lens)
FA360W	2J xenon beacon (shallow white base, red lens)
FA360WB	2J xenon beacon (shallow white base, blue lens)
FA360WG	2J xenon beacon (shallow white base, green lens)
FA360WY	2J xenon beacon (shallow white base, yellow lens)
FA370	Intrinsically safe LED beacon (red lens)
FA370C	Intrinsically safe LED beacon (clear lens)
FA375	5J xenon beacon for hazardous areas (red lens)
FA375Y	5J xenon beacon for hazardous areas (yellow lens)

Other products

Model	Description
Z-RL1	Ziton remote LED unit (circular base)
Z-RL3	Ziton remote LED unit with fire text (square base)
Z-RL4	Ziton remote LED unit (square base)
GBX370	Intrinsically safe galvanic isolator for AS372/FA370 series
FE230	400N door holder with release button (surface mount)
FE235	400N door holder (square base)
FE240	400N door holder (flush mount)
FE245	400N door holder with release button (wall mount)
FE250	400N door holder with release button (floor mount)
FE260-175	400N door holder with universal adjustable tube and release button 175 mm)
FE260-325	400N door holder with universal adjustable tube and release button 325 mm)
FE260-475	400N door holder with universal adjustable tube and release button 475 mm)
FE535	Door holder with steel square base and VdS magnet
FE543	Door holder, with reinforced plastic box and VdS magnet
FE550	Door magnet (floor mount)
FE560	Door magnet with universal adjustable tube and VdS magnet
FE570	Universal door magnet (adjustable)
FE581	Door magnet with steel square base and VdS magnet (IP65)
FE590	Explosion proof door magnet (wall mount)
OR2000	Optical reflector for beam detectors

Contact information

For further information on any product listed, contact your local supplier or see www.utcfireandsecurity.com.

Disclaimer

Compatible products may change without notice. Always contact your local supplier to confirm availability and compatibility.

