

Defatted Soy Flour

Nutritional Information

NUTRIENT	PERCENT	*
Moisture, max.	9	(1)
Protein (Nx6.25), mfb	53	(1)
Protein (Nx6.25), as is, min	50	(1)
Ash	7	(1)
Fat (acid hydrolysis)	3	(1)
Total Dietary Fiber	17	(1)
Total Carbohydrates	32	(2)
Energy (calories/100g)	290	(2)
PDCAAS	0.94	(4)

NUTRIENT	MG PER 100 G	*
Vitamin A (I.U.)	0	(1)
Vitamin C	0	(1)
Thiamine	0.7	(1)
Niacin	2.6	(1)
Vitamin D	Trace	(1)
Vitamin E	Trace	(1)
Vitamin B6	0.8	(1)
Vitamin B12 ug	Trace	(1)
Folic Acid ug	500	(1)
Biotin	Trace	(1)
Vitamin K	Trace	(1)
Pantothenic Acid	2.5	(1)
Riboflavin	0.4	(1)

NUTRIENT	MG PER 100 G	*
Sodium	5-15	(1)
Potassium	2100-2500	(1)
Phosphorus	600-900	(1)
Calcium	200-400	(1)
Magnesium	200-400	(1)
Iron	5-10	(1)
Zinc	3-6	(1)
Copper	<2	(1)
Manganese	<5	(1)
Selenium	<0.2	(1)
Chromium	<0.1	(1)
Molybdenum	<0.2	(1)
Iodine	0.84 ppm	--
Fluoride	<1 ppm	--
Sulfites	<10 ppm	(1)
Chloride	<100	(1)
Fatty Acids (based on fat by acid hydrolysis)		
Saturated	0.7 g	(1)
Trans fat	<0.05 g	(1)
Cholesterol	0	(1)
Sugars	15 g	(1)
Added sugars	0 g	(1)
Mercury	<0.05 ppm	(1)
Arsenic	<0.05 ppm	(1)
Cadmium	<0.1 ppm	(1)
Lead	<0.05 ppm	(1)
Aluminum	<5 ppm	(1)

* (1) = Actual Analysis
 (2) = Calculated
 (3) = From Database
 (4) = Calculated based on corrected amino acid scores (from actual analysis) using protein digestibility of 0.87, FAO/WHO 1989

N/A = No data available

Protein, carbohydrates, and fat are all of soybean origin.

For customers around the world, ADM draws on its resources – its people, products and market perspective – to help them meet today's consumer demands and envision tomorrow's needs.

