





LEICA Amplus 6

Reticles and subtensions



Reticle L-4a


Table with dimensions on page 4






LEICA Amplus 6

Reticles and subtensions



Reticle L-Ballistic MIL


Table with dimensions on page 4






LEICA Amplus 6

Reticles and sub-tensions



Reticle L-Ballistic MoA

Table with dimensions on page 4





LEICA Amplus 6

Subtensions

Riflescope		Leica Amplus 6 1-6x24 i Leica Amplus 6 2.5-15x50 i Leica Amplus 6 2.5-15x56 i				
Reticle		L-4a cm / 100m	MIL	MIL		
				cm / 100m	MoA	inch / 100yds
Magnification		10x	maximum	maximum	maximum	maximum
Bar opening	A	140.0	10.00	100.0	34.4	36.0
Bar opening	A/2	70.0	--	--	--	--
Line thickness	B	0.8	0.02	0.2	0.1	0.1
Bar thickness	C	4.0	0.20	2.0	0.7	0.7
Illuminated Dot (Diameter)	D	0.6	0.04	0.4	0.1	0.1
Line opening	E1	--	0.20	2.0	0.7	0.7
Line opening	E2	--	1.00	10.0	3.4	3.6
Line opening	E3	--	2.00	20.0	6.9	7.2
Line thickness	F	--	0.02	0.2	0.1	0.1
Line height	Y1	--	0.20	2.0	0.7	0.7
Line height	Y2	--	0.40	4.0	1.4	1.4
Line height	Y3	--	0.60	6.0	2.1	2.2
Line distance	X1	--	1.00	10.0	3.4	3.6
Line distance	X2	--	2.00	20.0	6.9	7.2
Line distance	X3	--	5.20	52.0	17.9	18.7

Riflescope		Leica Amplus 6 3-18x44 i				
Reticle		L-4a cm / 100m	MoA			
			MoA	inch / 100yds	MIL	cm / 100m
Magnification		10x	maximum	maximum	maximum	maximum
Bar opening	A	140.0	40.0	41.9	11.64	116.4
Bar opening	A/2	70.0	--	--	--	--
Line thickness	B	0.8	0.1	0.1	0.04	0.4
Bar thickness	C	4.0	1.0	1.0	0.29	2.9
Illuminated Dot (Diameter)	D	0.6	0.1	0.1	0.04	0.4
Line opening	E1	--	1.0	1.0	0.29	2.9
Line opening	E2	--	5.0	5.2	1.45	14.5
Line opening	E3	--	10.0	10.5	2.91	29.1
Line thickness	F	--	0.1	0.1	0.04	0.4
Line height	Y1	--	1.0	1.0	0.29	2.9
Line height	Y2	--	2.0	2.1	0.58	5.8
Line height	Y3	--	3.0	3.1	0.87	8.7
Line distance	X1	--	5.0	5.2	1.45	14.5
Line distance	X2	--	10.0	10.5	2.91	29.1
Line distance	X3	--	21.0	22.0	6.11	61.1