## SD230105-011 page 1 of 1

## PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-0000098-LIC ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368

## sample Hidden Hills 3000mg Rainbow Belts

| Sample ID SD230105-011 (59374) |                       | Matrix Edible (Other Cannabis Good) | Matrix Edible (Other Cannabis Good) |  |  |  |  |
|--------------------------------|-----------------------|-------------------------------------|-------------------------------------|--|--|--|--|
| Tested for A8 Industries       |                       |                                     |                                     |  |  |  |  |
| Sampled -                      | Received Jan 05, 2023 | Report                              | ted Jan 05, 2023                    |  |  |  |  |
| Analyses executed QARUSH, CANX |                       | Unit Mass (g) 86.256                | Serving Size (g) 8.6256             |  |  |  |  |

Laboratory note: unit size = 10 pieces

The estimated concentration of the unknown peok in the sample is 4.47 mg/g | Currently PharmLabs laboratory can not confirm an unidentified peok in your chromatogram due to interference (only with highly concentrated D8 products) from which we believe to be either (+)d8-THC of d7-THC. At this time there are no reference standards available for (+)d8-THC (+)d8-THC is a different compound from the main (-)d8-THC cannabinaid and, therefore, these two compounds may have different efficacies. Using the most advanced instruments and techniques available, the separation of (+)d8-THC is problematic for the scientific community as a whole. PharmLabs believes the unidentified peak to be a combination of (+)d8-THC with the majority, if not all, of the concentration being (+)d8-THC is estimated to be 27.84 mg/g.

LOO Bosult Bosult

Pocult

Desula

1.00

## CANX - Cannabinoids Analysis

Analyzed Jan 05, 2023 | Instrument HLPC Measurement Uncertainty at 95% confidence7.806%

| 0.013<br>0.002<br>0.01<br>0.012<br>0.007<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.013<br>0.025<br>0.001<br>0.021<br>0.013<br>0.001<br>0.015<br>0.015<br>0.016   | 0.041<br>0.007<br>0.031<br>0.021<br>0.06<br>0.021<br>0.16<br>0.16<br>0.16<br>0.075<br>0.16<br>0.064<br>0.038<br>0.16<br>0.047<br>0.8<br>0.16 | ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>N | ND<br>ND<br>ND<br>ND<br>ND<br>0.12<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND | ND<br>ND<br>ND<br>ND<br>ND<br>1.04<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>20.12 | ND<br>ND<br>ND<br>ND<br>ND<br>10.35<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND                         |   |
|--|--|---|--|---|---|---|
| 0.01<br>0.012<br>0.007<br>0.001<br>0.001<br>0.001<br>0.013<br>0.025<br>0.001<br>0.021<br>0.013<br>0.021<br>0.013<br>0.001<br>0.013<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.001<br>0.003<br>0.001<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.003<br>0.0 | 0.031<br>0.036<br>0.021<br>0.16<br>0.16<br>0.16<br>0.016<br>0.075<br>0.075<br>0.064<br>0.038<br>0.16<br>0.047<br>0.8                         | ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>0.23<br>ND    | ND<br>ND<br>ND<br>ND<br>0.12<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>2.33   | ND<br>ND<br>ND<br>ND<br>1.04<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND                | ND<br>ND<br>ND<br>ND<br>10.35<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND                               |   |
| 0.012<br>0.007<br>0.001<br>0.001<br>0.001<br>0.001<br>0.013<br>0.025<br>0.001<br>0.013<br>0.021<br>0.013<br>0.001<br>0.015<br>0.016<br>0.003   | 0.036<br>0.021<br>0.16<br>0.16<br>0.16<br>0.041<br>0.075<br>0.16<br>0.064<br>0.038<br>0.16<br>0.047<br>0.8                                   | ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>0.23<br>ND          | ND<br>ND<br>ND<br>0.12<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>2.33   | ND<br>ND<br>ND<br>1.04<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND                      | ND<br>ND<br>ND<br>10.35<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND                                     |   |
| 0.007<br>0.001<br>0.001<br>0.001<br>0.001<br>0.013<br>0.025<br>0.001<br>0.021<br>0.001<br>0.015<br>0.001<br>0.015<br>0.001   | 0.021<br>0.16<br>0.16<br>0.16<br>0.041<br>0.075<br>0.16<br>0.064<br>0.038<br>0.16<br>0.047<br>0.8  | ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>0.23<br>ND                | ND<br>ND<br>0.12<br>ND<br>ND<br>ND<br>ND<br>ND<br>2.33   | ND<br>ND<br>1.04<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND                                  | ND<br>ND<br>10.35<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND   |   |
| 0.001<br>0.001<br>0.001<br>0.001<br>0.013<br>0.025<br>0.001<br>0.021<br>0.013<br>0.001<br>0.015<br>0.016<br>0.003  | 0.16<br>0.16<br>0.16<br>0.041<br>0.075<br>0.16<br>0.064<br>0.038<br>0.16<br>0.047<br>0.8   | ND<br>ND<br>0.01<br>ND<br>ND<br>ND<br>ND<br>ND<br>0.23<br>ND                    | ND<br>ND<br>0.12<br>ND<br>ND<br>ND<br>ND<br>ND<br>2.33   | ND<br>ND<br>1.04<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND                                  | ND<br>ND<br>10.35<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND   |   |
| 0.001<br>0.001<br>0.001<br>0.013<br>0.025<br>0.001<br>0.021<br>0.001<br>0.013<br>0.001<br>0.015<br>0.016<br>0.003  | 0.16<br>0.16<br>0.041<br>0.075<br>0.16<br>0.064<br>0.038<br>0.16<br>0.047<br>0.8   | ND<br>0.01<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND<br>0.23<br>ND                    | ND<br>0.12<br>ND<br>ND<br>ND<br>ND<br>ND<br>2.33   | ND<br>1.04<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND  | ND<br>10.35<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND   |   |
| 0.001<br>0.001<br>0.013<br>0.025<br>0.001<br>0.021<br>0.013<br>0.001<br>0.015<br>0.016<br>0.003  | 0.16<br>0.041<br>0.075<br>0.16<br>0.064<br>0.038<br>0.16<br>0.047<br>0.8   | 0.01<br>ND<br>ND<br>ND<br>ND<br>ND<br>0.23<br>ND                                | 0.12<br>ND<br>ND<br>ND<br>ND<br>ND<br>2.33   | 1.04<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND  | 10.35<br>ND<br>ND<br>ND<br>ND<br>ND<br>ND   |   |
| 0.001<br>0.013<br>0.025<br>0.001<br>0.021<br>0.013<br>0.001<br>0.015<br>0.016<br>0.003   | 0.16<br>0.041<br>0.075<br>0.16<br>0.064<br>0.038<br>0.16<br>0.047<br>0.8   | ND<br>ND<br>ND<br>ND<br>ND<br>0.23<br>ND  | ND<br>ND<br>ND<br>ND<br>ND<br>2.33   | ND<br>ND<br>ND<br>ND<br>ND<br>ND  | ND<br>ND<br>ND<br>ND<br>ND<br>ND  |   |
| 0.013<br>0.025<br>0.001<br>0.021<br>0.013<br>0.001<br>0.015<br>0.016<br>0.003  | 0.041<br>0.075<br>0.16<br>0.064<br>0.038<br>0.16<br>0.047<br>0.8   | ND<br>ND<br>ND<br>ND<br>0.23<br>ND  | ND<br>ND<br>ND<br>ND<br>2.33   | ND<br>ND<br>ND<br>ND<br>ND  | ND<br>ND<br>ND<br>ND<br>ND  |   |
| 0.025<br>0.001<br>0.021<br>0.013<br>0.001<br>0.001<br>0.015<br>0.016<br>0.003  | 0.075<br>0.16<br>0.064<br>0.038<br>0.16<br>0.047<br>0.8  | ND<br>ND<br>ND<br>0.23<br>ND  | ND<br>ND<br>ND<br>2.33   | ND<br>ND<br>ND<br>ND  | ND<br>ND<br>ND<br>ND  |   |
| 0.001<br>0.021<br>0.013<br>0.001<br>0.015<br>0.016<br>0.003  | 0.16<br>0.064<br>0.038<br>0.16<br>0.047<br>0.8   | ND<br>ND<br>0.23<br>ND  | ND<br>ND<br>2.33   | ND<br>ND<br>ND  | ND<br>ND<br>ND  | Alexandre Stander   |
| 0.021<br>0.013<br>0.001<br>0.015<br>0.016<br>0.003   | 0.064<br>0.038<br>0.16<br>0.047<br>0.8   | ND<br>ND<br>0.23<br>ND  | ND<br>ND<br>2.33   | ND<br>ND  | ND<br>ND  |   |
| 0.013<br>0.001<br>0.015<br>0.016<br>0.003  | 0.038<br>0.16<br>0.047<br>0.8  | ND<br>0.23<br>ND  | ND<br>2.33   | ND  | ND  |   |
| 0.001<br>0.015<br>0.016<br>0.003   | 0.16<br>0.047<br>0.8   | 0.23<br>ND  | 2.33   |   |   | The second se                     |
| 0.015<br>0.016<br>0.003  | 0.047<br>0.8   | ND  |  | 20.12   |   |   |
| 0.016<br>0.003   | 0.8  |   | ND   | 2.0112  | 201.24  |   |
| 0.003  |  | ND  | ND   | ND  | ND  |   |
|  | 0.16   | 110   | ND   | ND  | ND  |   |
| 0.004  |  | UI  | UI   | UI  | UI  |   |
|  | 0.16   | 2.78  | 27.84  | 240.10  | 2401.02   |   |
| 0.015  | 0.16   | ND  | ND   | ND  | ND  |   |
| 0.017  | 0.16   | ND  | ND   | ND  | ND  |   |
| 0.007  | 0.16   | ND  | ND   | ND  | ND  |   |
| 0.016  | 0.16   | ND  | ND   | ND  | ND  |   |
| 0.001  | 0.16   | ND  | ND   | ND  | ND  |   |
| 0.024  | 0.071  | ND  | ND   | ND  | ND  |   |
| 0.014  | 0.043  | ND  | ND   | ND  | ND  |   |
| 0.017  | 0.16   | 0.46  | 4.63   | 39.93   | 399.28  |   |
| 0.041  | 0.16   | 0.06  | 0.62   | 5.37  | 53.65   |   |
| 0.076  | 0.16   | ND  | ND   | ND  | ND  |   |
| 0.031  | 0.094  | ND  | ND   | ND  | ND  |   |
| 0.066  | 0.16   | ND  | ND   | ND  | ND  |   |
| 0.026  | 0.079  | ND  | ND   | ND  | ND  |   |
| 0.067  | 0.204  | ND  | ND   | ND  | ND  |   |
|  |  | ND  | ND   | ND  | ND  |   |
|  |  | 2.78  | 27.84  | 240.10  | 2401.02   |   |
|  |  | ND  | ND   | ND  | ND  |   |
|  |  | 0.01  | 0.12   | 1.04  | 10.35   |   |
|  |  | ND  | ND   | ND  | ND  |   |
| (  | 0.026  | 0.026 0.079   | 0.026 0.079 ND<br>0.067 0.204 ND<br>ND<br>2.78<br>ND   | 0.026 0.079 ND ND<br>0.067 0.204 ND ND<br>2.78 27.84<br>ND ND<br>0.01 0.12<br>ND ND   | 0.026 0.079 ND ND ND<br>0.067 0.204 ND ND ND<br>2.78 27.84 240.10<br>ND ND ND<br>0.01 0.12 1.04 | 0.026 0.079 ND ND ND ND   0.067 0.204 ND ND ND ND   ND ND ND ND ND   2.78 27.84 240.10 2401.02   ND ND ND ND   0.01 0.12 1.04 10.35 |

UI Not Identified ND Not Detected NA Not Applicable NT Not Reported LOD Limit of Detection LOQ Limit of Quantification <LOQ Detected NUCU. Above upper limit of linearity >ULCU. Above upper limit of linearity CFU/Q colony forming Units per 1 gram TNTC Too Numerous to Count







Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager Thu, 05 Jan 2023 17:09:43 -0800



PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1 "This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fall status is reported, that status is intended to be in accordance with federal, state and local lows which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fall evolution unless explicition unless explicition, state or local lows and has been reported on the retrificate of analysis. Ressurement of uncertainty is available upon request.

